

平成27年度 地下水位観測結果(1/15)

凡 例
 : 未観測
 空欄 : 欠測
 単位 : 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位																			
		世田谷区										狛江市		世田谷区		狛江市		調布市		三鷹市	
		W-1	W-2	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2015/4/1	2.00	19.13	11.20	13.14	13.08	15.52	16.99	16.97	28.89	16.40	16.96	19.84	18.17	20.96	20.23	33.66	21.79	23.68	24.15	27.62	22.11
2015/4/2	0.00	19.13	11.19	13.13	13.07	15.50	16.95	16.92	28.88	16.39	16.95	19.83	18.16	20.94	20.22	33.65	21.78	23.61	24.09	27.61	22.02
2015/4/3	0.00	19.13	11.19	13.13	13.07	15.49	16.94	16.91	28.88	16.38	16.94	19.84	18.16	20.95	20.21	33.64	21.79	23.68	24.14	27.60	22.09
2015/4/4	1.50	19.12	11.19	13.12	13.06	15.48	16.90	16.87	28.87	16.37	16.93	19.81	18.15	20.92	20.20	33.63	21.76	23.60	24.07	27.60	22.01
2015/4/5	4.00	19.13	11.19	13.12	13.06	15.47	16.89	16.86	28.86	16.37	16.92	19.82	18.14	20.93	20.20	33.62	21.76	23.62	24.09	27.59	22.02
2015/4/6	0.00	19.13	11.18	13.11	13.05	15.46	16.91	16.88	28.86	16.36	16.91	19.82	18.14	20.93	20.20	33.61	21.77	23.65	24.11	27.59	22.08
2015/4/7	4.50	19.13	11.18	13.11	13.05	15.45	16.91	16.88	28.85	16.35	16.91	19.81	18.13	20.92	20.19	33.60	21.76	23.60	24.07	27.58	22.01
2015/4/8	17.50	19.19	11.19	13.13	13.07	15.45	17.01	16.99	28.85	16.37	16.91	19.86	18.14	20.97	20.24	33.59	21.82	23.57	24.03	27.57	21.91
2015/4/9	0.00	19.22	11.21	13.14	13.08	15.46	17.05	17.03	28.85	16.38	16.93	19.90	18.15	21.00	20.27	33.58	21.80	23.58	24.03	27.57	21.87
2015/4/10	9.00	19.21	11.21	13.14	13.08	15.46	17.01	16.99	28.86	16.38	16.93	19.89	18.14	20.99	20.26	33.58	21.79	23.61	24.04	27.56	21.89
2015/4/11	7.00	19.28	11.22	13.16	13.09	15.46	17.13	17.11	28.86	16.39	16.94	19.92	18.15	21.02	20.29	33.58	21.83	23.64	24.06	27.56	21.93
2015/4/12	0.00	19.28	11.23	13.16	13.10	15.47	17.12	17.10	28.87	16.40	16.94	19.93	18.16	21.01	20.29	33.57	21.81	23.59	24.01	27.56	21.85
2015/4/13	34.00	19.38	11.23	13.19	13.12	15.47	17.20	17.19	28.88	16.42	16.95	19.95	18.17	21.03	20.32	33.57	21.93	23.63	24.04	27.56	21.90
2015/4/14	18.00	19.61	11.27	13.28	13.20	15.52	17.57	17.60	28.90	16.50	17.01	20.13	18.22	21.19	20.51	33.59	22.00	23.75	24.12	27.57	22.01
2015/4/15	2.00	19.58	11.32	13.34	13.26	15.57	17.73	17.78	28.94	16.57	17.06	20.27	18.26	21.29	20.66	33.61	22.02	23.80	24.14	27.59	22.07
2015/4/16	0.00	19.36	11.34	13.35	13.29	15.61	17.64	17.67	28.98	16.58	17.08	20.23	18.28	21.26	20.61	33.64	21.93	23.73	24.10	27.60	21.99
2015/4/17	0.50	19.31	11.34	13.35	13.28	15.62	17.55	17.56	29.00	16.58	17.08	20.16	18.29	21.23	20.56	33.67	21.90	23.73	24.10	27.62	21.97
2015/4/18	0.00	19.28	11.33	13.33	13.27	15.63	17.46	17.47	29.01	16.58	17.08	20.10	18.29	21.19	20.50	33.69	21.87	23.68	24.06	27.64	21.90
2015/4/19	0.00	19.26	11.32	13.33	13.27	15.64	17.43	17.44	29.01	16.57	17.08	20.05	18.28	21.16	20.46	33.70	21.86	23.68	24.06	27.65	21.91
2015/4/20	14.00	19.26	11.31	13.35	13.30	15.65	17.39	17.39	29.02	16.57	17.08	20.04	18.29	21.16	20.44	33.72	21.86	23.74	24.11	27.67	22.00
2015/4/21	0.00	19.29	11.30	13.37	13.33	15.65	17.42	17.43	29.02	16.57	17.09	20.05	18.29	21.16	20.45	33.74	21.86	23.72	24.10	27.68	21.99
2015/4/22	2.00	19.27	11.30	13.34	13.29	15.66	17.35	17.35	29.02	16.56	17.09	20.01	18.29	21.13	20.41	33.73	21.84	23.64	24.04	27.68	21.87
2015/4/23	0.50	19.26	11.29	13.31	13.24	15.66	17.31	17.32	29.01	16.55	17.09	19.99	18.29	21.12	20.39	33.74	21.83	23.65	24.04	27.69	21.85
2015/4/24	0.00	19.24	11.28	13.28	13.22	15.66	17.27	17.27	29.01	16.54	17.08	19.98	18.29	21.10	20.37	33.74	21.83	23.66	24.05	27.69	21.86
2015/4/25	0.00	19.23	11.28	13.29	13.24	15.65	17.23	17.23	29.00	16.53	17.08	19.95	18.28	21.08	20.35	33.74	21.83	23.66	24.05	27.69	21.87
2015/4/26	0.00	19.21	11.27	13.31	13.28	15.64	17.21	17.21	29.00	16.52	17.07	19.93	18.28	21.06	20.34	33.74	21.82	23.64	24.04	27.69	21.86
2015/4/27	0.00	19.20	11.26	13.33	13.30	15.63	17.20	17.19	28.99	16.51	17.06	19.92	18.27	21.05	20.32	33.74	21.82	23.65	24.05	27.69	21.89
2015/4/28	0.00	19.18	11.25	13.28	13.23	15.62	17.18	17.17	28.98	16.49	17.05	19.91	18.26	21.04	20.31	33.73	21.81	23.65	24.05	27.68	21.88
2015/4/29	0.00	19.17	11.24	13.25	13.19	15.61	17.16	17.15	28.97	16.48	17.04	19.89	18.25	21.03	20.29	33.72	21.81	23.64	24.05	27.68	21.88
2015/4/30	0.00	19.16	11.24	13.23	13.16	15.60	17.14	17.13	28.96	16.47	17.03	19.88	18.24	21.01	20.28	33.72	21.81	23.64	24.05	27.67	21.88
2015/5/1	0.00	19.15	11.23	13.21	13.15	15.59	17.12	17.11	28.96	16.46	17.02	19.87	18.23	21.00	20.27	33.71	21.80	23.64	24.05	27.67	21.90
2015/5/2	0.00	19.14	11.23	13.20	13.13	15.57	17.10	17.09	28.95	16.45	17.00	19.86	18.22	20.99	20.26	33.70	21.80	23.62	24.04	27.66	21.90
2015/5/3	0.00	19.13	11.22	13.19	13.12	15.56	17.10	17.09	28.94	16.44	16.99	19.85	18.22	20.98	20.25	33.69	21.79	23.63	24.05	27.66	21.95
2015/5/4	0.00	19.13	11.22	13.18	13.12	15.55	17.09	17.08	28.93	16.43	16.99	19.85	18.21	20.98	20.24	33.69	21.80	23.68	24.09	27.65	22.06
2015/5/5	0.00	19.12	11.21	13.17	13.11	15.54	17.06	17.05	28.92	16.42	16.98	19.83	18.20	20.96	20.23	33.68	21.79	23.63	24.07	27.65	22.05
2015/5/6	0.00	19.11	11.21	13.16	13.10	15.53	17.02	17.01	28.91	16.41	16.97	19.82	18.19	20.94	20.22	33.67	21.77	23.60	24.04	27.64	22.01
2015/5/7	0.00	19.10	11.20	13.15	13.10	15.52	17.00	16.97	28.91	16.40	16.96	19.82	18.18	20.94	20.21	33.65	21.76	23.61	24.05	27.63	22.04
2015/5/8	0.00	19.10	11.20	13.14	13.09	15.51	16.97	16.94	28.90	16.39	16.95	19.81	18.17	20.93	20.20	33.64	21.75	23.60	24.04	27.62	22.05
2015/5/9	0.00	19.09	11.19	13.14	13.08	15.50	16.94	16.91	28.89	16.38	16.94	19.80	18.17	20.92	20.19	33.63	21.74	23.60	24.04	27.61	22.07
2015/5/10	0.00	19.08	11.19	13.13	13.08	15.49	16.92	16.89	28.88	16.38	16.93	19.79	18.16	20.91	20.18	33.63	21.73	23.59	24.03	27.61	22.10
2015/5/11	0.00	19.07	11.19	13.12	13.07	15.48	16.90	16.86	28.88	16.36	16.92	19.78	18.15	20.89	20.17	33.61	21.72	23.53	23.99	27.60	22.01
2015/5/12	55.00	19.07	11.19	13.14	13.08	15.47	16.92	16.89	28.87	16.36	16.91	19.80	18.14	20.92	20.18	33.60	21.77	23.61	24.05	27.59	22.10
2015/5/13	0.00	19.26	11.23	13.30	13.26	15.52	17.30	17.31	28.88	16.46	16.98	20.11	18.21	21.12	20.45	33.61	22.05	23.73	24.10	27.59	22.19
2015/5/14	0.00	19.23	11.25	13.25	13.20	15.55	17.19	17.18	28.90	16.42	17.01	20.05	18.23	21.09	20.38	33.60	21.85	23.67	24.05	27.59	22.12
2015/5/15	0.00	19.21	11.25	13.23	13.18	15.56	17.14	17.13	28.91	16.39	17.02	19.98	18.23	21.06	20.34	33.61	21.82	23.66	24.05	27.60	22.11
2015/5/16	3.50	19.20	11.24	13.23	13.16	15.56	17.11	17.09	28.92	16.38	17.02	19.94	18.24	21.04	20.32	33.62	21.81	23.69	24.08	27.61	22.18
2015/5/17	0.00	19.18	11.24	13.21	13.15	15.56	17.07	17.05	28.92	16.36	17.02	19.90	18.24	21.01	20.29	33.63	21.79	23.63	24.04	27.62	22.12
2015/5/18	0.50	19.16	11.23	13.19	13.14	15.55	17.04	17.01	28.92	16.35	17.01	19.87	18.24	20.99	20.26	33.62	21.78	23.61	24.03	27.62	22.08
2015/5/19	4.00	19.18	11.23	13.19	13.13	15.55	17.05	17.03	28.92	16.34	17.01	19.87	18.24	21.00	20.26	33.63	21.79	23.66	24.08	27.62	22.14
2015/5/20	0.00	19.16	11.22	13.19	13.12	15.54	17.04	17.02	28.92	16.34	17.00	19.85	18.23	20.98	20.25	33.64	21.78	23.65	24.08	27.62	22.13
2015/5/21	5.50	19.15	11.22	13.18	13.12	15.53	17.02	17.00	28.91	16.33	17.00	19.85	18.23	20.98	20.25	33.63	21.78	23.61	24.04	27.62	22.06
2015/5/22	0.00	19.15	11.22	13.17	13.11	15.52	16.99	16.96	28.90	16.32	16.99	19.83	18.23	20.96	20.23	33.62	21.75	23.57	24.01	27.61	21.97
2015/5/23	0.00	19.14	11.21	13.																	

平成27年度 地下水位観測結果(2/15)

凡例
 □ : 未観測
 □ : 欠測
 単位 : 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位																			
		世田谷区										狛江市		世田谷区		狛江市		調布市		三鷹市	
		W-1	W-2	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2015/8/1	0.00	19.16	11.35	13.31	13.24	16.06	17.35	17.34	29.31	16.68	17.43	20.08	18.74	21.33	20.51	34.22	21.94	23.92	24.45	27.85	22.31
2015/8/2	0.00	19.14	11.34	13.30	13.22	16.03	17.29	17.28	29.29	16.65	17.41	20.06	18.72	21.30	20.48	34.21	21.93	23.90	24.45	27.83	22.32
2015/8/3	0.00	19.13	11.32	13.29	13.22	16.00	17.24	17.21	29.26	16.62	17.38	20.04	18.70	21.28	20.46	34.19	21.92	23.90	24.46	27.82	22.33
2015/8/4	0.00	19.12	11.30	13.28	13.21	15.97	17.22	17.20	29.24	16.60	17.36	20.02	18.67	21.26	20.44	34.18	21.91	23.90	24.46	27.81	22.33
2015/8/5	0.00	19.10	11.29	13.27	13.21	15.95	17.21	17.19	29.22	16.58	17.34	20.00	18.64	21.24	20.42	34.16	21.91	23.89	24.46	27.80	22.32
2015/8/6	0.00	19.09	11.28	13.25	13.19	15.92	17.18	17.15	29.20	16.56	17.31	19.99	18.62	21.22	20.40	34.15	21.90	23.87	24.45	27.78	22.30
2015/8/7	0.00	19.08	11.27	13.24	13.17	15.89	17.13	17.10	29.17	16.54	17.29	19.97	18.59	21.20	20.39	34.13	21.89	23.85	24.44	27.77	22.27
2015/8/8	0.00	19.07	11.26	13.23	13.16	15.87	17.09	17.05	29.15	16.52	17.27	19.96	18.57	21.18	20.37	34.11	21.89	23.85	24.45	27.76	22.27
2015/8/9	0.00	19.06	11.25	13.22	13.15	15.84	17.06	17.02	29.13	16.51	17.25	19.96	18.55	21.17	20.36	34.10	21.89	23.87	24.47	27.75	22.31
2015/8/10	10.50	19.08	11.24	13.24	13.15	15.82	17.05	17.02	29.12	16.50	17.24	19.97	18.53	21.18	20.38	34.09	21.90	23.88	24.48	27.74	22.34
2015/8/11	0.00	19.09	11.24	13.25	13.17	15.81	17.05	17.01	29.10	16.51	17.23	20.02	18.52	21.20	20.39	34.08	21.91	23.89	24.49	27.73	22.35
2015/8/12	0.00	19.08	11.24	13.24	13.15	15.79	17.06	17.02	29.09	16.49	17.22	19.98	18.50	21.17	20.37	34.06	21.89	23.88	24.48	27.72	22.34
2015/8/13	3.00	19.08	11.23	13.23	13.14	15.78	17.04	16.99	29.07	16.48	17.20	19.97	18.49	21.16	20.35	34.05	21.89	23.88	24.49	27.71	22.36
2015/8/14	1.00	19.08	11.23	13.22	13.14	15.76	17.01	16.97	29.06	16.46	17.19	19.95	18.48	21.14	20.34	34.03	21.88	23.86	24.49	27.71	22.35
2015/8/15	0.00	19.06	11.23	13.21	13.13	15.74	16.99	16.94	29.05	16.45	17.17	19.95	18.46	21.13	20.33	34.02	21.87	23.83	24.46	27.70	22.31
2015/8/16	13.00	19.05	11.22	13.20	13.12	15.72	16.97	16.93	29.04	16.44	17.16	19.93	18.45	21.11	20.32	34.00	21.86	23.82	24.45	27.69	22.30
2015/8/17	38.00	19.19	11.23	13.39	13.31	15.73	17.25	17.24	29.04	16.56	17.19	20.24	18.50	21.37	20.67	34.00	22.36	23.94	24.49	27.68	22.32
2015/8/18	0.00	19.26	11.28	13.36	13.28	15.79	17.41	17.40	29.09	16.63	17.27	20.37	18.56	21.50	20.78	34.05	22.10	24.00	24.50	27.70	22.31
2015/8/19	0.00	19.22	11.29	13.32	13.24	15.80	17.35	17.33	29.12	16.60	17.27	20.24	18.57	21.40	20.65	34.09	22.00	23.95	24.48	27.73	22.28
2015/8/20	14.50	19.24	11.28	13.32	13.22	15.79	17.29	17.27	29.12	16.59	17.27	20.19	18.56	21.36	20.60	34.11	21.99	23.96	24.51	27.76	22.31
2015/8/21	0.00	19.24	11.28	13.30	13.21	15.79	17.26	17.23	29.13	16.58	17.26	20.14	18.55	21.33	20.55	34.13	21.97	23.98	24.53	27.78	22.37
2015/8/22	0.00	19.21	11.27	13.29	13.20	15.78	17.23	17.20	29.12	16.56	17.25	20.10	18.54	21.30	20.51	34.13	21.95	23.98	24.56	27.80	22.45
2015/8/23	0.00	19.19	11.26	13.27	13.18	15.76	17.18	17.15	29.11	16.54	17.23	20.06	18.52	21.26	20.47	34.13	21.93	23.94	24.55	27.81	22.47
2015/8/24	0.00	19.17	11.25	13.25	13.17	15.75	17.13	17.10	29.10	16.52	17.22	20.03	18.51	21.23	20.44	34.11	21.92	23.91	24.54	27.81	22.46
2015/8/25	1.50	19.15	11.24	13.24	13.15	15.73	17.10	17.06	29.08	16.50	17.20	20.01	18.49	21.21	20.41	34.09	21.91	23.88	24.53	27.80	22.44
2015/8/26	25.50	19.25	11.25	13.29	13.19	15.73	17.21	17.19	29.08	16.52	17.21	20.09	18.51	21.28	20.50	34.09	22.04	23.93	24.56	27.79	22.47
2015/8/27	0.00	19.28	11.27	13.30	13.20	15.75	17.24	17.22	29.08	16.55	17.23	20.13	18.52	21.31	20.52	34.08	21.96	23.94	24.55	27.79	22.45
2015/8/28	0.50	19.25	11.27	13.29	13.18	15.74	17.20	17.17	29.08	16.53	17.22	20.09	18.50	21.27	20.48	34.08	21.93	23.91	24.53	27.79	22.40
2015/8/29	2.00	19.24	11.26	13.27	13.17	15.73	17.18	17.15	29.07	16.52	17.20	20.06	18.49	21.24	20.45	34.07	21.92	23.90	24.53	27.80	22.38
2015/8/30	2.00	19.23	11.25	13.26	13.15	15.72	17.17	17.14	29.07	16.51	17.19	20.04	18.47	21.23	20.44	34.06	21.91	23.90	24.54	27.80	22.39
2015/8/31	2.50	19.23	11.24	13.26	13.15	15.71	17.17	17.15	29.06	16.49	17.17	20.03	18.46	21.20	20.42	34.05	21.91	23.88	24.53	27.79	22.37
2015/9/1	8.50	19.23	11.24	13.26	13.15	15.70	17.19	17.16	29.05	16.48	17.16	20.02	18.45	21.20	20.42	34.04	21.91	23.89	24.53	27.78	22.35
2015/9/2	4.00	19.27	11.24	13.27	13.17	15.70	17.23	17.21	29.04	16.49	17.16	20.05	18.45	21.24	20.45	34.03	21.93	23.92	24.56	27.78	22.39
2015/9/3	1.00	19.26	11.24	13.27	13.16	15.70	17.24	17.21	29.04	16.48	17.16	20.03	18.44	21.22	20.44	34.02	21.91	23.90	24.54	27.77	22.36
2015/9/4	5.50	19.27	11.24	13.27	13.16	15.69	17.25	17.22	29.04	16.48	17.15	20.04	18.43	21.23	20.44	34.02	21.92	23.92	24.56	27.77	22.38
2015/9/5	0.00	19.25	11.24	13.27	13.15	15.69	17.20	17.17	29.03	16.47	17.15	20.02	18.42	21.20	20.42	34.01	21.91	23.88	24.54	27.77	22.35
2015/9/6	18.00	19.23	11.24	13.26	13.15	15.68	17.19	17.15	29.03	16.47	17.14	20.01	18.42	21.19	20.40	34.00	21.90	23.90	24.56	27.76	22.38
2015/9/7	11.50	19.42	11.26	13.30	13.19	15.70	17.31	17.29	29.03	16.50	17.15	20.08	18.43	21.26	20.49	34.00	22.00	23.92	24.56	27.76	22.39
2015/9/8	59.00	19.79	11.31	13.40	13.28	15.75	17.65	17.68	29.06	16.62	17.22	20.25	18.50	21.42	20.89	34.00	22.39	23.93	24.55	27.76	22.31
2015/9/9	142.50	20.14	11.52	13.82	13.81	15.99	18.51	18.69	29.21	17.28	17.49	20.90	18.76	21.98	21.94	34.09	22.90	24.20	24.63	27.83	22.35
2015/9/10	28.50	19.91	11.84	14.14	14.19	16.69	18.81	18.96	29.56	17.99	17.99	21.28	19.16	22.35	22.18	34.38	22.75	24.43	24.71	28.19	22.35
2015/9/11	0.00	19.50	11.92	13.97	13.92	16.98	18.60	18.69	29.85	17.83	18.09	21.11	19.30	22.30	21.87	34.60	22.45	24.47	24.77	28.48	22.38
2015/9/12	0.00	19.35	11.88	13.79	13.72	16.95	18.34	18.40	29.98	17.60	18.04	20.82	19.32	22.13	21.52	34.70	22.30	24.40	24.78	28.49	22.34
2015/9/13	0.00	19.31	11.83	13.69	13.60	16.85	18.15	18.18	30.01	17.44	17.98	20.63	19.29	21.97	21.25	34.74	22.22	24.36	24.81	28.41	22.34
2015/9/14	0.00	19.28	11.77	13.61	13.52	16.74	18.00	18.02	29.99	17.30	17.91	20.50	19.24	21.84	21.06	34.75	22.16	24.29	24.79	28.32	22.29
2015/9/15	0.00	19.26	11.72	13.56	13.46	16.65	17.89	17.90	29.94	17.19	17.86	20.42	19.19	21.75	20.94	34.75	22.13	24.28	24.81	28.24	22.28
2015/9/16	4.00	19.25	11.67	13.52	13.41	16.57	17.78	17.78	29.89	17.09	17.80	20.36	19.14	21.68	20.86	34.75	22.10	24.27	24.83	28.18	22.31
2015/9/17	61.00	19.67	11.67	13.60	13.48	16.60	18.01	18.05	29.89	17.23	17.83	20.54	19.18	21.84	21.26	34.75	22.70	24.34	24.89	28.13	22.36
2015/9/18	4.00	19.58	11.74	13.72	13.65	16.74	18.30	18.38	29.97	17.48	17.93	20.85	19.27	22.12	21.55	34.80	22.38	24.48	24.96	28.17	22.44
2015/9/19	0.00	19.38	11.73	13.70	13.61	16.73	18.20	18.25	29.97	17.36	17.91	20.71	19.26	22.08	21.34	34.84	22.27	24.48	25.00	28.22	22.49
2015/9/20	0.00	19.32	11.69	13.64	13.54	16.67	18.05	18.08	29.93	17.25	17.87	20.57	19.22	21.97	21.15	34.85	22.21	24.43	25.01	28.22	22.52
2015/9/21	0.00	19.28	11.65	13.58	13.47	16.60	17.92	17.94	29.89	17.14	17.82	20.47	19.18	21.86	21.01	34.85	22.16	24.38	25.01	28.19	22.50
2015/9/22	0.00	19.26	11.61																		

平成27年度 地下水位観測結果(3/15)

凡例
 : 未観測
 空欄 : 欠測
 単位 : 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位																			
		世田谷区										狛江市		世田谷区		狛江市		調布市		三鷹市	
		W-1	W-2	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2015/12/1	0.00	19.22	11.26	13.28	13.20	15.61	17.15	17.13	28.98	16.45	17.07	20.05	18.34	21.20	20.44	33.99	21.92	24.00	24.78	27.69	22.52
2015/12/2	1.00	19.20	11.25	13.27	13.19	15.60	17.11	17.08	28.97	16.44	17.06	20.03	18.33	21.18	20.42	33.98	21.91	23.98	24.76	27.69	22.49
2015/12/3	1.50	19.21	11.24	13.27	13.19	15.60	17.11	17.08	28.97	16.43	17.06	20.04	18.33	21.19	20.41	33.99	21.93	24.11	24.87	27.69	22.68
2015/12/4	0.00	19.19	11.23	13.26	13.19	15.59	17.07	17.04	28.96	16.42	17.05	20.01	18.32	21.16	20.39	33.98	21.92	24.05	24.84	27.69	22.67
2015/12/5	0.00	19.17	11.23	13.26	13.19	15.58	17.03	17.00	28.95	16.40	17.04	19.99	18.31	21.14	20.37	33.97	21.90	23.98	24.79	27.69	22.59
2015/12/6	0.00	19.15	11.22	13.23	13.16	15.56	17.01	16.99	28.95	16.39	17.03	19.97	18.30	21.11	20.35	33.95	21.89	23.92	24.74	27.68	22.51
2015/12/7	0.00	19.14	11.21	13.22	13.15	15.55	17.00	16.97	28.94	16.38	17.02	19.96	18.29	21.10	20.34	33.94	21.88	23.92	24.72	27.67	22.47
2015/12/8	0.00	19.14	11.21	13.21	13.14	15.54	16.98	16.96	28.93	16.36	17.01	19.95	18.28	21.10	20.33	33.93	21.88	23.92	24.71	27.66	22.44
2015/12/9	0.00	19.13	11.20	13.20	13.12	15.53	16.97	16.94	28.92	16.35	17.00	19.94	18.27	21.08	20.32	33.92	21.87	23.90	24.69	27.65	22.40
2015/12/10	5.00	19.13	11.20	13.19	13.12	15.52	16.97	16.95	28.91	16.35	16.99	19.94	18.27	21.08	20.31	33.91	21.88	23.94	24.72	27.64	22.45
2015/12/11	87.00	19.66	11.26	13.41	13.36	15.70	17.68	17.79	28.93	16.49	17.08	20.27	18.35	21.37	20.83	33.94	22.32	24.18	24.88	27.65	22.70
2015/12/12	0.00	19.42	11.36	13.53	13.51	15.72	17.87	17.92	29.00	16.60	17.22	20.53	18.44	21.53	20.96	33.97	22.12	24.09	24.76	27.66	22.53
2015/12/13	1.50	19.33	11.38	13.54	13.49	15.77	17.72	17.74	29.04	16.60	17.24	20.37	18.47	21.46	20.80	34.01	22.04	24.09	24.77	27.69	22.54
2015/12/14	0.00	19.29	11.37	13.52	13.46	15.81	17.64	17.65	29.06	16.60	17.25	20.26	18.48	21.41	20.70	34.03	22.00	24.08	24.77	27.72	22.54
2015/12/15	0.00	19.28	11.35	13.46	13.38	15.82	17.56	17.56	29.08	16.60	17.25	20.21	18.49	21.39	20.63	34.05	21.99	24.10	24.80	27.75	22.58
2015/12/16	0.00	19.26	11.34	13.42	13.33	15.83	17.50	17.49	29.08	16.59	17.25	20.17	18.50	21.36	20.59	34.07	21.98	24.14	24.85	27.77	22.68
2015/12/17	0.00	19.24	11.32	13.38	13.28	15.83	17.45	17.45	29.08	16.57	17.25	20.12	18.50	21.32	20.54	34.06	21.96	24.08	24.82	27.78	22.64
2015/12/18	0.00	19.22	11.31	13.34	13.25	15.82	17.39	17.38	29.08	16.55	17.23	20.08	18.49	21.27	20.49	34.05	21.94	24.00	24.76	27.78	22.53
2015/12/19	0.00	19.20	11.29	13.33	13.24	15.80	17.33	17.32	29.07	16.53	17.22	20.06	18.48	21.25	20.47	34.04	21.93	23.99	24.75	27.77	22.51
2015/12/20	0.00	19.18	11.28	13.33	13.25	15.79	17.29	17.28	29.06	16.51	17.21	20.04	18.47	21.22	20.44	34.03	21.92	23.98	24.73	27.76	22.49
2015/12/21	0.00	19.18	11.27	13.34	13.26	15.77	17.28	17.27	29.06	16.50	17.19	20.04	18.46	21.22	20.43	34.03	21.92	24.04	24.79	27.75	22.59
2015/12/22	0.00	19.16	11.26	13.34	13.28	15.76	17.26	17.25	29.04	16.48	17.18	20.02	18.44	21.20	20.41	34.02	21.91	24.00	24.76	27.74	22.56
2015/12/23	4.50	19.16	11.25	13.31	13.23	15.74	17.23	17.21	29.03	16.46	17.16	20.00	18.43	21.18	20.39	34.01	21.90	23.98	24.75	27.73	22.54
2015/12/24	5.00	19.20	11.25	13.30	13.21	15.73	17.26	17.25	29.03	16.46	17.16	20.02	18.42	21.21	20.41	34.01	21.92	24.07	24.82	27.73	22.68
2015/12/25	0.00	19.19	11.24	13.28	13.19	15.72	17.25	17.23	29.02	16.45	17.15	20.01	18.41	21.19	20.39	34.00	21.92	24.06	24.84	27.72	22.73
2015/12/26	0.00	19.17	11.24	13.26	13.17	15.70	17.22	17.20	29.01	16.43	17.13	20.00	18.40	21.17	20.37	33.99	21.90	24.01	24.81	27.71	22.70
2015/12/27	0.00	19.15	11.23	13.24	13.16	15.69	17.18	17.17	29.00	16.42	17.12	19.98	18.38	21.15	20.36	33.97	21.89	23.97	24.78	27.70	22.67
2015/12/28	0.00	19.14	11.22	13.23	13.15	15.68	17.15	17.13	28.99	16.41	17.11	19.97	18.37	21.13	20.35	33.96	21.88	23.95	24.75	27.69	22.62
2015/12/29	0.00	19.13	11.22	13.22	13.14	15.66	17.14	17.12	28.98	16.40	17.10	19.96	18.36	21.12	20.34	33.95	21.88	23.95	24.74	27.68	22.61
2015/12/30	0.00	19.13	11.21	13.21	13.13	15.65	17.13	17.11	28.97	16.39	17.08	19.95	18.35	21.11	20.33	33.93	21.87	23.93	24.72	27.67	22.58
2015/12/31	0.00	19.12	11.21	13.21	13.12	15.63	17.12	17.10	28.96	16.38	17.07	19.95	18.33	21.10	20.32	33.93	21.87	23.95	24.74	27.66	22.62
2016/1/1	0.00	19.11	11.21	13.20	13.11	15.62	17.12	17.09	28.95	16.37	17.06	19.94	18.32	21.08	20.31	33.92	21.86	23.93	24.72	27.65	22.61
2016/1/2	0.00	19.11	11.20	13.19	13.11	15.61	17.11	17.09	28.94	16.36	17.05	19.94	18.31	21.08	20.30	33.91	21.86	23.95	24.74	27.64	22.65
2016/1/3	0.00	19.11	11.20	13.19	13.10	15.59	17.11	17.09	28.93	16.35	17.04	19.93	18.30	21.08	20.29	33.90	21.86	23.97	24.76	27.64	22.70
2016/1/4	0.00	19.10	11.20	13.18	13.09	15.58	17.10	17.08	28.92	16.34	17.03	19.93	18.29	21.07	20.29	33.89	21.86	23.97	24.76	27.63	22.73
2016/1/5	0.00	19.10	11.19	13.17	13.09	15.57	17.09	17.07	28.92	16.33	17.02	19.92	18.27	21.06	20.28	33.88	21.85	23.93	24.74	27.62	22.70
2016/1/6	0.00	19.09	11.19	13.16	13.08	15.55	17.08	17.06	28.91	16.32	17.00	19.91	18.26	21.05	20.27	33.87	21.85	23.92	24.73	27.62	22.68
2016/1/7	0.00	19.09	11.19	13.16	13.07	15.54	17.08	17.06	28.90	16.32	16.99	19.91	18.25	21.04	20.26	33.86	21.85	23.95	24.74	27.61	22.73
2016/1/8	0.00	19.08	11.18	13.15	13.07	15.53	17.07	17.05	28.89	16.31	16.98	19.90	18.24	21.03	20.26	33.85	21.84	23.93	24.73	27.61	22.71
2016/1/9	0.00	19.07	11.18	13.14	13.06	15.52	17.05	17.03	28.89	16.31	16.97	19.89	18.23	21.02	20.25	33.84	21.84	23.90	24.70	27.60	22.68
2016/1/10	0.00	19.07	11.18	13.14	13.06	15.51	17.04	17.02	28.88	16.30	16.96	19.89	18.22	21.01	20.24	33.83	21.84	23.90	24.70	27.60	22.70
2016/1/11	0.00	19.06	11.18	13.13	13.06	15.49	17.04	17.02	28.87	16.29	16.95	19.88	18.21	21.00	20.24	33.82	21.83	23.90	24.70	27.59	22.69
2016/1/12	0.50	19.06	11.18	13.13	13.05	15.48	17.03	17.01	28.87	16.29	16.94	19.88	18.20	21.00	20.23	33.81	21.83	23.90	24.70	27.59	22.70
2016/1/13	0.00	19.06	11.18	13.13	13.05	15.47	17.02	17.00	28.86	16.28	16.94	19.87	18.19	21.00	20.23	33.80	21.83	23.91	24.70	27.58	22.71
2016/1/14	0.00	19.05	11.17	13.12	13.05	15.46	17.02	17.00	28.85	16.27	16.93	19.87	18.18	20.99	20.22	33.79	21.83	23.90	24.70	27.58	22.72
2016/1/15	0.00	19.05	11.17	13.11	13.04	15.45	17.04	17.02	28.85	16.27	16.92	19.86	18.17	20.97	20.22	33.78	21.82	23.86	24.67	27.58	22.68
2016/1/16	0.00	19.04	11.17	13.11	13.04	15.44	17.02	17.00	28.84	16.26	16.91	19.85	18.16	20.97	20.21	33.76	21.81	23.85	24.65	27.57	22.65
2016/1/17	4.50	19.04	11.17	13.10	13.03	15.43	17.00	16.97	28.83	16.25	16.90	19.85	18.16	20.96	20.20	33.75	21.81	23.83	24.63	27.56	22.63
2016/1/18	57.00	19.34	11.19	13.17	13.09	15.44	17.34	17.34	28.83	16.29	16.92	19.98	18.18	21.08	20.32	33.76	22.18	24.01	24.77	27.57	22.85
2016/1/19	0.00	19.41	11.25	13.23	13.15	15.49	17.64	17.66	28.86	16.36	16.99	20.16	18.23	21.22	20.47	33.75	22.04	24.00	24.74	27.57	22.83
2016/1/20	0.00	19.32	11.27	13.24	13.17	15.51	17.58	17.58	28.89	16.37	17.01	20.16	18.24	21.21	20.48	33.75	21.93	23.94	24.69	27.58	22.74
2016/1/21	0.00	19.29	11.27	13.24	13.16	15.52	17.49	17.49	28.90	16.38	17.01	20.11	18.24	21.19	20.46	33.75	21.90	23.90	24.65	27.59	22.65
2016/1/22	0.00																				

平成27年度 地下水位観測結果(4/15)

凡例
 空欄：未観測
 空欄：欠測
 単位：降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市		調布市		三鷹市		調布市		三鷹市		世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2015/4/1	2.00	39.46	38.68	41.86	27.58	22.61	20.92	42.02	20.87	19.26	43.61	42.93	23.47	44.36	43.88	22.24	42.04
2015/4/2	0.00	39.45	38.66	41.83	27.50	22.52	20.87	42.00	20.79	19.17	43.59	42.87	23.39	44.34	43.79	22.17	41.95
2015/4/3	0.00	39.45	38.67	41.79	27.57	22.60	20.90	41.99	20.87	19.26	43.58	42.88	23.47	44.33	43.83	22.24	42.01
2015/4/4	1.50	39.44	38.64	41.75	27.49	22.51	20.86	41.96	20.78	19.16	43.56	42.82	23.39	44.31	43.73	22.17	41.91
2015/4/5	4.00	39.43	38.64	41.75	27.49	22.51	20.87	41.96	20.78	19.17	43.55	42.82	23.39	44.30	43.73	22.17	41.92
2015/4/6	0.00	39.43	38.63	41.75	27.54	22.56	20.90	41.95	20.84	19.22	43.55	42.82	23.44	44.29	43.74	22.22	41.95
2015/4/7	4.50	39.42	38.62	41.75	27.49	22.50	20.86	41.94	20.78	19.16	43.53	42.79	23.39	44.28	43.68	22.17	41.89
2015/4/8	17.50	39.42	38.63	41.82	27.41	22.42	20.80	42.02	20.70	19.08	43.59	42.83	23.31	44.34	43.65	22.10	41.83
2015/4/9	0.00	39.41	38.63	41.82	27.37	22.40	20.75	42.05	20.66	19.05	43.62	42.87	23.27	44.38	43.70	22.07	41.84
2015/4/10	9.00	39.41	38.63	41.81	27.39	22.42	20.74	42.03	20.68	19.07	43.60	42.88	23.30	44.35	43.73	22.09	41.89
2015/4/11	7.00	39.41	38.65	41.86	27.42	22.45	20.77	42.10	20.71	19.10	43.65	42.93	23.33	44.40	43.77	22.12	41.92
2015/4/12	0.00	39.41	38.64	41.84	27.35	22.37	20.73	42.08	20.63	19.01	43.64	42.91	23.25	44.39	43.74	22.05	41.87
2015/4/13	34.00	39.42	38.67	41.90	27.38	22.40	20.74	42.14	20.66	19.05	43.67	42.97	23.29	44.42	43.80	22.09	41.93
2015/4/14	18.00	39.43	38.75	42.09	27.51	22.53	20.80	42.43	20.79	19.17	43.89	43.22	23.42	44.66	44.00	22.20	42.06
2015/4/15	2.00	39.46	38.82	42.15	27.58	22.60	20.86	42.54	20.86	19.24	43.98	43.37	23.49	44.78	44.16	22.26	42.15
2015/4/16	0.00	39.48	38.84	42.10	27.52	22.53	20.81	42.46	20.79	19.16	43.92	43.34	23.41	44.72	44.17	22.19	42.13
2015/4/17	0.50	39.50	38.85	42.07	27.51	22.52	20.80	42.40	20.78	19.15	43.88	43.33	23.41	44.68	44.20	22.19	42.17
2015/4/18	0.00	39.51	38.84	42.04	27.45	22.44	20.76	42.35	20.71	19.08	43.85	43.28	23.34	44.63	44.16	22.13	42.14
2015/4/19	0.00	39.51	38.83	42.02	27.44	22.44	20.78	42.32	20.70	19.07	43.82	43.27	23.34	44.60	44.17	22.13	42.17
2015/4/20	14.00	39.52	38.84	42.03	27.52	22.52	20.83	42.33	20.78	19.16	43.83	43.29	23.42	44.59	44.22	22.20	42.24
2015/4/21	0.00	39.52	38.84	42.06	27.54	22.52	20.83	42.35	20.79	19.16	43.84	43.30	23.43	44.60	44.21	22.20	42.23
2015/4/22	2.00	39.52	38.82	42.03	27.42	22.40	20.75	42.30	20.67	19.04	43.80	43.24	23.31	44.57	44.14	22.10	42.15
2015/4/23	0.50	39.52	38.81	42.01	27.41	22.39	20.73	42.28	20.65	19.03	43.79	43.22	23.30	44.55	44.13	22.09	42.15
2015/4/24	0.00	39.52	38.82	42.00	27.41	22.40	20.73	42.26	20.66	19.04	43.77	43.21	23.31	44.53	44.14	22.10	42.17
2015/4/25	0.00	39.52	38.81	41.98	27.42	22.41	20.75	42.23	20.67	19.04	43.75	43.18	23.31	44.51	44.11	22.10	42.16
2015/4/26	0.00	39.52	38.80	41.97	27.40	22.38	20.76	42.21	20.64	19.01	43.73	43.15	23.29	44.48	44.08	22.08	42.13
2015/4/27	0.00	39.52	38.79	41.96	27.42	22.40	20.76	42.19	20.65	19.03	43.72	43.14	23.30	44.47	44.07	22.09	42.14
2015/4/28	0.00	39.51	38.78	41.95	27.42	22.40	20.74	42.17	20.65	19.02	43.70	43.10	23.30	44.45	44.04	22.08	42.12
2015/4/29	0.00	39.51	38.77	41.94	27.42	22.40	20.75	42.15	20.66	19.02	43.68	43.08	23.31	44.43	44.01	22.08	42.11
2015/4/30	0.00	39.50	38.76	41.93	27.42	22.40	20.76	42.13	20.66	19.02	43.67	43.05	23.31	44.41	43.98	22.08	42.09
2015/5/1	0.00	39.49	38.75	41.92	27.43	22.41	20.84	42.11	20.67	19.03	43.65	43.04	23.32	44.39	43.96	22.08	42.08
2015/5/2	0.00	39.49	38.73	41.91	27.43	22.40	20.93	42.09	20.66	19.03	43.63	43.00	23.31	44.37	43.92	22.06	42.05
2015/5/3	0.00	39.48	38.72	41.90	27.46	22.42	21.01	42.07	20.69	19.07	43.62	42.99	23.33	44.35	43.91	22.08	42.05
2015/5/4	0.00	39.48	38.72	41.90	27.54	22.51	21.10	42.06	20.78	19.16	43.61	42.99	23.41	44.34	43.93	22.15	42.09
2015/5/5	0.00	39.47	38.70	41.88	27.54	22.50	21.12	42.04	20.77	19.15	43.59	42.95	23.40	44.32	43.86	22.13	42.04
2015/5/6	0.00	39.46	38.69	41.87	27.49	22.46	21.12	42.02	20.72	19.11	43.57	42.91	23.35	44.30	43.81	22.08	41.98
2015/5/7	0.00	39.46	38.68	41.86	27.51	22.48	21.12	42.00	20.74	19.14	43.56	42.89	23.36	44.28	43.80	22.09	41.98
2015/5/8	0.00	39.45	38.67	41.87	27.51	22.49	21.11	41.99	20.74	19.15	43.55	42.86	23.36	44.27	43.77	22.09	41.96
2015/5/9	0.00	39.45	38.66	41.88	27.52	22.50	21.10	41.97	20.75	19.17	43.53	42.84	23.37	44.25	43.74	22.10	41.95
2015/5/10	0.00	39.44	38.65	41.87	27.52	22.50	21.14	41.95	20.75	19.17	43.52	42.81	23.36	44.24	43.71	22.09	41.92
2015/5/11	0.00	39.43	38.63	41.86	27.43	22.41	21.07	41.93	20.66	19.08	43.50	42.76	23.27	44.22	43.63	22.02	41.83
2015/5/12	55.00	39.43	38.64	41.91	27.52	22.51	21.10	41.94	20.76	19.19	43.52	42.79	23.37	44.22	43.69	22.10	41.91
2015/5/13	0.00	39.44	38.74	42.21	27.62	22.61	21.21	42.34	20.85	19.27	43.82	43.08	23.45	44.56	43.83	22.17	41.99
2015/5/14	0.00	39.45	38.72	42.06	27.56	22.54	21.17	42.22	20.79	19.20	43.74	43.05	23.40	44.50	43.89	22.11	41.97
2015/5/15	0.00	39.46	38.72	42.02	27.56	22.54	21.15	42.15	20.79	19.20	43.69	43.03	23.39	44.45	43.91	22.10	41.99
2015/5/16	3.50	39.46	38.72	41.99	27.61	22.61	21.09	42.12	20.85	19.25	43.66	43.02	23.46	44.41	43.93	22.15	42.05
2015/5/17	0.00	39.47	38.70	41.96	27.56	22.55	21.02	42.08	20.78	19.17	43.62	42.97	23.40	44.37	43.86	22.10	41.99
2015/5/18	0.50	39.47	38.69	41.94	27.52	22.52	20.94	42.05	20.74	19.13	43.60	42.94	23.37	44.34	43.83	22.07	41.97
2015/5/19	4.00	39.47	38.70	41.94	27.59	22.61	20.94	42.04	20.82	19.20	43.59	42.95	23.44	44.32	43.86	22.14	42.03
2015/5/20	0.00	39.47	38.69	41.93	27.60	22.62	20.92	42.02	20.83	19.19	43.57	42.93	23.45	44.30	43.83	22.14	42.02
2015/5/21	5.50	39.46	38.68	41.94	27.55	22.57	20.88	42.02	20.77	19.13	43.57	42.90	23.41	44.30	43.77	22.10	41.97
2015/5/22	0.00	39.46	38.67	41.92	27.48	22.49	20.81	42.00	20.70	19.06	43.55	42.87	23.42	44.28	43.74	22.03	41.92
2015/5/23	0.00	39.46	38.66	41.91	27.48	22.49	20.81	41.98	20.70	19.05	43.53	42.86	23.44	44.26	43.73	22.03	41.93
2015/5/24	0.00	39.45	38.65	41.90	27.50	22.52	20.84	41.96	20.72	19.08	43.52	42.85	23.47	44.25	43.73	22.05	41.95
2015/5/25	0.00	39.45	38.64	41.88	27.49	22.50	20.82	41.94	20.71	19.05	43.50	42.82	23.45	44.23	43.70	22.04	41.93
2015/5/26	0.00	39.44	38.63	41.87	27.50	22.51	20.80	41.92	20.73	19.06	43.49	42.79	23.47	44.21	43.70	22.04	41.97
2015/5/27	0.00	39.44	38.62	41.86	27.48	22.48	20.78	41.90	20.71	19.04	43.48	42.76	23.44	44.19	43.66	22.02	41.94
2015/5/28	0.00	39.43	38.60	41.85	27.42	22.42	20.74	41.89	20.66	18.99	43.46	42.72	23.39	44.18	43.61	21.98	41.89
2015/5/29	7.50	39.42	38.60	41.85	27.45	22.45	20.74	41.88	20.69	19.02	43.45	42.71	23.42	44.16	43.62	22.00	41.91
2015/5/30	0.00	39.42	38.60	41.85	27.52	22.52	20.81	41.88	20.76	19.09	43.45	42.73	23.49	44.16	43.64	22.06	41.95
2015/5/31	0.00	39.42	38.59	41.84	27.52	22.50	20.95	41.86	20.76	19.09	43.43	42.68	23.51	44.14	43.59	22.05	41.92
2015/6/1	0.00	39.41	38.58	41.90	27.42	22.40	20.88	41.84	20.68	19.02	43.42	42.63	23.44	44.12	43.52	21.97	41.84
2015/6/2	0.00	39.41	38.57	42.01	27.41	22.39	20.85	41.83	20.68	19.03	43.41	42.62	23.44	44.11	43.52	21.97	41.84
2015/6/3	13.00	39.40	38.58	42.07	27.50	2											

平成27年度 地下水位観測結果(5/15)

凡例
 □ : 未観測
 □ : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市		調布市		三鷹市		調布市		三鷹市		世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2015/8/1	0.00	39.89	39.30	42.44	27.68	22.51	21.46	42.63	20.72	18.99	44.22	43.70	23.51	45.12	44.85	21.88	42.58
2015/8/2	0.00	39.86	39.27	42.42	27.67	22.50	21.39	42.58	20.69	18.97	44.18	43.65	23.49	45.08	44.78	21.88	42.54
2015/8/3	0.00	39.84	39.25	42.40	27.67	22.51	21.35	42.54	20.69	18.96	44.14	43.60	23.50	45.04	44.73	21.89	42.51
2015/8/4	0.00	39.82	39.23	42.38	27.68	22.52	21.31	42.50	20.69	18.97	44.11	43.55	23.51	45.00	44.67	21.90	42.49
2015/8/5	0.00	39.80	39.20	42.36	27.68	22.53	21.29	42.47	20.69	18.96	44.08	43.50	23.50	44.96	44.61	21.90	42.45
2015/8/6	0.00	39.78	39.18	42.34	27.66	22.50	21.26	42.43	20.66	18.94	44.04	43.45	23.48	44.92	44.53	21.87	42.40
2015/8/7	0.00	39.76	39.15	42.32	27.64	22.48	21.22	42.40	20.64	18.92	44.01	43.41	23.46	44.88	44.48	21.85	42.36
2015/8/8	0.00	39.74	39.13	42.31	27.64	22.49	21.21	42.37	20.64	18.91	43.99	43.37	23.46	44.85	44.43	21.85	42.34
2015/8/9	0.00	39.72	39.11	42.30	27.67	22.52	21.23	42.35	20.67	18.94	43.97	43.35	23.49	44.83	44.40	21.87	42.33
2015/8/10	10.50	39.70	39.10	42.33	27.69	22.54	21.24	42.35	20.69	18.95	43.97	43.33	23.51	44.82	44.37	21.89	42.32
2015/8/11	0.00	39.69	39.09	42.31	27.71	22.57	21.25	42.33	20.71	18.98	43.95	43.31	23.54	44.82	44.34	21.91	42.30
2015/8/12	0.00	39.67	39.06	42.29	27.72	22.57	21.26	42.30	20.72	18.98	43.92	43.27	23.54	44.78	44.30	21.90	42.27
2015/8/13	3.00	39.65	39.04	42.27	27.73	22.59	21.27	42.28	20.73	18.99	43.90	43.23	23.56	44.76	44.27	21.91	42.26
2015/8/14	1.00	39.64	39.02	42.26	27.73	22.59	21.27	42.25	20.73	18.99	43.88	43.20	23.56	44.74	44.22	21.91	42.22
2015/8/15	0.00	39.63	39.00	42.27	27.69	22.55	21.24	42.24	20.69	18.94	43.87	43.16	23.52	44.72	44.16	21.87	42.17
2015/8/16	13.00	39.62	38.97	42.25	27.67	22.53	21.24	42.22	20.67	18.92	43.85	43.13	23.50	44.69	44.13	21.86	42.14
2015/8/17	38.00	39.63	39.09	42.71	27.68	22.54	21.26	42.85	20.68	18.94	44.35	43.54	23.51	45.28	44.28	21.87	42.17
2015/8/18	0.00	39.69	39.16	42.72	27.69	22.55	21.25	43.03	20.69	18.94	44.55	43.83	23.51	45.54	44.62	21.88	42.25
2015/8/19	0.00	39.73	39.17	42.63	27.65	22.53	21.22	42.87	20.65	18.90	44.46	43.80	23.47	45.44	44.73	21.84	42.30
2015/8/20	14.50	39.75	39.19	42.62	27.66	22.56	21.23	42.83	20.66	18.91	44.42	43.80	23.48	45.39	44.77	21.84	42.36
2015/8/21	0.00	39.76	39.20	42.58	27.70	22.61	21.26	42.78	20.70	18.95	44.37	43.79	23.52	45.34	44.80	21.85	42.41
2015/8/22	0.00	39.77	39.20	42.55	27.76	22.66	21.30	42.72	20.75	19.00	44.33	43.76	23.57	45.28	44.80	21.90	42.44
2015/8/23	0.00	39.78	39.18	42.50	27.74	22.63	21.33	42.64	20.73	18.97	44.26	43.69	23.54	45.21	44.73	21.88	42.41
2015/8/24	0.00	39.77	39.16	42.47	27.71	22.59	21.32	42.58	20.70	18.94	44.21	43.62	23.51	45.14	44.66	21.86	42.37
2015/8/25	1.50	39.76	39.14	42.44	27.68	22.56	21.28	42.53	20.66	18.91	44.16	43.57	23.48	45.09	44.60	21.84	42.34
2015/8/26	25.50	39.76	39.17	42.57	27.71	22.61	21.31	42.71	20.70	18.95	44.27	43.67	23.51	45.20	44.63	21.88	42.37
2015/8/27	0.00	39.77	39.19	42.55	27.71	22.60	21.29	42.72	20.69	18.94	44.30	43.71	23.50	45.24	44.69	21.87	42.37
2015/8/28	0.50	39.77	39.18	42.51	27.68	22.57	21.26	42.64	20.66	18.91	44.24	43.66	23.47	45.18	44.66	21.85	42.36
2015/8/29	2.00	39.77	39.17	42.48	27.68	22.56	21.24	42.60	20.66	18.90	44.20	43.62	23.46	45.13	44.64	21.85	42.36
2015/8/30	2.00	39.76	39.16	42.45	27.68	22.57	21.26	42.56	20.66	18.91	44.16	43.59	23.47	45.09	44.61	21.86	42.36
2015/8/31	2.50	39.74	39.14	42.43	27.67	22.55	21.25	42.53	20.64	18.89	44.14	43.56	23.45	45.05	44.57	21.85	42.34
2015/9/1	8.50	39.73	39.13	42.44	27.67	22.56	21.24	42.52	20.64	18.89	44.13	43.54	23.45	45.04	44.55	21.85	42.34
2015/9/2	4.00	39.72	39.13	42.47	27.71	22.61	21.24	42.58	20.69	18.94	44.18	43.58	23.49	45.08	44.57	21.88	42.36
2015/9/3	1.00	39.72	39.12	42.45	27.70	22.60	21.20	42.54	20.67	18.92	44.16	43.56	23.48	45.05	44.55	21.87	42.34
2015/9/4	5.50	39.71	39.12	42.45	27.73	22.64	21.21	42.54	20.70	18.95	44.15	43.56	23.51	45.04	44.56	21.90	42.36
2015/9/5	0.00	39.70	39.10	42.42	27.70	22.59	21.20	42.50	20.67	18.91	44.13	43.52	23.49	45.01	44.51	21.87	42.33
2015/9/6	18.00	39.70	39.09	42.42	27.72	22.61	21.22	42.48	20.69	18.93	44.11	43.50	23.51	44.99	44.51	21.89	42.34
2015/9/7	11.50	39.69	39.10	42.50	27.74	22.64	21.23	42.61	20.71	18.95	44.20	43.58	23.53	45.09	44.53	21.91	42.34
2015/9/8	59.00	39.72	39.17	42.74	27.69	22.61	21.19	42.95	20.65	18.89	44.44	43.78	23.47	45.37	44.60	21.86	42.33
2015/9/9	142.50	39.81	39.51	43.29	27.73	22.71	21.20	44.07	20.70	18.93	45.37	44.58	23.51	46.30	45.23	21.91	42.55
2015/9/10	28.50	40.08	39.85	43.50	27.76	22.73	21.22	45.03	20.72	18.94	46.52	45.57	23.51	47.51	46.47	21.93	43.03
2015/9/11	0.00	40.38	39.98	43.39	27.81	22.75	21.23	44.90	20.75	18.97	46.52	45.77	23.54	47.65	47.00	21.98	43.47
2015/9/12	0.00	40.55	40.05	43.17	27.78	22.77	21.22	44.59	20.75	18.93	46.27	45.65	23.52	47.46	47.06	21.96	43.69
2015/9/13	0.00	40.62	40.09	43.04	27.78	22.75	21.23	44.34	20.80	18.93	46.02	45.50	23.54	47.23	46.98	21.97	43.80
2015/9/14	0.00	40.62	40.07	42.95	27.72	22.70	21.18	44.10	20.74	18.88	45.78	45.32	23.48	47.00	46.82	21.93	43.75
2015/9/15	0.00	40.57	40.04	42.88	27.71	22.69	21.15	43.91	20.73	18.89	45.60	45.16	23.49	46.80	46.69	21.93	43.71
2015/9/16	4.00	40.51	40.00	42.82	27.73	22.69	21.16	43.75	20.74	18.91	45.45	45.01	23.51	46.64	46.55	21.95	43.66
2015/9/17	61.00	40.49	40.07	43.04	27.78	22.79	21.23	44.02	20.79	18.95	45.60	45.11	23.56	46.78	46.52	22.00	43.65
2015/9/18	4.00	40.59	40.24	43.11	27.86	22.87	21.31	44.33	20.85	19.02	45.89	45.38	23.63	47.11	46.78	22.06	43.76
2015/9/19	0.00	40.61	40.25	43.04	27.91	22.90	21.36	44.23	20.88	19.06	45.89	45.40	23.68	47.11	46.88	22.10	43.82
2015/9/20	0.00	40.60	40.21	42.96	27.91	22.90	21.40	44.08	20.87	19.05	45.78	45.30	23.68	47.01	46.83	22.09	43.80
2015/9/21	0.00	40.55	40.15	42.90	27.89	22.85	21.41	43.93	20.84	19.02	45.64	45.17	23.65	46.87	46.72	22.08	43.74
2015/9/22	0.00	40.50	40.08	42.83	27.86	22.80	21.40	43.78	20.81	18.99	45.50	45.03	23.62	46.72	46.59	22.06	43.67
2015/9/23	0.00	40.45	40.03	42.78	27.88	22.80	21.41	43.66	20.81	19.01	45.39	44.91	23.64	46.60	46.48	22.07	43.61
2015/9/24	2.50	40.39	39.99	42.74	27.92	22.84	21.44	43.56	20.86	19.05	45.29	44.82	23.69	46.49	46.37	22.11	43.57
2015/9/25	27.00	40.34	39.97	42.78	27.98	22.91	21.49	43.57	20.91	19.11	45.26	44.77	23.75	46.45	46.29	22.16	43.53
2015/9/26	2.50	40.31	39.96	42.81	27.98	22.91	21.51	43.63	20.91	19.11	45.29	44.79	23.75	46.49	46.24	22.15	43.48
2015/9/27	0.00	40.28	39.93	42.76	27.97	22.88	21.53	43.53	20.89	19.09	45.22	44.71	23.73	46.41	46.18	22.14	43.43
2015/9/28	0.00	40.24	39.88	42.71	27.94	22.85	21.51	43.44	20.86	19.06	45.14	44.61	23.71	46.31	46.08	22.12	43.36
2015/9/29	0.00	40.20	39.83	42.68	27.92	22.82	21.42	43.35	20.84	19.04	45.06	44.52	23.69	46.23	45.98	22.10	43.29
2015/9/30	0.00	40.16	39.79	42.64	27.89	22.80	21.36	43.28	20.81	19.02	44.99	44.45	23.66	46.14	45.88	22.08	43.22
2015/10/1	10.00	40.12	39.77	42.63	27.95	22.86	21.39	43.24	20.88	19.09	44.95	44.41	23.74	46.09	45.85	22.14	43.23
2015/10/2	26.50	40.09	39.76	42.71	28.06	22.98	21.46	43.33	20.99	19.19	45.00	44.45	23.84	46.14	45.83	22.23	43.24
2015/10/3	0.00	40.06	39.72	42.66													

平成27年度 地下水位観測結果(6/15)

凡例
 □ : 未観測
 □ : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市		調布市		三鷹市		調布市		三鷹市		世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2015/12/1	0.00	39.53	38.92	42.34	27.83	23.09	21.47	42.47	21.07	19.45	44.11	43.43	23.76	45.02	44.45	22.46	42.34
2015/12/2	1.00	39.53	38.91	42.33	27.80	23.07	21.45	42.44	21.06	19.44	44.09	43.40	23.75	44.99	44.43	22.45	42.33
2015/12/3	1.50	39.53	38.93	42.33	27.98	23.26	21.55	42.45	21.25	19.64	44.09	43.44	23.94	45.00	44.53	22.62	42.46
2015/12/4	0.00	39.53	38.91	42.30	27.99	23.26	21.57	42.41	21.26	19.63	44.06	43.39	23.94	44.96	44.45	22.62	42.40
2015/12/5	0.00	39.52	38.88	42.28	27.91	23.19	21.53	42.38	21.19	19.57	44.03	43.33	23.87	44.93	44.37	22.56	42.32
2015/12/6	0.00	39.51	38.86	42.27	27.83	23.10	21.50	42.35	21.11	19.49	44.01	43.28	23.78	44.89	44.30	22.49	42.25
2015/12/7	0.00	39.51	38.85	42.26	27.78	23.06	21.46	42.33	21.07	19.45	43.99	43.26	23.74	44.87	44.27	22.47	42.22
2015/12/8	0.00	39.50	38.85	42.24	27.76	23.04	21.43	42.31	21.06	19.45	43.97	43.23	23.73	44.85	44.25	22.46	42.21
2015/12/9	0.00	39.49	38.83	42.23	27.73	23.01	21.43	42.29	21.04	19.42	43.95	43.20	23.70	44.83	44.22	22.43	42.18
2015/12/10	5.00	39.49	38.82	42.23	27.77	23.06	21.47	42.28	21.09	19.49	43.94	43.20	23.75	44.81	44.23	22.48	42.21
2015/12/11	87.00	39.50	39.00	42.58	28.01	23.36	21.65	42.80	21.35	19.75	44.31	43.58	24.00	45.22	44.46	22.70	42.41
2015/12/12	0.00	39.54	39.03	42.61	27.88	23.22	21.60	42.94	21.20	19.59	44.45	43.76	23.84	45.38	44.59	22.56	42.32
2015/12/13	1.50	39.57	39.05	42.56	27.86	23.22	21.62	42.87	21.20	19.60	44.42	43.78	23.84	45.34	44.73	22.57	42.40
2015/12/14	0.00	39.58	39.05	42.52	27.87	23.23	21.63	42.82	21.22	19.62	44.38	43.78	23.85	45.29	44.78	22.58	42.45
2015/12/15	0.00	39.60	39.06	42.50	27.91	23.31	21.64	42.78	21.27	19.67	44.36	43.78	23.90	45.26	44.83	22.63	42.51
2015/12/16	0.00	39.61	39.07	42.48	28.01	23.41	21.71	42.75	21.37	19.78	44.33	43.77	24.00	45.24	44.87	22.71	42.58
2015/12/17	0.00	39.61	39.05	42.44	27.99	23.37	21.71	42.68	21.35	19.75	44.28	43.71	23.97	45.18	44.80	22.69	42.53
2015/12/18	0.00	39.62	39.03	42.41	27.89	23.26	21.65	42.62	21.25	19.65	44.22	43.63	23.86	45.12	44.70	22.60	42.44
2015/12/19	0.00	39.62	39.02	42.38	27.85	23.23	21.64	42.58	21.23	19.63	44.19	43.59	23.84	45.08	44.66	22.58	42.42
2015/12/20	0.00	39.62	39.01	42.36	27.82	23.20	21.64	42.54	21.20	19.61	44.15	43.55	23.81	45.04	44.61	22.56	42.39
2015/12/21	0.00	39.61	39.01	42.35	27.90	23.29	21.69	42.52	21.29	19.71	44.13	43.55	23.90	45.02	44.64	22.64	42.45
2015/12/22	0.00	39.61	38.99	42.33	27.89	23.27	21.67	42.48	21.28	19.69	44.09	43.49	23.88	44.97	44.56	22.63	42.40
2015/12/23	4.50	39.60	38.98	42.32	27.87	23.25	21.67	42.45	21.26	19.68	44.07	43.45	23.87	44.94	44.52	22.62	42.37
2015/12/24	5.00	39.59	38.99	42.34	28.00	23.39	21.76	42.47	21.40	19.82	44.07	43.48	24.00	44.95	44.56	22.73	42.45
2015/12/25	0.00	39.59	38.98	42.32	28.06	23.45	21.81	42.44	21.46	19.87	44.05	43.46	24.06	44.93	44.53	22.78	42.44
2015/12/26	0.00	39.58	38.96	42.30	28.02	23.41	21.81	42.40	21.43	19.84	44.02	43.40	24.03	44.89	44.46	22.75	42.38
2015/12/27	0.00	39.57	38.94	42.28	27.99	23.38	21.81	42.37	21.40	19.81	43.99	43.34	23.99	44.86	44.39	22.72	42.33
2015/12/28	0.00	39.56	38.92	42.26	27.94	23.33	21.77	42.34	21.36	19.77	43.97	43.30	23.95	44.83	44.35	22.69	42.28
2015/12/29	0.00	39.55	38.90	42.24	27.93	23.33	21.77	42.32	21.36	19.77	43.95	43.27	23.95	44.81	44.31	22.69	42.26
2015/12/30	0.00	39.54	38.89	42.23	27.90	23.30	21.75	42.29	21.34	19.75	43.92	43.24	23.92	44.78	44.27	22.66	42.23
2015/12/31	0.00	39.53	38.88	42.22	27.93	23.34	21.77	42.28	21.37	19.79	43.91	43.22	23.96	44.77	44.26	22.70	42.24
2016/1/1	0.00	39.53	38.86	42.21	27.92	23.32	21.78	42.25	21.36	19.78	43.89	43.18	23.94	44.74	44.21	22.69	42.20
2016/1/2	0.00	39.52	38.86	42.20	27.95	23.36	21.80	42.24	21.40	19.82	43.87	43.17	23.98	44.72	44.21	22.74	42.22
2016/1/3	0.00	39.51	38.85	42.19	28.00	23.42	21.85	42.22	21.46	19.89	43.86	43.16	24.04	44.71	44.20	22.80	42.23
2016/1/4	0.00	39.50	38.84	42.19	28.03	23.45	21.87	42.20	21.50	19.92	43.84	43.13	24.07	44.69	44.17	22.83	42.22
2016/1/5	0.00	39.50	38.82	42.17	28.01	23.44	21.86	42.18	21.48	19.90	43.83	43.09	24.06	44.67	44.12	22.81	42.17
2016/1/6	0.00	39.49	38.81	42.17	28.00	23.43	21.85	42.16	21.47	19.90	43.81	43.06	24.05	44.65	44.09	22.80	42.15
2016/1/7	0.00	39.48	38.81	42.16	28.05	23.48	21.87	42.15	21.53	19.95	43.80	43.05	24.10	44.63	44.08	22.84	42.16
2016/1/8	0.00	39.48	38.79	42.15	28.03	23.47	21.85	42.13	21.53	19.94	43.78	43.01	24.09	44.61	44.04	22.82	42.13
2016/1/9	0.00	39.47	38.78	42.14	28.00	23.44	21.84	42.11	21.50	19.92	43.76	42.98	24.06	44.59	43.98	22.80	42.08
2016/1/10	0.00	39.46	38.77	42.13	28.00	23.45	21.85	42.09	21.51	19.93	43.75	42.95	24.07	44.58	43.97	22.81	42.07
2016/1/11	0.00	39.46	38.75	42.12	28.00	23.45	21.85	42.08	21.51	19.93	43.73	42.93	24.07	44.56	43.94	22.81	42.05
2016/1/12	0.50	39.45	38.75	42.11	28.02	23.48	21.85	42.07	21.54	19.96	43.72	42.92	24.09	44.54	43.92	22.83	42.05
2016/1/13	0.00	39.44	38.74	42.11	28.03	23.50	21.86	42.05	21.56	19.98	43.71	42.91	24.11	44.53	43.90	22.85	42.05
2016/1/14	0.00	39.44	38.72	42.10	28.05	23.52	21.86	42.04	21.58	20.00	43.70	42.89	24.13	44.51	43.88	22.87	42.04
2016/1/15	0.00	39.43	38.71	42.09	28.01	23.48	21.83	42.02	21.55	19.97	43.68	42.86	24.09	44.50	43.83	22.85	41.99
2016/1/16	0.00	39.43	38.70	42.08	27.98	23.46	21.82	42.01	21.53	19.96	43.67	42.84	24.07	44.48	43.80	22.84	41.96
2016/1/17	4.50	39.42	38.68	42.07	27.95	23.44	21.83	41.99	21.51	19.95	43.65	42.81	24.05	44.46	43.77	22.83	41.93
2016/1/18	57.00	39.42	38.77	42.26	28.14	23.66	21.97	42.20	21.73	20.18	43.81	42.99	24.26	44.62	43.92	23.03	42.11
2016/1/19	0.00	39.42	38.81	42.38	28.16	23.68	21.98	42.43	21.74	20.18	43.99	43.19	24.26	44.84	44.03	23.04	42.10
2016/1/20	0.00	39.43	38.82	42.36	28.08	23.60	21.95	42.38	21.67	20.11	43.96	43.18	24.19	44.81	44.05	22.98	42.07
2016/1/21	0.00	39.44	38.82	42.33	28.00	23.53	21.89	42.33	21.60	20.04	43.92	43.16	24.11	44.77	44.05	22.92	42.05
2016/1/22	0.00	39.44	38.81	42.30	27.99	23.52	21.88	42.30	21.59	20.04	43.89	43.15	24.10	44.73	44.05	22.92	42.08
2016/1/23	0.00	39.45	38.81	42.28	28.00	23.54	21.90	42.27	21.61	20.08	43.87	43.15	24.12	44.70	44.07	22.95	42.11
2016/1/24	0.00	39.45	38.82	42.27	28.13	23.68	22.01	42.26	21.75	20.21	43.85	43.17	24.26	44.69	44.13	23.06	42.21
2016/1/25	0.00	39.45	38.79	42.23	28.04	23.57	21.97	42.21	21.66	20.11	43.82	43.09	24.16	44.64	44.02	22.98	42.11
2016/1/26	0.00	39.45	38.77	42.22	27.97	23.50	21.91	42.19	21.60	20.06	43.79	43.06	24.10	44.62	43.98	22.94	42.07
2016/1/27	0.00	39.45	38.76	42.20	27.96	23.50	21.91	42.17	21.60	20.07	43.78	43.05	24.10	44.59	43.97	22.94	42.08
2016/1/28	0.00	39.45	38.75	42.19	27.95	23.49	22.02	42.15	21.60	20.10	43.76	43.03	24.09	44.57	43.95	22.94	42.08
2016/1/29	11.00	39.45	38.74	42.18	27.99	23.53	22.61	42.13	21.71	20.32	43.76	43.02	24.13	44.57	43.95	22.96	42.09
2016/1/30	4.50	39.44	38.76	42.24	28.08	23.61	22.97	42.20	21.85	20.53	43.80	43.07	24.21	44.61	43.98	23.01	42.12
2016/1/31	0.00	39.44	38.76	42.22	28.12	23.65	23.29	42.18	21.94	20.66	43.78	43.06	24.26	44.60	43.98	23.03	42.12
2016/2/1	0.00	39.44	38.75	42.21	28.18	23.71	23.50	42.16	22.04	20.79	43.77	43.05	24.32	44.58	43.97	23.08	42.12
2016/2/2	0.00	39.44	38.														

平成27年度 地下水位観測結果(7/15)

凡例
 空欄：未観測
 単位：降水量(mm)
 地下水位(T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2015/4/1	1.00	42.64	18.04	33.68	42.58	42.48	42.35	40.74	42.18	40.20	31.69	42.58	41.79	34.15	36.79	33.66	42.45	42.67	36.75	42.64	37.69
2015/4/2	0.00	42.60	17.99	33.61	42.57	42.47	42.34	40.70	42.17	40.18	31.65	42.56	41.78	34.12	36.77	33.62	42.43	42.60	36.73	42.61	37.66
2015/4/3	0.00	42.61	18.04	33.66	42.57	42.46	42.33	40.70	42.16	40.18	31.66	42.56	41.78	34.13	36.78	33.64	42.43	42.64	36.73	42.61	37.66
2015/4/4	0.00	42.57	17.97	33.59	42.56	42.45	42.32	40.68	42.15	40.16	31.65	42.55	41.78	34.10	36.75	33.60	42.48	42.76	36.70	42.67	37.64
2015/4/5	7.50	42.57	17.97	33.59	42.56	42.44	42.31	40.69	42.16	40.16	31.58	42.56	41.79	34.11	36.75	33.61	42.51	42.80	36.72	42.70	37.65
2015/4/6	0.00	42.57	18.01	33.63	42.56	42.44	42.31	40.68	42.15	40.16	31.66	42.55	41.78	34.12	36.76	33.63	42.45	42.66	36.73	42.63	37.67
2015/4/7	5.00	42.54	17.98	33.59	42.55	42.43	42.30	40.67	42.14	40.14	31.71	42.53	41.77	34.12	36.75	33.63	42.42	42.62	36.73	42.59	37.66
2015/4/8	17.50	42.55	17.92	33.53	42.66	42.43	42.31	40.67	42.16	40.14	31.73	42.55	41.81	34.10	36.74	33.60	42.44	42.62	36.73	42.61	37.65
2015/4/9	0.00	42.57	17.89	33.50	42.65	42.45	42.34	40.69	42.18	40.15	31.71	42.57	41.79	34.10	36.74	33.60	42.43	42.63	36.72	42.63	37.63
2015/4/10	9.00	42.58	17.90	33.52	42.63	42.45	42.33	40.69	42.17	40.16	31.66	42.56	41.79	34.10	36.74	33.60	42.43	42.63	36.72	42.62	37.63
2015/4/11	4.50	42.61	17.92	33.55	42.69	42.45	42.34	40.70	42.19	40.16	31.71	42.59	41.81	34.12	36.75	33.63	42.51	42.79	36.74	42.71	37.64
2015/4/12	0.00	42.60	17.85	33.48	42.65	42.46	42.35	40.68	42.20	40.16	31.69	42.60	41.82	34.12	36.74	33.62	42.54	42.83	36.73	42.73	37.64
2015/4/13	29.50	42.63	17.88	33.52	42.73	42.47	42.35	40.68	42.22	40.17	31.69	42.62	41.86	34.13	36.76	33.63	42.51	42.70	36.76	42.69	37.67
2015/4/14	17.50	42.74	17.98	33.63	42.94	42.52	42.45	40.77	42.31	40.22	31.78	42.70	41.90	34.22	36.80	33.72	42.56	42.76	36.82	42.76	37.73
2015/4/15	1.50	42.81	18.04	33.70	43.01	42.56	42.51	40.84	42.37	40.27	31.84	42.76	41.92	34.26	36.84	33.76	42.59	42.79	36.85	42.80	37.76
2015/4/16	0.00	42.82	17.98	33.64	42.91	42.59	42.53	40.86	42.37	40.29	31.82	42.76	41.91	34.25	36.84	33.74	42.59	42.81	36.83	42.81	37.75
2015/4/17	2.50	42.83	17.98	33.64	42.85	42.61	42.52	40.85	42.36	40.31	31.83	42.75	41.90	34.24	36.85	33.74	42.58	42.80	36.85	42.80	37.75
2015/4/18	0.00	42.83	17.91	33.59	42.81	42.61	42.51	40.85	42.35	40.31	31.80	42.75	41.90	34.23	36.84	33.73	42.64	42.94	36.82	42.87	37.73
2015/4/19	0.00	42.83	17.91	33.60	42.78	42.61	42.51	40.84	42.35	40.31	31.82	42.75	41.91	34.25	36.85	33.75	42.66	42.97	36.83	42.89	37.73
2015/4/20	6.50	42.86	17.97	33.66	42.80	42.61	42.51	40.84	42.35	40.33	31.82	42.75	41.91	34.26	36.88	33.78	42.60	42.84	36.87	42.82	37.77
2015/4/21	0.00	42.85	17.98	33.67	42.78	42.60	42.50	40.83	42.33	40.32	31.87	42.73	41.89	34.28	36.89	33.79	42.57	42.79	36.86	42.79	37.77
2015/4/22	0.50	42.82	17.89	33.58	42.75	42.59	42.48	40.78	42.31	40.30	31.82	42.70	41.87	34.24	36.87	33.74	42.55	42.77	36.83	42.76	37.74
2015/4/23	0.00	42.81	17.89	33.57	42.73	42.58	42.47	40.77	42.30	40.29	31.78	42.69	41.86	34.23	36.86	33.73	42.53	42.74	36.82	42.74	37.73
2015/4/24	0.00	42.81	17.88	33.56	42.72	42.57	42.46	40.75	42.28	40.28	31.78	42.68	41.85	34.22	36.86	33.74	42.52	42.74	36.81	42.73	37.73
2015/4/25	0.00	42.80	17.86	33.55	42.70	42.56	42.45	40.73	42.27	40.27	31.71	42.67	41.86	34.23	36.86	33.74	42.58	42.88	36.81	42.80	37.73
2015/4/26	0.00	42.78	17.84	33.52	42.68	42.55	42.44	40.74	42.27	40.25	31.70	42.68	41.86	34.23	36.85	33.73	42.60	42.90	36.81	42.81	37.73
2015/4/27	0.00	42.77	17.85	33.54	42.67	42.54	42.43	40.74	42.26	40.25	31.71	42.66	41.85	34.22	36.86	33.73	42.53	42.75	36.81	42.74	37.73
2015/4/28	0.00	42.75	17.84	33.55	42.65	42.53	42.41	40.74	42.24	40.24	31.76	42.64	41.83	34.22	36.85	33.73	42.50	42.71	36.80	42.70	37.72
2015/4/29	0.00	42.74	17.83	33.56	42.64	42.52	42.40	40.75	42.23	40.23	31.77	42.63	41.83	34.20	36.84	33.71	42.55	42.84	36.79	42.76	37.71
2015/4/30	0.00	42.72	17.83	33.56	42.63	42.51	42.39	40.75	42.22	40.23	31.76	42.62	41.82	34.20	36.84	33.71	42.49	42.70	36.78	42.69	37.70
2015/5/1	0.00	42.71	17.84	33.56	42.62	42.50	42.38	40.75	42.20	40.22	31.76	42.60	41.81	34.19	36.83	33.70	42.47	42.68	36.77	42.66	37.69
2015/5/2	0.00	42.69	17.82	33.54	42.61	42.49	42.36	40.74	42.19	40.20	31.72	42.59	41.81	34.18	36.82	33.69	42.52	42.80	36.75	42.71	37.67
2015/5/3	0.00	42.68	17.84	33.56	42.60	42.48	42.35	40.75	42.19	40.20	31.75	42.59	41.81	34.19	36.82	33.70	42.53	42.82	36.76	42.73	37.68
2015/5/4	0.00	42.68	17.90	33.62	42.60	42.47	42.35	40.75	42.18	40.20	31.77	42.59	41.81	34.21	36.83	33.73	42.54	42.83	36.77	42.73	37.70
2015/5/5	0.00	42.65	17.90	33.60	42.58	42.46	42.34	40.75	42.17	40.19	31.78	42.58	41.81	34.22	36.83	33.72	42.53	42.82	36.76	42.73	37.71
2015/5/6	0.00	42.63	17.91	33.56	42.57	42.45	42.33	40.74	42.16	40.17	31.75	42.57	41.80	34.19	36.82	33.70	42.52	42.81	36.75	42.72	37.70
2015/5/7	0.00	42.62	17.95	33.56	42.56	42.44	42.32	40.73	42.15	40.17	31.72	42.56	41.79	34.16	36.81	33.67	42.45	42.65	36.75	42.63	37.69
2015/5/8	0.00	42.60	17.96	33.54	42.55	42.43	42.30	40.71	42.13	40.15	31.68	42.54	41.77	34.16	36.80	33.67	42.42	42.62	36.73	42.60	37.68
2015/5/9	0.00	42.59	17.96	33.54	42.55	42.42	42.29	40.70	42.12	40.14	31.72	42.53	41.77	34.16	36.80	33.68	42.47	42.74	36.73	42.65	37.67
2015/5/10	0.00	42.57	17.97	33.54	42.54	42.41	42.28	40.68	42.12	40.13	31.70	42.53	41.77	34.17	36.79	33.69	42.48	42.76	36.73	42.67	37.67
2015/5/11	0.00	42.54	17.90	33.45	42.53	42.40	42.27	40.66	42.11	40.11	31.62	42.51	41.76	34.13	36.77	33.64	42.41	42.61	36.71	42.58	37.65
2015/5/12	62.00	42.56	17.92	33.53	42.56	42.40	42.27	40.67	42.10	40.12	31.66	42.50	41.79	34.16	36.79	33.68	42.40	42.58	36.73	42.57	37.66
2015/5/13	0.00	42.66	17.98	33.60	43.15	42.45	42.36	40.75	42.21	40.16	31.72	42.60	41.84	34.22	36.82	33.73	42.47	42.64	36.78	42.65	37.70
2015/5/14	0.00	42.65	17.92	33.55	42.88	42.47	42.36	40.74	42.19	40.17	31.71	42.59	41.79	34.18	36.81	33.69	42.44	42.64	36.76	42.64	37.67
2015/5/15	0.00	42.66	17.91	33.56	42.76	42.47	42.35	40.76	42.18	40.18	31.71	42.57	41.78	34.17	36.81	33.67	42.43	42.62	36.75	42.61	37.65
2015/5/16	2.50	42.67	17.95	33.61	42.71	42.47	42.34	40.79	42.17	40.19	31.73	42.57	41.78	34.19	36.81	33.70	42.48	42.76	36.75	42.68	37.66
2015/5/17	0.00	42.64	17.91	33.56	42.66	42.46	42.33	40.78	42.16	40.17	31.71	42.56	41.79	34.19	36.80	33.70	42.50	42.78	36.73	42.69	37.67
2015/5/18	0.00	42.63	17.88	33.53	42.63	42.45	42.32	40.76	42.15	40.16	31.69	42.55	41.77	34.17	36.80	33.68	42.43	42.64	36.74	42.62	37.67
2015/5/19	4.50	42.65	17.93	33.60	42.63	42.44	42.31	40.76	42.14	40.17	31.75	42.53	41.76	34.18	36.81	33.69	42.40	42.57	36.75	42.58	37.67
2015/5/20	0.00	42.64	17.93	33.61	42.61	42.43	42.30	40.76	42.12	40.16	31.72	42.51	41.75	34.16	36.80	33.68	42.38	42.57	36.72	42.56	37.65
2015/5/21	11.00	42.62	17.88	33.57	42.65	42.42	42.29	40.77	42.12	40.15	31.73	42.51	41.76	34.14	36.79	33.65	42.38	42.55	36.70	42.55	37.62
2015/5/22	0.00	42.60	17.82	33.51	42.62	42.41	42.28	40.75	42.10	40.13	31.70	42.50	41.73	34.11	36.77	33.62	42.37	42.56	36.68	42.54	37.59
2015/5/23	0.00	42.60	17.80	33.51																	

平成27年度 地下水位観測結果(8/15)

凡例
 空欄：未観測
 単位：降水量(mm)
 地下水位(T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2015/8/1	0.00	43.12	17.71	33.70	42.97	42.93	42.84	41.45	42.64	40.64	31.82	43.03	42.05	34.58	37.28	34.10	42.85	43.21	36.96	43.13	38.16
2015/8/2	0.00	43.09	17.71	33.68	42.94	42.91	42.82	41.43	42.63	40.62	31.79	43.03	42.04	34.60	37.26	34.12	42.86	43.22	37.01	43.13	38.18
2015/8/3	0.00	43.06	17.71	33.68	42.92	42.89	42.79	41.41	42.61	40.60	31.85	43.00	42.02	34.60	37.26	34.12	42.79	43.07	37.00	43.04	38.19
2015/8/4	0.00	43.03	17.72	33.68	42.90	42.87	42.78	41.38	42.58	40.59	31.89	42.97	42.00	34.59	37.26	34.11	42.75	43.01	37.04	43.00	38.17
2015/8/5	0.00	43.00	17.71	33.68	42.87	42.85	42.76	41.36	42.56	40.57	31.77	42.95	41.99	34.55	37.24	34.07	42.72	42.98	36.92	42.96	38.13
2015/8/6	0.00	42.97	17.67	33.66	42.85	42.83	42.72	41.32	42.53	40.54	31.79	42.92	41.97	34.53	37.22	34.05	42.71	42.97	36.86	42.95	38.09
2015/8/7	0.00	42.94	17.64	33.64	42.83	42.81	42.69	41.29	42.51	40.52	31.79	42.90	41.96	34.51	37.20	34.03	42.69	42.94	36.83	42.92	38.07
2015/8/8	0.00	42.91	17.62	33.64	42.82	42.79	42.69	41.29	42.50	40.50	31.73	42.89	41.96	34.49	37.18	34.01	42.74	43.07	36.82	42.98	38.06
2015/8/9	0.00	42.90	17.63	33.65	42.80	42.78	42.68	41.29	42.49	40.49	31.69	42.89	41.96	34.51	37.18	34.03	42.75	43.09	36.82	42.99	38.07
2015/8/10	3.50	42.88	17.64	33.66	42.79	42.76	42.66	41.28	42.48	40.48	31.76	42.88	41.96	34.52	37.18	34.05	42.69	42.94	36.84	42.91	38.09
2015/8/11	0.00	42.86	17.66	33.69	42.78	42.75	42.64	41.26	42.46	40.46	31.67	42.86	41.93	34.54	37.18	34.08	42.66	42.91	36.87	42.88	38.10
2015/8/12	0.50	42.83	17.66	33.69	42.76	42.73	42.63	41.23	42.44	40.45	31.72	42.83	41.92	34.53	37.17	34.07	42.64	42.88	36.83	42.86	38.09
2015/8/13	1.50	42.82	17.68	33.70	42.75	42.71	42.60	41.20	42.41	40.44	31.74	42.81	41.92	34.50	37.17	34.04	42.69	43.02	36.82	42.92	38.08
2015/8/14	6.50	42.79	17.68	33.70	42.74	42.69	42.58	41.18	42.40	40.42	31.74	42.81	41.92	34.49	37.16	34.03	42.70	43.03	36.84	42.93	38.08
2015/8/15	0.00	42.76	17.65	33.66	42.72	42.68	42.56	41.19	42.39	40.39	31.72	42.80	41.91	34.52	37.15	34.06	42.69	43.03	36.96	42.92	38.10
2015/8/16	38.50	42.74	17.64	33.64	42.71	42.66	42.54	41.17	42.38	40.38	31.68	42.79	41.91	34.54	37.15	34.07	42.69	43.02	37.02	42.91	38.13
2015/8/17	52.50	42.86	17.66	33.66	43.31	42.74	42.69	41.30	42.56	40.42	31.76	42.96	42.12	34.58	37.20	34.11	42.79	43.03	37.01	43.01	38.17
2015/8/18	0.50	42.95	17.66	33.68	43.31	42.83	42.83	41.40	42.67	40.49	31.75	43.07	42.07	34.63	37.23	34.16	42.82	43.08	36.96	43.08	38.20
2015/8/19	0.00	42.96	17.64	33.66	43.11	42.85	42.83	41.38	42.65	40.54	31.79	43.05	42.05	34.62	37.24	34.15	42.81	43.08	36.95	43.06	38.21
2015/8/20	3.00	42.97	17.64	33.69	43.03	42.86	42.81	41.36	42.63	40.57	31.80	43.03	42.04	34.63	37.25	34.16	42.79	43.06	36.94	43.04	38.21
2015/8/21	0.50	42.99	17.67	33.73	42.98	42.86	42.80	41.34	42.61	40.57	31.82	43.00	42.02	34.63	37.26	34.17	42.77	43.05	36.94	43.03	38.21
2015/8/22	0.00	42.99	17.69	33.76	42.94	42.85	42.78	41.34	42.59	40.57	31.80	42.99	42.02	34.63	37.27	34.17	42.82	43.18	36.93	43.08	38.20
2015/8/23	0.00	42.96	17.68	33.74	42.91	42.84	42.76	41.32	42.57	40.56	31.81	42.98	42.02	34.63	37.27	34.16	42.83	43.19	36.96	43.09	38.20
2015/8/24	0.00	42.94	17.66	33.71	42.88	42.82	42.73	41.31	42.55	40.54	31.83	42.95	42.00	34.60	37.26	34.13	42.75	43.02	36.93	43.00	38.19
2015/8/25	0.50	42.92	17.64	33.69	42.86	42.80	42.71	41.28	42.52	40.52	31.79	42.92	41.97	34.58	37.24	34.12	42.71	42.98	36.90	42.95	38.17
2015/8/26	33.00	42.96	17.67	33.73	43.02	42.82	42.75	41.31	42.58	40.53	31.82	42.97	42.04	34.62	37.26	34.16	42.76	43.01	36.98	42.99	38.22
2015/8/27	0.00	42.99	17.66	33.73	43.00	42.85	42.78	41.32	42.60	40.55	31.84	42.99	42.02	34.63	37.27	34.17	42.76	43.02	36.97	43.00	38.23
2015/8/28	0.00	42.97	17.65	33.70	42.95	42.84	42.76	41.28	42.58	40.55	31.81	42.97	42.00	34.62	37.26	34.16	42.75	43.01	36.93	42.99	38.25
2015/8/29	3.50	42.97	17.64	33.70	42.92	42.83	42.75	41.27	42.56	40.54	31.79	42.96	42.01	34.62	37.26	34.17	42.80	43.15	36.94	43.05	38.26
2015/8/30	3.50	42.96	17.64	33.71	42.90	42.82	42.74	41.27	42.56	40.54	31.79	42.96	42.01	34.65	37.27	34.20	42.82	43.17	36.95	43.07	38.28
2015/8/31	3.00	42.94	17.63	33.70	42.90	42.81	42.72	41.25	42.55	40.53	31.83	42.95	41.99	34.65	37.27	34.20	42.75	43.02	36.96	42.99	38.30
2015/9/1	8.50	42.93	17.63	33.71	42.90	42.80	42.71	41.23	42.53	40.52	31.79	42.93	41.98	34.65	37.28	34.21	42.73	43.00	36.96	42.97	38.29
2015/9/2	3.00	42.95	17.66	33.74	42.93	42.80	42.72	41.22	42.53	40.52	31.78	42.93	41.98	34.66	37.29	34.22	42.72	42.97	36.96	42.96	38.27
2015/9/3	1.00	42.94	17.63	33.72	42.91	42.79	42.70	41.21	42.52	40.51	31.79	42.91	41.97	34.65	37.28	34.21	42.71	42.97	36.96	42.95	38.26
2015/9/4	16.00	42.94	17.66	33.75	42.91	42.78	42.69	41.21	42.52	40.51	31.80	42.92	41.99	34.66	37.29	34.21	42.72	42.98	36.97	42.96	38.26
2015/9/5	0.00	42.92	17.63	33.73	42.89	42.78	42.70	41.22	42.53	40.50	31.80	42.94	42.00	34.66	37.29	34.21	42.80	43.16	36.97	43.07	38.27
2015/9/6	20.00	42.92	17.65	33.76	42.87	42.78	42.71	41.22	42.54	40.51	31.81	42.95	42.02	34.67	37.30	34.23	42.83	43.20	36.99	43.11	38.34
2015/9/7	14.00	42.94	17.67	33.78	43.01	42.80	42.73	41.26	42.59	40.52	31.87	43.00	42.06	34.70	37.32	34.26	42.82	43.11	37.04	43.09	38.42
2015/9/8	61.00	43.03	17.64	33.74	43.36	42.88	42.86	41.37	42.73	40.55	31.83	43.13	42.20	34.73	37.34	34.28	42.93	43.20	37.08	43.20	38.45
2015/9/9	140.00	43.48	17.68	33.82	44.13	43.24	43.43	41.85	43.34	40.73	31.96	43.72	42.66	34.92	37.43	34.44	43.41	43.70	37.30	43.75	38.63
2015/9/10	22.50	44.21	17.70	33.91	44.28	44.05	44.44	42.72	44.31	41.20	32.13	44.64	43.12	35.28	37.60	34.75	44.01	44.41	37.64	44.54	38.97
2015/9/11	0.00	44.50	17.73	34.04	44.24	44.48	44.68	42.93	44.46	41.66	32.33	44.78	43.12	35.55	37.79	35.03	44.07	44.52	37.80	44.65	39.20
2015/9/12	0.00	44.51	17.69	34.10	44.22	44.49	44.59	42.87	44.33	41.89	32.41	44.66	43.03	35.79	37.98	35.34	44.03	44.55	37.89	44.61	39.33
2015/9/13	0.00	44.45	17.68	34.16	44.17	44.37	44.42	42.76	44.16	41.95	32.47	44.51	42.94	35.92	38.13	35.50	43.94	44.47	38.00	44.50	39.43
2015/9/14	0.00	44.33	17.64	34.14	44.08	44.21	44.23	42.60	43.98	41.92	32.52	44.34	42.83	35.92	38.22	35.53	43.79	44.23	38.02	44.32	39.46
2015/9/15	0.00	44.22	17.64	34.16	44.00	44.06	44.07	42.47	43.82	41.84	32.45	44.19	42.74	35.93	38.29	35.57	43.69	44.10	38.01	44.18	39.46
2015/9/16	3.00	44.11	17.65	34.19	43.91	43.93	43.93	42.36	43.69	41.75	32.47	44.06	42.67	35.93	38.34	35.58	43.60	44.02	38.04	44.08	39.47
2015/9/17	70.50	44.15	17.70	34.24	44.12	43.97	43.97	42.42	43.76	41.70	32.52	44.13	42.80	35.97	38.41	35.62	43.68	44.06	38.10	44.14	39.52
2015/9/18	3.50	44.32	17.76	34.33	44.23	44.15	44.19	42.60	43.96	41.76	32.59	44.31	42.83	36.07	38.49	35.72	43.76	44.18	38.16	44.27	39.61
2015/9/19	0.00	44.32	17.79	34.38	44.10	44.13	44.16	42.56	43.92	41.81	32.61	44.28	42.80	36.11	38.54	35.76	43.79	44.29	38.21	44.30	39.66
2015/9/20	0.00	44.26	17.79	34.38	44.01	44.06	44.09	42.50	43.85	41.80	32.57	44.22	42.77	36.14	38.57	35.80	43.76	44.26	38.31	44.26	39.70
2015/9/21	0.00	44.17	17.78	34.36	43.94	43.97	43.98	42.42	43.74	41.75	32.62	44.12	42.72	36.08	38.59	35.72	43.71	44.21	38.35	44.20	39.71
2015/9/22	0.00	44.08	17.76	34.3																	

平成27年度 地下水位観測結果(9/15)

凡例
 □ : 未観測
 □ : 欠測
 単位：降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2015/12/1	0.00	42.89	18.64	34.16	42.88	42.80	42.73	41.24	42.57	40.56	32.02	42.97	42.01	34.80	37.45	34.37	42.78	43.04	37.13	43.02	38.58
2015/12/2	0.00	42.88	18.64	34.14	42.86	42.78	42.71	41.22	42.54	40.55	32.05	42.95	42.00	34.78	37.44	34.35	42.76	43.03	37.14	43.00	38.57
2015/12/3	0.00	42.92	18.78	34.29	42.85	42.78	42.70	41.24	42.54	40.56	32.12	42.94	41.99	34.81	37.46	34.39	42.75	43.00	37.15	42.98	38.58
2015/12/4	0.00	42.88	18.80	34.28	42.82	42.76	42.68	41.21	42.52	40.54	32.09	42.92	41.98	34.78	37.45	34.36	42.73	43.00	37.09	42.97	38.54
2015/12/5	0.00	42.85	18.73	34.21	42.81	42.74	42.66	41.19	42.50	40.51	32.07	42.90	41.98	34.75	37.42	34.32	42.78	43.12	37.08	43.02	38.52
2015/12/6	0.00	42.81	18.65	34.13	42.79	42.73	42.64	41.16	42.49	40.49	32.02	42.90	41.98	34.75	37.39	34.32	42.79	43.14	37.14	43.03	38.52
2015/12/7	0.00	42.79	18.62	34.09	42.78	42.71	42.63	41.14	42.47	40.47	32.01	42.88	41.96	34.72	37.38	34.29	42.72	42.99	37.10	42.95	38.51
2015/12/8	0.00	42.78	18.61	34.08	42.76	42.70	42.61	41.13	42.46	40.46	31.98	42.86	41.95	34.70	37.37	34.27	42.70	42.96	37.05	42.92	38.49
2015/12/9	0.00	42.76	18.60	34.05	42.75	42.69	42.59	41.10	42.44	40.44	31.98	42.84	41.93	34.67	37.35	34.25	42.68	42.92	37.01	42.90	38.46
2015/12/10	1.50	42.77	18.65	34.09	42.74	42.67	42.58	41.10	42.43	40.44	31.98	42.83	41.93	34.67	37.34	34.25	42.67	42.92	37.01	42.89	38.45
2015/12/11	55.00	42.92	18.86	34.29	43.31	42.74	42.71	41.25	42.57	40.50	32.06	42.97	42.10	34.77	37.40	34.35	42.79	43.02	37.09	43.01	38.52
2015/12/12	0.00	42.96	18.76	34.17	43.23	42.80	42.78	41.29	42.64	40.53	32.06	43.04	42.07	34.76	37.38	34.32	42.87	43.21	37.10	43.13	38.53
2015/12/13	2.50	42.99	18.76	34.17	43.08	42.82	42.79	41.29	42.64	40.57	32.07	43.04	42.07	34.80	37.39	34.37	42.90	43.25	37.19	43.16	38.58
2015/12/14	0.00	43.01	18.77	34.18	43.01	42.83	42.78	41.29	42.63	40.58	32.12	43.03	42.06	34.80	37.41	34.37	42.85	43.13	37.17	43.10	38.60
2015/12/15	0.00	43.03	18.80	34.22	42.96	42.83	42.77	41.28	42.61	40.60	32.11	43.01	42.04	34.80	37.42	34.38	42.82	43.09	37.13	43.07	38.60
2015/12/16	0.00	43.04	18.88	34.30	42.93	42.83	42.76	41.28	42.60	40.61	32.14	43.00	42.03	34.81	37.44	34.39	42.80	43.07	37.13	43.05	38.60
2015/12/17	0.00	43.01	18.87	34.26	42.90	42.81	42.74	41.25	42.57	40.59	32.15	42.97	42.01	34.79	37.43	34.36	42.78	43.04	37.11	43.02	38.57
2015/12/18	0.00	42.97	18.80	34.17	42.87	42.79	42.71	41.21	42.55	40.56	32.09	42.94	42.00	34.74	37.40	34.32	42.76	43.03	37.07	43.00	38.53
2015/12/19	0.00	42.95	18.77	34.14	42.85	42.77	42.69	41.21	42.53	40.54	32.05	42.94	42.00	34.73	37.39	34.30	42.81	43.15	37.06	43.06	38.51
2015/12/20	0.00	42.93	18.75	34.11	42.83	42.76	42.68	41.20	42.53	40.53	32.02	42.93	42.00	34.74	37.38	34.31	42.82	43.17	37.08	43.07	38.52
2015/12/21	0.00	42.94	18.82	34.17	42.82	42.75	42.68	41.20	42.52	40.53	32.08	42.92	41.99	34.77	37.39	34.34	42.76	43.02	37.17	42.99	38.56
2015/12/22	0.00	42.91	18.82	34.16	42.81	42.74	42.65	41.17	42.49	40.51	32.01	42.89	41.97	34.75	37.39	34.32	42.73	42.99	37.11	42.96	38.54
2015/12/23	3.50	42.89	18.80	34.13	42.79	42.72	42.64	41.13	42.48	40.49	31.96	42.89	41.97	34.74	37.38	34.31	42.77	43.11	37.15	43.01	38.53
2015/12/24	4.50	42.91	18.90	34.22	42.81	42.72	42.64	41.14	42.49	40.51	32.04	42.89	41.97	34.78	37.40	34.35	42.74	42.99	37.18	42.96	38.56
2015/12/25	0.00	42.90	18.96	34.25	42.79	42.71	42.63	41.12	42.47	40.50	32.07	42.87	41.95	34.83	37.41	34.39	42.71	42.96	37.37	42.93	38.60
2015/12/26	0.00	42.87	18.94	34.21	42.77	42.70	42.61	41.10	42.45	40.48	32.06	42.86	41.95	34.82	37.41	34.38	42.75	43.08	37.41	42.99	38.60
2015/12/27	0.00	42.84	18.92	34.17	42.75	42.68	42.60	41.10	42.45	40.46	32.01	42.86	41.96	34.83	37.42	34.39	42.76	43.10	37.44	43.00	38.62
2015/12/28	0.00	42.82	18.89	34.12	42.74	42.67	42.59	41.07	42.43	40.44	32.02	42.84	41.94	34.81	37.42	34.37	42.69	42.94	37.44	42.91	38.62
2015/12/29	0.00	42.80	18.89	34.12	42.73	42.66	42.57	41.06	42.42	40.43	31.96	42.83	41.93	34.82	37.43	34.38	42.73	43.06	37.42	42.96	38.61
2015/12/30	0.00	42.78	18.87	34.10	42.72	42.65	42.56	41.03	42.41	40.42	31.95	42.83	41.94	34.79	37.43	34.36	42.74	43.07	37.35	42.97	38.60
2015/12/31	0.00	42.78	18.89	34.12	42.71	42.64	42.55	41.03	42.41	40.41	31.93	42.82	41.93	34.73	37.43	34.32	42.74	43.07	37.13	42.97	38.55
2016/1/1	0.00	42.75	18.92	34.09	42.70	42.63	42.54	41.05	42.40	40.39	32.01	42.81	41.92	34.72	37.41	34.31	42.73	43.06	37.09	42.95	38.53
2016/1/2	0.00	42.75	19.02	34.13	42.69	42.62	42.53	41.07	42.39	40.39	31.90	42.80	41.92	34.74	37.40	34.33	42.73	43.06	37.10	42.95	38.53
2016/1/3	0.00	42.74	19.03	34.17	42.69	42.61	42.52	41.08	42.38	40.39	31.94	42.79	41.92	34.78	37.40	34.37	42.72	43.05	37.14	42.94	38.55
2016/1/4	0.00	42.73	19.04	34.20	42.68	42.60	42.51	41.07	42.37	40.39	32.07	42.78	41.92	34.80	37.40	34.38	42.72	43.05	37.24	42.94	38.57
2016/1/5	0.00	42.71	19.02	34.18	42.66	42.59	42.50	41.06	42.35	40.37	32.14	42.77	41.90	34.82	37.39	34.39	42.65	42.90	37.38	42.86	38.60
2016/1/6	0.00	42.69	19.00	34.17	42.66	42.58	42.48	41.04	42.34	40.37	31.97	42.74	41.88	34.80	37.40	34.37	42.61	42.84	37.38	42.82	38.59
2016/1/7	0.00	42.69	19.04	34.20	42.65	42.57	42.47	41.02	42.32	40.36	32.03	42.73	41.87	34.80	37.41	34.37	42.60	42.83	37.37	42.80	38.58
2016/1/8	0.00	42.67	19.04	34.17	42.64	42.56	42.45	41.00	42.31	40.34	32.01	42.71	41.86	34.78	37.40	34.34	42.58	42.81	37.36	42.78	38.55
2016/1/9	0.00	42.65	19.01	34.14	42.63	42.55	42.44	41.00	42.30	40.33	31.95	42.70	41.86	34.76	37.39	34.33	42.63	42.94	37.35	42.84	38.53
2016/1/10	0.00	42.64	19.02	34.13	42.63	42.55	42.43	41.00	42.29	40.32	31.96	42.71	41.87	34.78	37.39	34.34	42.65	42.96	37.38	42.85	38.54
2016/1/11	0.00	42.62	19.02	34.13	42.62	42.54	42.43	40.99	42.29	40.31	31.98	42.70	41.87	34.77	37.39	34.33	42.65	42.96	37.38	42.85	38.55
2016/1/12	0.00	42.62	19.05	34.14	42.61	42.53	42.42	40.99	42.28	40.30	31.95	42.69	41.85	34.76	37.39	34.33	42.58	42.82	37.38	42.78	38.54
2016/1/13	0.00	42.61	19.12	34.14	42.60	42.52	42.40	40.97	42.26	40.29	31.95	42.67	41.84	34.72	37.39	34.30	42.55	42.77	37.25	42.74	38.51
2016/1/14	0.00	42.60	19.17	34.14	42.59	42.51	42.38	40.96	42.25	40.28	31.93	42.65	41.82	34.65	37.37	34.24	42.53	42.76	36.99	42.72	38.42
2016/1/15	0.00	42.57	19.17	34.10	42.58	42.49	42.36	40.94	42.23	40.26	31.93	42.63	41.81	34.60	37.32	34.18	42.51	42.72	36.96	42.69	38.36
2016/1/16	0.00	42.56	19.17	34.07	42.58	42.48	42.35	40.93	42.22	40.24	31.89	42.62	41.82	34.59	37.29	34.17	42.56	42.86	37.01	42.76	38.36
2016/1/17	5.00	42.54	19.16	34.04	42.57	42.47	42.34	40.94	42.21	40.23	31.86	42.63	41.82	34.54	37.26	34.10	42.58	42.89	37.02	42.78	38.36
2016/1/18	57.00	42.64	19.34	34.21	42.77	42.49	42.39	40.99	42.28	40.29	32.01	42.69	41.92	34.48	37.30	34.01	42.61	42.82	37.06	42.78	38.39
2016/1/19	1.50	42.70	19.37	34.20	42.90	42.54	42.47	41.04	42.36	40.31	31.98	42.76	41.91	34.45	37.27	33.98	42.63	42.84	37.04	42.82	38.37
2016/1/20	0.00	42.71	19.33	34.14	42.84	42.56	42.48	41.03	42.36	40.32	31.96	42.76	41.91	34.54	37.23	34.11	42.63	42.85	37.07	42.83	38.37
2016/1/21	0.00	42.71	19.28	34.07	42.80	42.56	42.46	41.00	42.35	40.32	31.95	42.75	41.89	34.58	37.21	34.14	42.61	42.83	37.08	42.82	38.37
2016/1/22	0.00	42.71																			

平成27年度 地下水位観測結果(10/15)

凡例
 空欄：未観測
 単位：降水量(mm)
 地下水位(T.P.m)

年月日	アメダス 観測 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2015/4/1	1.00	43.25	43.05	36.52	41.85	31.30	42.10	36.07	42.80	41.05	40.65	36.61	36.19	40.48	35.54	35.46	34.80	40.00	39.59	37.02	39.92
2015/4/2	0.00	43.21	43.02	36.49	41.83	31.27	42.09	36.04	42.79	41.03	40.64	36.57	36.16	40.47	35.50	35.42	34.76	39.99	39.57	37.03	39.91
2015/4/3	0.00	43.21	43.02	36.49	41.83	31.28	42.08	36.04	42.78	41.02	40.63	36.58	36.17	40.46	35.51	35.43	34.77	39.98	39.56	37.01	39.90
2015/4/4	0.00	43.29	43.10	36.47	41.84	31.24	42.07	36.01	42.77	41.01	40.62	36.55	36.14	40.45	35.48	35.39	34.74	39.96	39.54	36.97	39.88
2015/4/5	7.50	43.32	43.14	36.48	41.85	31.25	42.09	36.03	42.78	41.01	40.62	36.56	36.15	40.44	35.50	35.42	34.77	39.95	39.53	36.94	39.87
2015/4/6	0.00	43.24	43.04	36.49	41.83	31.29	42.07	36.04	42.77	41.01	40.62	36.58	36.17	40.43	35.52	35.44	34.79	39.95	39.53	36.96	39.87
2015/4/7	5.00	43.19	43.00	36.50	41.80	31.29	42.05	36.04	42.75	41.00	40.61	36.57	36.15	40.42	35.50	35.41	34.76	39.94	39.52	36.96	39.86
2015/4/8	17.50	43.18	43.00	36.50	41.84	31.25	42.07	36.04	42.77	41.02	40.64	36.56	36.14	40.45	35.49	35.40	34.74	39.98	39.55	36.93	39.91
2015/4/9	0.00	43.19	43.01	36.48	41.85	31.24	42.09	36.03	42.78	41.05	40.65	36.55	36.14	40.48	35.48	35.40	34.75	40.03	39.60	36.93	39.97
2015/4/10	9.00	43.20	43.01	36.48	41.83	31.24	42.08	36.03	42.77	41.03	40.64	36.56	36.15	40.47	35.49	35.41	34.76	40.03	39.61	36.94	39.97
2015/4/11	4.50	43.29	43.12	36.50	41.89	31.27	42.11	36.04	42.80	41.06	40.66	36.57	36.16	40.49	35.51	35.43	34.77	40.05	39.63	36.95	40.00
2015/4/12	0.00	43.34	43.16	36.48	41.90	31.26	42.13	36.03	42.81	41.06	40.66	36.57	36.15	40.50	35.50	35.43	34.77	40.07	39.65	36.95	40.01
2015/4/13	29.50	43.27	43.09	36.52	41.91	31.28	42.14	36.06	42.83	41.08	40.68	36.60	36.18	40.51	35.53	35.46	34.81	40.08	39.66	36.99	40.03
2015/4/14	17.50	43.31	43.14	36.58	42.02	31.37	42.24	36.12	42.91	41.19	40.79	36.66	36.24	40.61	35.59	35.53	34.87	40.21	39.79	37.10	40.19
2015/4/15	1.50	43.36	43.18	36.61	42.08	31.40	42.31	36.15	42.96	41.27	40.84	36.70	36.28	40.68	35.63	35.57	34.91	40.33	39.90	37.20	40.31
2015/4/16	0.00	43.38	43.20	36.60	42.07	31.38	42.31	36.14	42.97	41.27	40.83	36.70	36.28	40.69	35.63	35.57	34.91	40.37	39.95	37.24	40.34
2015/4/17	2.50	43.38	43.20	36.60	42.05	31.38	42.31	36.14	42.96	41.25	40.81	36.72	36.30	40.70	35.65	35.58	34.92	40.37	39.96	37.24	40.33
2015/4/18	0.00	43.47	43.29	36.58	42.06	31.37	42.30	36.12	42.96	41.24	40.80	36.71	36.29	40.71	35.64	35.58	34.91	40.36	39.94	37.23	40.31
2015/4/19	0.00	43.51	43.33	36.59	42.07	31.39	42.31	36.13	42.97	41.24	40.80	36.72	36.30	40.71	35.66	35.60	34.94	40.34	39.93	37.22	40.29
2015/4/20	6.50	43.42	43.24	36.63	42.06	31.42	42.29	36.18	42.96	41.23	40.79	36.76	36.34	40.71	35.70	35.64	34.98	40.33	39.92	37.23	40.28
2015/4/21	0.00	43.38	43.19	36.62	42.03	31.45	42.28	36.16	42.94	41.22	40.78	36.75	36.34	40.70	35.69	35.63	34.97	40.32	39.91	37.23	40.26
2015/4/22	0.50	43.35	43.17	36.60	42.00	31.40	42.25	36.14	42.92	41.19	40.75	36.72	36.30	40.67	35.66	35.58	34.93	40.29	39.88	37.19	40.23
2015/4/23	0.00	43.34	43.15	36.59	41.99	31.39	42.23	36.13	42.90	41.18	40.74	36.71	36.29	40.66	35.65	35.58	34.92	40.28	39.86	37.17	40.21
2015/4/24	0.00	43.33	43.14	36.58	41.97	31.38	42.23	36.12	42.89	41.16	40.72	36.70	36.29	40.64	35.65	35.57	34.92	40.26	39.84	37.16	40.19
2015/4/25	0.00	43.41	43.23	36.57	41.98	31.39	42.21	36.11	42.88	41.14	40.70	36.69	36.28	40.63	35.63	35.56	34.91	40.24	39.82	37.19	40.17
2015/4/26	0.00	43.44	43.25	36.57	41.99	31.39	42.22	36.11	42.89	41.13	40.70	36.68	36.27	40.61	35.63	35.56	34.91	40.21	39.80	37.16	40.15
2015/4/27	0.00	43.34	43.15	36.57	41.96	31.39	42.20	36.11	42.87	41.12	40.69	36.69	36.27	40.60	35.63	35.57	34.92	40.19	39.78	37.14	40.13
2015/4/28	0.00	43.30	43.11	36.56	41.93	31.38	42.17	36.11	42.85	41.10	40.67	36.68	36.26	40.58	35.62	35.55	34.89	40.17	39.76	37.12	40.11
2015/4/29	0.00	43.37	43.19	36.55	41.93	31.37	42.16	36.10	42.84	41.09	40.66	36.66	36.25	40.57	35.61	35.52	34.87	40.15	39.74	37.10	40.09
2015/4/30	0.00	43.29	43.10	36.55	41.91	31.36	42.15	36.09	42.83	41.08	40.65	36.65	36.24	40.55	35.60	35.51	34.86	40.14	39.72	37.07	40.07
2015/5/1	0.00	43.26	43.07	36.53	41.89	31.36	42.13	36.08	42.81	41.06	40.64	36.64	36.23	40.53	35.58	35.50	34.85	40.12	39.70	37.05	40.05
2015/5/2	0.00	43.32	43.14	36.52	41.89	31.35	42.12	36.06	42.80	41.04	40.62	36.62	36.22	40.52	35.57	35.48	34.83	40.10	39.68	37.03	40.03
2015/5/3	0.00	43.35	43.17	36.52	41.90	31.36	42.12	36.07	42.81	41.04	40.62	36.62	36.21	40.50	35.57	35.49	34.85	40.08	39.66	37.02	40.01
2015/5/4	0.00	43.36	43.17	36.54	41.90	31.39	42.12	36.08	42.80	41.04	40.62	36.64	36.23	40.49	35.59	35.52	34.87	40.06	39.65	37.02	39.99
2015/5/5	0.00	43.35	43.16	36.53	41.89	31.39	42.11	36.07	42.79	41.03	40.61	36.63	36.23	40.48	35.58	35.50	34.85	40.04	39.63	37.01	39.97
2015/5/6	0.00	43.34	43.15	36.52	41.88	31.36	42.10	36.06	42.79	41.02	40.60	36.61	36.20	40.46	35.56	35.47	34.83	40.03	39.61	36.98	39.95
2015/5/7	0.00	43.24	43.05	36.52	41.85	31.34	42.08	36.06	42.77	41.01	40.59	36.61	36.20	40.45	35.55	35.47	34.82	40.01	39.60	36.97	39.94
2015/5/8	0.00	43.20	43.01	36.50	41.82	31.34	42.06	36.05	42.75	40.99	40.58	36.59	36.18	40.44	35.54	35.44	34.80	40.00	39.58	36.96	39.92
2015/5/9	0.00	43.26	43.08	36.50	41.82	31.36	42.05	36.04	42.74	40.98	40.57	36.58	36.18	40.43	35.53	35.43	34.79	39.98	39.56	36.95	39.91
2015/5/10	0.00	43.28	43.10	36.50	41.83	31.36	42.05	36.04	42.74	40.97	40.57	36.57	36.17	40.42	35.52	35.44	34.80	39.97	39.55	36.93	39.89
2015/5/11	0.00	43.19	43.00	36.48	41.79	31.33	42.03	36.02	42.73	40.96	40.56	36.55	36.14	40.41	35.50	35.41	34.76	39.95	39.53	36.91	39.88
2015/5/12	62.00	43.15	42.96	36.50	41.78	31.36	42.02	36.04	42.71	40.95	40.57	36.57	36.17	40.40	35.52	35.43	34.79	39.95	39.53	36.89	39.88
2015/5/13	0.00	43.20	43.03	36.54	41.94	31.40	42.16	36.09	42.83	41.12	40.71	36.62	36.22	40.55	35.57	35.50	34.84	40.15	39.72	36.97	40.11
2015/5/14	0.00	43.21	43.03	36.52	41.89	31.35	42.13	36.07	42.81	41.07	40.62	36.62	36.21	40.53	35.57	35.48	34.83	40.16	39.74	37.01	40.12
2015/5/15	0.00	43.20	43.01	36.51	41.86	31.34	42.10	36.06	42.79	41.04	40.59	36.61	36.21	40.51	35.56	35.47	34.82	40.14	39.73	37.01	40.10
2015/5/16	2.50	43.27	43.10	36.51	41.87	31.37	42.10	36.06	42.78	41.03	40.58	36.62	36.22	40.50	35.57	35.49	34.84	40.12	39.71	37.02	40.08
2015/5/17	0.00	43.31	43.13	36.50	41.87	31.37	42.10	36.04	42.77	41.01	40.57	36.60	36.20	40.48	35.55	35.47	34.83	40.10	39.69	37.00	40.05
2015/5/18	0.00	43.22	43.03	36.50	41.84	31.35	42.08	36.05	42.76	41.00	40.56	36.61	36.20	40.46	35.56	35.47	34.82	40.08	39.66	36.98	40.03
2015/5/19	4.50	43.16	42.97	36.51	41.82	31.37	42.05	36.06	42.74	40.98	40.54	36.62	36.21	40.45	35.56	35.48	34.83	40.06	39.65	36.98	40.01
2015/5/20	0.00	43.14	42.96	36.49	41.80	31.35	42.03	36.04	42.72	40.96	40.52	36.60	36.19	40.44	35.55	35.46	34.81	40.04	39.63	36.97	39.99
2015/5/21	11.00	43.13	42.94	36.46	41.79	31.32	42.02	36.01	42.72	40.96	40.52	36.58	36.17	40.44	35.53	35.44	34.79	40.05	39.63	36.96	40.00
2015/5/22	0.00	43.12	42.94	36.44	41.78	31.29	42.01	35.99	42.70	40.94	40.50	36.55	36.13	40.43	35.49	35.41	34.76	40.04	39.62	36.93	39.99
2015/5/23	0.00	43.19	43.02	36.43	41.79	31.28	42.01														

平成27年度 地下水位観測結果(11/15)

凡例
 ■：未観測
 □：欠測
 単位：降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2015/8/1	0.00	43.81	43.61	36.74	42.31	31.72	42.54	36.29	43.22	41.43	40.89	37.10	36.69	40.84	36.05	35.98	35.35	40.59	40.20	37.50	40.50
2015/8/2	0.00	43.82	43.62	36.80	42.30	31.75	42.53	36.34	43.21	41.41	40.88	37.08	36.67	40.81	36.03	35.97	35.34	40.54	40.15	37.46	40.46
2015/8/3	0.00	43.72	43.51	36.79	42.26	31.75	42.50	36.34	43.18	41.39	40.86	37.06	36.65	40.78	36.01	35.95	35.32	40.50	40.10	37.42	40.42
2015/8/4	0.00	43.66	43.46	36.82	42.22	31.74	42.46	36.37	43.15	41.36	40.82	37.04	36.63	40.75	35.99	35.91	35.28	40.46	40.06	37.37	40.38
2015/8/5	0.00	43.63	43.42	36.71	42.19	31.69	42.43	36.27	43.12	41.32	40.80	37.00	36.60	40.72	35.95	35.87	35.24	40.42	40.02	37.34	40.34
2015/8/6	0.00	43.61	43.40	36.65	42.16	31.70	42.40	36.22	43.10	41.29	40.77	36.96	36.56	40.69	35.91	35.83	35.19	40.38	39.98	37.30	40.30
2015/8/7	0.00	43.58	43.38	36.62	42.14	31.66	42.37	36.18	43.08	41.26	40.75	36.94	36.53	40.63	35.88	35.80	35.16	40.35	39.94	37.26	40.26
2015/8/8	0.00	43.66	43.46	36.61	42.14	31.65	42.36	36.17	43.07	41.24	40.74	36.92	36.51	40.63	35.86	35.77	35.14	40.31	39.91	37.23	40.23
2015/8/9	0.00	43.68	43.48	36.61	42.14	31.67	42.36	36.17	43.06	41.23	40.73	36.91	36.50	40.61	35.85	35.77	35.14	40.28	39.88	37.22	40.20
2015/8/10	3.50	43.58	43.37	36.63	42.11	31.70	42.34	36.18	43.05	41.22	40.72	36.91	36.50	40.60	35.86	35.77	35.14	40.26	39.86	37.23	40.18
2015/8/11	0.00	43.54	43.34	36.66	42.09	31.72	42.32	36.22	43.03	41.20	40.71	36.90	36.49	40.58	35.84	35.75	35.12	40.23	39.83	37.20	40.15
2015/8/12	0.50	43.52	43.31	36.62	42.06	31.72	42.29	36.18	43.02	41.19	40.70	36.89	36.48	40.57	35.83	35.73	35.10	40.21	39.80	37.17	40.13
2015/8/13	1.50	43.60	43.40	36.61	42.08	31.69	42.29	36.17	43.01	41.18	40.69	36.87	36.47	40.55	35.82	35.72	35.09	40.19	39.78	37.16	40.11
2015/8/14	6.50	43.62	43.42	36.63	42.07	31.69	42.29	36.18	43.01	41.17	40.68	36.87	36.46	40.54	35.81	35.71	35.08	40.17	39.76	37.15	40.09
2015/8/15	0.00	43.62	43.41	36.74	42.07	31.72	42.28	36.29	43.00	41.16	40.68	36.86	36.45	40.53	35.80	35.70	35.06	40.16	39.75	37.12	40.08
2015/8/16	38.50	43.61	43.40	36.81	42.06	31.73	42.27	36.35	42.99	41.14	40.67	36.85	36.44	40.51	35.80	35.69	35.06	40.14	39.73	37.10	40.07
2015/8/17	52.50	43.63	43.44	36.80	42.27	31.76	42.45	36.35	43.18	41.35	40.90	36.91	36.50	40.68	35.85	35.76	35.12	40.35	39.91	37.19	40.33
2015/8/18	0.50	43.73	43.52	36.75	42.34	31.81	42.57	36.30	43.26	41.46	40.91	36.98	36.56	40.81	35.91	35.83	35.18	40.58	40.17	37.33	40.58
2015/8/19	0.00	43.74	43.53	36.73	42.30	31.80	42.55	36.29	43.24	41.43	40.87	36.99	36.58	40.81	35.93	35.84	35.19	40.58	40.18	37.39	40.56
2015/8/20	3.00	43.72	43.51	36.73	42.28	31.81	42.52	36.29	43.23	41.40	40.86	37.02	36.60	40.80	35.96	35.86	35.21	40.56	40.15	37.40	40.52
2015/8/21	0.50	43.71	43.50	36.73	42.25	31.81	42.50	36.29	43.21	41.38	40.84	37.03	36.61	40.77	35.96	35.87	35.22	40.52	40.12	37.40	40.48
2015/8/22	0.00	43.79	43.58	36.72	42.26	31.80	42.49	36.28	43.19	41.36	40.82	37.01	36.60	40.75	35.95	35.86	35.21	40.49	40.09	37.39	40.44
2015/8/23	0.00	43.80	43.59	36.75	42.25	31.80	42.48	36.30	43.18	41.34	40.80	37.01	36.59	40.71	35.95	35.84	35.21	40.44	40.04	37.37	40.39
2015/8/24	0.00	43.69	43.47	36.72	42.21	31.78	42.45	36.28	43.16	41.31	40.78	37.00	36.58	40.69	35.94	35.83	35.19	40.40	40.00	37.33	40.35
2015/8/25	0.50	43.63	43.42	36.69	42.17	31.77	42.41	36.25	43.12	41.28	40.76	36.97	36.55	40.66	35.91	35.80	35.16	40.36	39.96	37.30	40.31
2015/8/26	33.00	43.65	43.44	36.77	42.22	31.81	42.45	36.32	43.17	41.34	40.84	36.99	36.57	40.71	35.93	35.82	35.18	40.42	40.00	37.30	40.39
2015/8/27	0.00	43.67	43.47	36.76	42.24	31.83	42.48	36.32	43.19	41.37	40.84	36.99	36.58	40.75	35.93	35.83	35.19	40.48	40.08	37.34	40.46
2015/8/28	0.00	43.67	43.46	36.73	42.22	31.82	42.46	36.29	43.17	41.35	40.83	37.00	36.58	40.74	35.93	35.82	35.17	40.47	40.06	37.35	40.43
2015/8/29	3.50	43.75	43.55	36.73	42.23	31.83	42.46	36.29	43.17	41.33	40.82	37.00	36.58	40.72	35.94	35.82	35.17	40.44	40.04	37.35	40.40
2015/8/30	3.50	43.78	43.57	36.75	42.23	31.86	42.46	36.30	43.17	41.33	40.81	37.01	36.59	40.71	35.95	35.83	35.20	40.42	40.02	37.33	40.38
2015/8/31	3.00	43.68	43.47	36.76	42.21	31.88	42.45	36.32	43.16	41.32	40.81	37.01	36.59	40.70	35.95	35.84	35.20	40.40	40.00	37.33	40.36
2015/9/1	8.50	43.64	43.44	36.76	42.19	31.90	42.43	36.32	43.14	41.32	40.82	37.01	36.59	40.69	35.96	35.83	35.19	40.39	39.98	37.32	40.34
2015/9/2	3.00	43.63	43.42	36.77	42.19	31.90	42.43	36.33	43.14	41.33	40.84	37.01	36.59	40.70	35.96	35.84	35.20	40.40	39.99	37.31	40.36
2015/9/3	1.00	43.62	43.41	36.76	42.17	31.89	42.41	36.32	43.13	41.32	40.82	37.01	36.59	40.69	35.95	35.82	35.18	40.39	39.98	37.30	40.35
2015/9/4	16.00	43.62	43.42	36.77	42.20	31.90	42.44	36.33	43.16	41.34	40.87	37.01	36.59	40.71	35.95	35.83	35.19	40.39	39.98	37.29	40.34
2015/9/5	0.00	43.76	43.56	36.77	42.27	31.90	42.50	36.33	43.21	41.40	40.90	37.02	36.60	40.75	35.96	35.83	35.19	40.42	40.01	37.29	40.36
2015/9/6	20.00	43.81	43.61	36.79	42.28	31.92	42.52	36.35	43.23	41.41	40.90	37.04	36.62	40.74	35.98	35.86	35.22	40.42	40.00	37.28	40.36
2015/9/7	14.00	43.77	43.56	36.84	42.33	31.95	42.58	36.39	43.29	41.47	40.98	37.08	36.66	40.81	36.02	35.90	35.26	40.51	40.09	37.33	40.48
2015/9/8	61.00	43.83	43.64	36.87	42.49	31.97	42.71	36.43	43.42	41.63	41.16	37.13	36.70	40.98	36.06	35.94	35.29	40.74	40.29	37.41	40.73
2015/9/9	140.00	44.30	44.14	37.08	43.14	32.10	43.40	36.61	44.05	42.40	41.90	37.32	36.88	41.71	36.24	36.20	35.51	41.83	41.27	37.77	41.84
2015/9/10	22.50	45.10	44.96	37.40	43.97	32.33	44.52	36.91	44.96	43.56	42.64	37.76	37.29	42.40	36.65	36.70	35.98	43.26	42.76	38.59	43.08
2015/9/11	0.00	45.27	45.11	37.57	44.04	32.65	44.64	37.08	45.10	43.60	42.58	38.15	37.69	42.34	37.07	37.07	36.36	43.19	42.82	38.92	43.06
2015/9/12	0.00	45.28	45.11	37.67	43.92	33.10	44.46	37.20	44.96	43.38	42.40	38.37	37.95	42.17	37.37	37.25	36.56	42.85	42.54	39.00	42.79
2015/9/13	0.00	45.20	45.03	37.79	43.79	33.29	44.27	37.33	44.78	43.17	42.23	38.48	38.06	42.01	37.50	37.33	36.66	42.53	42.23	38.99	42.50
2015/9/14	0.00	45.03	44.84	37.82	43.62	33.36	44.07	37.37	44.60	42.96	42.07	38.49	38.09	41.88	37.52	37.32	36.66	42.25	41.95	38.93	42.21
2015/9/15	0.00	44.90	44.70	37.82	43.49	33.42	43.90	37.39	44.44	42.79	41.94	38.45	38.07	41.78	37.50	37.27	36.63	42.05	41.74	38.85	41.99
2015/9/16	3.00	44.80	44.60	37.86	43.36	33.45	43.75	37.43	44.31	42.64	41.83	38.42	38.04	41.70	37.47	37.23	36.59	41.88	41.57	38.78	41.80
2015/9/17	70.50	44.82	44.62	37.91	43.42	33.51	43.81	37.50	44.37	42.72	41.98	38.42	38.04	41.79	37.49	37.24	36.61	42.03	41.67	38.94	41.97
2015/9/18	3.50	44.97	44.77	37.98	43.62	33.60	44.01	37.56	44.55	42.93	42.11	38.51	38.13	41.93	37.57	37.34	36.71	42.30	41.97	38.97	42.26
2015/9/19	0.00	45.03	44.84	38.03	43.59	33.65	43.97	37.61	44.52	42.86	42.02	38.56	38.18	41.88	37.62	37.39	36.76	42.20	41.88	38.99	42.15
2015/9/20	0.00	45.01	44.81	38.13	43.51	33.69	43.89	37.71	44.45	42.77	41.93	38.57	38.19	41.81	37.64	37.39	36.77	42.06	41.75	38.94	42.00
2015/9/21	0.00	44.95	44.75	38.17	43.42	33.52	43.80	37.76	44.37	42.66	41.85	38.53	38.15	41.73	37.55	37.35	36.73	41.92	41.60	38.88	41.84
2015/9/22	0.00	44.89	44.68	38.07	43.33	33.17	43.70	37.6													

平成27年度 地下水位観測結果(12/15)

凡例
 □ : 未観測
 □ : 欠測
 単位: 降水量(mm)
 地下水位(T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2015/12/1	0.00	43.72	43.50	36.93	42.18	32.11	42.45	36.51	43.18	41.32	40.83	37.12	36.69	40.74	36.05	35.91	35.28	40.43	40.03	37.27	40.37
2015/12/2	0.00	43.69	43.47	36.95	42.15	32.08	42.43	36.52	43.16	41.29	40.81	37.09	36.66	40.72	36.03	35.89	35.25	40.40	40.00	37.25	40.34
2015/12/3	0.00	43.68	43.46	36.96	42.15	32.12	42.42	36.53	43.15	41.29	40.80	37.11	36.68	40.71	36.05	35.92	35.29	40.39	39.99	37.26	40.33
2015/12/4	0.00	43.66	43.44	36.90	42.13	32.09	42.40	36.48	43.12	41.26	40.78	37.09	36.66	40.69	36.03	35.89	35.25	40.36	39.96	37.25	40.30
2015/12/5	0.00	43.74	43.52	36.89	42.13	32.06	42.39	36.46	43.11	41.24	40.76	37.05	36.62	40.66	35.99	35.84	35.21	40.34	39.93	37.21	40.27
2015/12/6	0.00	43.76	43.54	36.94	42.13	32.05	42.39	36.50	43.11	41.23	40.75	37.03	36.60	40.65	35.96	35.82	35.19	40.31	39.91	37.20	40.24
2015/12/7	0.00	43.66	43.43	36.90	42.10	32.03	42.37	36.48	43.10	41.22	40.75	37.02	36.59	40.63	35.96	35.82	35.18	40.29	39.88	37.18	40.22
2015/12/8	0.00	43.62	43.40	36.86	42.07	32.02	42.34	36.43	43.08	41.20	40.73	37.00	36.58	40.62	35.94	35.80	35.16	40.27	39.86	37.16	40.20
2015/12/9	0.00	43.58	43.37	36.82	42.05	31.99	42.32	36.40	43.06	41.19	40.72	36.98	36.56	40.60	35.92	35.77	35.14	40.25	39.84	37.14	40.18
2015/12/10	1.50	43.57	43.36	36.81	42.04	31.99	42.31	36.39	43.04	41.17	40.71	36.98	36.55	40.59	35.92	35.77	35.14	40.23	39.83	37.13	40.16
2015/12/11	55.00	43.65	43.44	36.89	42.19	32.08	42.43	36.46	43.17	41.32	40.89	37.04	36.61	40.71	35.98	35.86	35.23	40.37	39.95	37.28	40.33
2015/12/12	0.00	43.83	43.61	36.89	42.27	32.05	42.52	36.46	43.22	41.39	40.90	37.05	36.62	40.79	35.98	35.84	35.20	40.49	40.08	37.24	40.45
2015/12/13	2.50	43.89	43.67	36.99	42.28	32.09	42.54	36.54	43.25	41.39	40.88	37.07	36.64	40.80	36.00	35.88	35.24	40.50	40.09	37.27	40.44
2015/12/14	0.00	43.82	43.59	36.97	42.26	32.10	42.53	36.54	43.25	41.38	40.87	37.10	36.67	40.79	36.03	35.90	35.26	40.49	40.08	37.29	40.42
2015/12/15	0.00	43.77	43.55	36.94	42.24	32.12	42.51	36.51	43.22	41.36	40.86	37.11	36.68	40.76	36.04	35.90	35.27	40.46	40.06	37.30	40.40
2015/12/16	0.00	43.75	43.53	36.93	42.22	32.13	42.49	36.51	43.19	41.35	40.85	37.10	36.68	40.75	36.04	35.90	35.27	40.44	40.04	37.29	40.38
2015/12/17	0.00	43.71	43.49	36.91	42.19	32.10	42.46	36.48	43.17	41.33	40.84	37.09	36.66	40.72	36.02	35.87	35.24	40.40	40.01	37.27	40.35
2015/12/18	0.00	43.69	43.47	36.87	42.16	32.06	42.43	36.45	43.15	41.31	40.82	37.05	36.62	40.70	35.98	35.83	35.19	40.37	39.97	37.22	40.31
2015/12/19	0.00	43.77	43.55	36.86	42.17	32.04	42.42	36.43	43.14	41.29	40.81	37.03	36.60	40.68	35.97	35.82	35.18	40.35	39.95	37.18	40.29
2015/12/20	0.00	43.79	43.57	36.88	42.17	32.04	42.43	36.45	43.14	41.28	40.80	37.02	36.59	40.67	35.96	35.81	35.18	40.32	39.93	37.14	40.26
2015/12/21	0.00	43.69	43.47	36.97	42.14	32.07	42.42	36.52	43.14	41.28	40.80	37.04	36.61	40.65	35.98	35.84	35.21	40.30	39.91	37.14	40.24
2015/12/22	0.00	43.65	43.43	36.91	42.11	32.06	42.38	36.49	43.10	41.25	40.78	37.03	36.60	40.63	35.96	35.81	35.18	40.28	39.88	37.12	40.22
2015/12/23	3.50	43.72	43.51	36.95	42.12	32.05	42.37	36.51	43.09	41.24	40.76	37.00	36.58	40.62	35.94	35.78	35.14	40.26	39.86	37.09	40.19
2015/12/24	4.50	43.65	43.43	36.98	42.11	32.07	42.38	36.54	43.10	41.24	40.77	37.02	36.60	40.61	35.95	35.81	35.17	40.25	39.85	37.10	40.19
2015/12/25	0.00	43.61	43.40	37.17	42.09	32.11	42.35	36.71	43.07	41.22	40.76	37.01	36.59	40.60	35.95	35.79	35.16	40.23	39.83	37.09	40.17
2015/12/26	0.00	43.69	43.48	37.20	42.09	32.10	42.34	36.75	43.06	41.21	40.74	36.99	36.56	40.59	35.93	35.76	35.13	40.21	39.81	37.07	40.15
2015/12/27	0.00	43.71	43.49	37.23	42.09	32.10	42.34	36.78	43.06	41.20	40.73	36.97	36.55	40.57	35.91	35.75	35.12	40.20	39.79	37.06	40.13
2015/12/28	0.00	43.60	43.38	37.24	42.06	32.09	42.32	36.79	43.05	41.19	40.73	36.96	36.54	40.56	35.90	35.74	35.11	40.18	39.78	37.05	40.11
2015/12/29	0.00	43.66	43.45	37.21	42.05	32.11	42.31	36.77	43.03	41.17	40.72	36.96	36.53	40.55	35.89	35.73	35.10	40.16	39.76	37.05	40.09
2015/12/30	0.00	43.68	43.46	37.14	42.06	32.09	42.31	36.71	43.03	41.17	40.71	36.94	36.51	40.54	35.87	35.71	35.07	40.14	39.74	37.04	40.08
2015/12/31	0.00	43.68	43.46	36.94	42.05	32.06	42.30	36.52	43.03	41.16	40.70	36.93	36.50	40.53	35.87	35.71	35.07	40.13	39.73	37.04	40.06
2016/1/1	0.00	43.67	43.45	36.90	42.03	32.06	42.29	36.47	43.02	41.15	40.69	36.93	36.50	40.51	35.87	35.71	35.08	40.11	39.71	37.02	40.04
2016/1/2	0.00	43.66	43.45	36.90	42.03	32.09	42.28	36.48	43.01	41.14	40.69	36.95	36.53	40.51	35.89	35.73	35.11	40.10	39.70	37.00	40.03
2016/1/3	0.00	43.66	43.44	36.95	42.02	32.12	42.28	36.52	43.01	41.13	40.68	36.97	36.54	40.49	35.91	35.75	35.13	40.08	39.68	36.99	40.01
2016/1/4	0.00	43.65	43.43	37.04	42.02	32.14	42.27	36.59	43.00	41.12	40.68	36.96	36.54	40.48	35.90	35.74	35.12	40.07	39.67	36.99	40.00
2016/1/5	0.00	43.55	43.33	37.17	41.99	32.13	42.25	36.72	42.98	41.11	40.67	36.95	36.52	40.47	35.89	35.71	35.08	40.05	39.65	36.96	39.98
2016/1/6	0.00	43.49	43.27	37.18	41.96	32.12	42.22	36.74	42.96	41.09	40.65	36.93	36.50	40.46	35.87	35.69	35.06	40.04	39.64	36.94	39.97
2016/1/7	0.00	43.47	43.25	37.17	41.94	32.12	42.20	36.73	42.94	41.08	40.64	36.92	36.50	40.44	35.86	35.68	35.05	40.02	39.62	36.93	39.96
2016/1/8	0.00	43.44	43.23	37.16	41.92	32.09	42.18	36.72	42.92	41.06	40.63	36.89	36.47	40.43	35.83	35.65	35.02	40.01	39.61	36.93	39.94
2016/1/9	0.00	43.52	43.31	37.15	41.93	32.07	42.18	36.71	42.92	41.05	40.62	36.87	36.45	40.42	35.81	35.63	35.00	40.00	39.59	36.90	39.93
2016/1/10	0.00	43.55	43.34	37.17	41.93	32.08	42.18	36.72	42.92	41.05	40.62	36.87	36.44	40.41	35.81	35.63	35.01	39.98	39.58	36.88	39.92
2016/1/11	0.00	43.55	43.34	37.18	41.93	32.07	42.18	36.73	42.92	41.04	40.61	36.86	36.44	40.40	35.81	35.63	35.01	39.97	39.57	36.90	39.91
2016/1/12	0.00	43.45	43.23	37.17	41.90	32.07	42.16	36.73	42.90	41.04	40.61	36.87	36.44	40.40	35.81	35.63	35.00	39.96	39.56	36.90	39.89
2016/1/13	0.00	43.40	43.18	37.05	41.87	32.06	42.14	36.63	42.89	41.03	40.60	36.85	36.43	40.39	35.79	35.61	34.98	39.95	39.55	36.87	39.88
2016/1/14	0.00	43.38	43.17	36.80	41.86	32.01	42.12	36.40	42.87	41.01	40.60	36.83	36.41	40.38	35.78	35.59	34.96	39.94	39.53	36.85	39.87
2016/1/15	0.00	43.35	43.14	36.76	41.84	31.95	42.11	36.34	42.85	41.00	40.59	36.80	36.38	40.37	35.74	35.57	34.93	39.93	39.52	36.83	39.86
2016/1/16	0.00	43.43	43.23	36.81	41.85	31.93	42.10	36.38	42.85	40.99	40.58	36.79	36.36	40.36	35.73	35.55	34.91	39.92	39.51	36.81	39.85
2016/1/17	5.00	43.46	43.25	36.82	41.85	31.78	42.11	36.39	42.85	40.99	40.57	36.73	36.27	40.35	35.61	35.44	34.91	39.91	39.50	36.81	39.84
2016/1/18	57.00	43.42	43.21	36.86	41.92	31.60	42.17	36.43	42.91	41.07	40.66	36.67	36.18	40.42	35.50	35.32	34.95	39.98	39.57	36.85	39.94
2016/1/19	1.50	43.45	43.25	36.83	42.01	31.60	42.26	36.39	42.97	41.18	40.75	36.66	36.17	40.53	35.50	35.37	34.93	40.13	39.71	36.91	40.12
2016/1/20	0.00	43.47	43.26	36.85	42.00	31.85	42.27	36.39	42.98	41.18	40.74	36.75	36.31	40.56	35.68	35.59	34.95	40.18	39.77	36.95	40.17
2016/1/21	0.00	43.46	43.25	36.87	41.99	31.89	42.26	36.42	42.98	41.17	40.73	36.80	36.37	40.56	35.73	35.60	34.96	40.19	39.79	36.95	40.17
2016/1/22	0.00	43.46	43.25	36.																	

平成27年度 地下水位観測結果(13/15)

凡例
 □ : 未観測
 □ : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2015/4/1	1.00	38.27	38.57	28.55	37.16	28.89	34.88	37.05	31.83	34.34	36.78	36.33	35.43	37.25	34.54	37.01	34.41	33.26	32.53
2015/4/2	0.00	38.25	38.55	28.52	37.14	28.85	34.86	37.04	31.76	34.32	36.76	36.31	35.42	37.24	34.52	36.99	34.39	33.26	32.52
2015/4/3	0.00	38.24	38.54	28.52	37.13	28.85	34.87	37.03	31.78	34.33	36.75	36.32	35.42	37.23	34.53	36.98	34.40	33.26	32.52
2015/4/4	0.00	38.23	38.52	28.49	37.12	28.82	34.85	37.02	31.76	34.31	36.74	36.30	35.41	37.22	34.51	36.98	34.38	33.25	32.50
2015/4/5	7.50	38.22	38.52	28.53	37.11	28.86	34.86	37.01	31.83	34.32	36.73	36.30	35.41	37.22	34.52	36.97	34.39	33.27	32.51
2015/4/6	0.00	38.22	38.51	28.55	37.11	28.89	34.86	37.01	31.84	34.33	36.73	36.29	35.41	37.22	34.52	36.98	34.39	33.28	32.51
2015/4/7	5.00	38.21	38.50	28.53	37.10	28.86	34.85	37.01	31.80	34.31	36.73	36.28	35.41	37.21	34.51	36.98	34.38	33.28	32.50
2015/4/8	17.50	38.25	38.55	28.52	37.13	28.85	34.86	37.03	31.78	34.33	36.75	36.31	35.43	37.25	34.53	36.99	34.40	33.29	32.56
2015/4/9	0.00	38.30	38.61	28.50	37.19	28.84	34.90	37.07	31.77	34.36	36.79	36.37	35.46	37.29	34.56	36.98	34.43	33.29	32.59
2015/4/10	9.00	38.31	38.61	28.51	37.20	28.84	34.91	37.08	31.78	34.38	36.80	36.39	35.47	37.29	34.58	36.96	34.44	33.31	32.57
2015/4/11	4.50	38.34	38.65	28.53	37.22	28.87	34.94	37.10	31.80	34.40	36.82	36.42	35.49	37.31	34.60	36.97	34.47	33.32	32.62
2015/4/12	0.00	38.35	38.66	28.53	37.24	28.87	34.94	37.11	31.83	34.41	36.83	36.44	35.50	37.32	34.60	36.98	34.47	33.36	32.60
2015/4/13	29.50	38.37	38.68	28.57	37.25	28.91	34.97	37.12	31.86	34.43	36.84	36.47	35.52	37.33	34.63	36.98	34.50	33.35	32.63
2015/4/14	17.50	38.52	38.83	28.62	37.36	28.95	35.06	37.20	31.90	34.52	36.92	36.60	35.60	37.43	34.72	37.07	34.59	33.32	32.78
2015/4/15	1.50	38.66	38.97	28.64	37.47	28.98	35.15	37.29	31.94	34.61	37.01	36.74	35.67	37.50	34.81	37.15	34.67	33.31	32.86
2015/4/16	0.00	38.69	39.01	28.63	37.52	28.96	35.18	37.33	31.92	34.65	37.06	36.81	35.69	37.51	34.84	37.18	34.70	33.29	32.86
2015/4/17	2.50	38.70	39.01	28.64	37.53	28.97	35.20	37.34	31.93	34.67	37.08	36.84	35.70	37.51	34.86	37.19	34.72	33.34	32.88
2015/4/18	0.00	38.68	39.00	28.65	37.53	28.98	35.20	37.34	31.92	34.66	37.08	36.84	35.70	37.51	34.85	37.20	34.71	33.35	32.86
2015/4/19	0.00	38.67	38.98	28.69	37.52	29.02	35.19	37.34	31.99	34.66	37.08	36.84	35.69	37.50	34.85	37.20	34.71	33.34	32.84
2015/4/20	6.50	38.66	38.97	28.73	37.52	29.06	35.20	37.34	32.02	34.67	37.08	36.84	35.69	37.50	34.86	37.20	34.72	33.32	32.84
2015/4/21	0.00	38.64	38.95	28.73	37.50	29.06	35.19	37.33	32.01	34.66	37.07	36.82	35.68	37.49	34.85	37.19	34.71	33.31	32.83
2015/4/22	0.50	38.61	38.92	28.69	37.48	29.02	35.17	37.31	31.95	34.63	37.05	36.80	35.67	37.47	34.82	37.17	34.69	33.33	32.81
2015/4/23	0.00	38.59	38.90	28.67	37.46	29.00	35.15	37.29	31.95	34.62	37.03	36.78	35.66	37.46	34.81	37.16	34.68	33.33	32.80
2015/4/24	0.00	38.57	38.88	28.66	37.44	28.99	35.14	37.29	31.95	34.61	37.02	36.76	35.65	37.45	34.80	37.15	34.67	33.32	32.79
2015/4/25	0.00	38.55	38.86	28.65	37.43	28.99	35.13	37.27	31.95	34.60	37.01	36.74	35.63	37.44	34.79	37.14	34.66	33.32	32.77
2015/4/26	0.00	38.52	38.83	28.66	37.41	28.99	35.11	37.26	31.98	34.58	36.99	36.71	35.62	37.42	34.77	37.13	34.64	33.31	32.75
2015/4/27	0.00	38.50	38.81	28.67	37.39	29.00	35.10	37.25	31.97	34.57	36.98	36.69	35.60	37.42	34.76	37.14	34.63	33.21	32.74
2015/4/28	0.00	38.48	38.79	28.64	37.38	28.97	35.08	37.25	31.94	34.55	36.98	36.67	35.58	37.42	34.74	37.15	34.61	33.24	32.72
2015/4/29	0.00	38.46	38.77	28.62	37.36	28.95	35.07	37.24	31.92	34.54	36.97	36.65	35.57	37.41	34.73	37.15	34.60	33.28	32.71
2015/4/30	0.00	38.44	38.75	28.60	37.35	28.93	35.06	37.23	31.91	34.53	36.96	36.63	35.55	37.40	34.72	37.14	34.59	33.25	32.69
2015/5/1	0.00	38.42	38.73	28.61	37.33	28.93	35.04	37.22	31.90	34.51	36.95	36.60	35.54	37.39	34.70	37.13	34.57	33.23	32.68
2015/5/2	0.00	38.40	38.70	28.60	37.32	28.93	35.02	37.20	31.88	34.49	36.94	36.58	35.53	37.38	34.68	37.12	34.55	33.22	32.66
2015/5/3	0.00	38.38	38.69	28.60	37.30	28.93	35.01	37.19	31.93	34.48	36.93	36.56	35.52	37.37	34.67	37.12	34.54	33.21	32.66
2015/5/4	0.00	38.36	38.67	28.64	37.29	28.97	35.01	37.18	31.96	34.48	36.92	36.55	35.51	37.36	34.68	37.11	34.54	33.20	32.65
2015/5/5	0.00	38.34	38.65	28.65	37.27	28.97	34.99	37.17	31.94	34.46	36.90	36.52	35.50	37.35	34.66	37.10	34.53	33.20	32.64
2015/5/6	0.00	38.32	38.63	28.63	37.25	28.96	34.98	37.16	31.92	34.44	36.89	36.49	35.49	37.34	34.64	37.09	34.51	33.20	32.63
2015/5/7	0.00	38.30	38.61	28.61	37.24	28.94	34.96	37.14	31.89	34.43	36.88	36.48	35.48	37.33	34.63	37.09	34.50	33.20	32.62
2015/5/8	0.00	38.29	38.59	28.59	37.23	28.92	34.95	37.13	31.86	34.42	36.87	36.45	35.47	37.32	34.61	37.08	34.48	33.20	32.61
2015/5/9	0.00	38.27	38.58	28.58	37.21	28.91	34.94	37.12	31.85	34.41	36.85	36.43	35.46	37.31	34.60	37.07	34.47	33.20	32.60
2015/5/10	0.00	38.25	38.56	28.59	37.20	28.92	34.93	37.11	31.90	34.39	36.84	36.41	35.45	37.30	34.59	37.06	34.46	33.20	32.59
2015/5/11	0.00	38.24	38.54	28.57	37.18	28.90	34.91	37.10	31.84	34.38	36.83	36.39	35.44	37.29	34.57	37.05	34.44	33.20	32.58
2015/5/12	62.00	38.23	38.54	28.58	37.18	28.90	34.91	37.09	31.85	34.38	36.82	36.39	35.44	37.29	34.58	37.05	34.45	33.20	32.59
2015/5/13	0.00	38.44	38.75	28.61	37.33	28.94	35.02	37.20	31.90	34.49	36.92	36.53	35.57	37.42	34.69	37.12	34.56	33.22	32.80
2015/5/14	0.00	38.45	38.78	28.58	37.36	28.91	35.04	37.23	31.87	34.50	36.95	36.56	35.56	37.42	34.70	37.14	34.57	33.22	32.75
2015/5/15	0.00	38.44	38.76	28.56	37.35	28.89	35.04	37.23	31.86	34.50	36.96	36.57	35.55	37.42	34.70	37.14	34.57	33.22	32.72
2015/5/16	2.50	38.42	38.75	28.57	37.34	28.90	35.04	37.22	31.88	34.50	36.96	36.57	35.55	37.41	34.70	37.14	34.57	33.22	32.71
2015/5/17	0.00	38.40	38.72	28.57	37.32	28.90	35.02	37.21	31.91	34.48	36.94	36.54	35.53	37.39	34.68	37.13	34.55	33.22	32.68
2015/5/18	0.00	38.37	38.69	28.58	37.31	28.91	35.01	37.19	31.88	34.48	36.93	36.53	35.52	37.38	34.68	37.12	34.55	33.21	32.69
2015/5/19	4.50	38.36	38.68	28.59	37.29	28.92	35.02	37.18	31.89	34.49	36.92	36.52	35.52	37.37	34.69	37.11	34.56	33.21	32.71
2015/5/20	0.00	38.34	38.66	28.59	37.28	28.91	35.00	37.17	31.88	34.47	36.91	36.50	35.51	37.37	34.67	37.11	34.54	33.20	32.68
2015/5/21	11.00	38.34	38.67	28.54	37.28	28.87	34.99	37.17	31.85	34.45	36.91	36.49	35.51	37.37	34.66	37.10	34.53	33.22	32.69
2015/5/22	0.00	38.34	38.66	28.51	37.28	28.84	34.98	37.17	31.81	34.44	36.90	36.49	35.50	37.37	34.64	37.10	34.51	33.20	32.67
2015/5/23	0.00	38.32	38.64	28.50	37.26	28.83	34.96	37.16	31.82	34.43	36.90	36.48	35.49	37.36	34.63	37.09	34.49	33.20	32.65
2015/5/24	0.00	38.30	38.63	28.51	37.25	28.84	34.96	37.15	31.86	34.42	36.89	36.46	35.49	37.35	34.62	37.08	34.49	33.20	32.64
2015/5/25	0.00	38.29	38.61	28.51	37.23	28.84	34.95	37.14	31.83	34.41	36.87	36.44	35.48	37.34	34.61	37.08	34.48	33.20	32.63
2015/5/26	0.00	38.27	38.59	28.50	37.22	28.83	34.94	37.13	31.82	34.40	36.86	36.43	35.47	37.33	34.60	37.07	34.47	33.20	32.63
2015/5/27	0.00	38.25	38.57	2															

平成27年度 地下水位観測結果(14/15)

凡例
空欄：未観測
：欠測
単位：降水量（mm）
地下水位（T.P.m）

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2015/8/1	0.00	39.01	39.32	28.96	37.90	29.29	35.64	37.69	32.45	35.11	37.46	37.48	35.99	37.76	35.30	37.50	35.17	33.07	33.34
2015/8/2	0.00	38.95	39.26	28.96	37.85	29.29	35.60	37.65	32.47	35.07	37.43	37.40	35.96	37.74	35.26	37.48	35.13	33.05	33.31
2015/8/3	0.00	38.90	39.21	28.96	37.81	29.29	35.56	37.62	32.43	35.04	37.40	37.34	35.93	37.72	35.23	37.46	35.10	33.03	33.29
2015/8/4	0.00	38.85	39.16	28.93	37.77	29.25	35.52	37.59	32.37	34.99	37.36	37.27	35.90	37.69	35.19	37.44	35.06	33.02	33.28
2015/8/5	0.00	38.80	39.11	28.88	37.72	29.21	35.49	37.56	32.33	34.96	37.33	37.21	35.88	37.67	35.16	37.42	35.03	33.00	33.26
2015/8/6	0.00	38.75	39.07	28.83	37.68	29.15	35.45	37.53	32.29	34.92	37.30	37.15	35.84	37.65	35.12	37.40	34.99	32.98	33.23
2015/8/7	0.00	38.71	39.03	28.78	37.65	29.10	35.41	37.50	32.24	34.88	37.27	37.09	35.82	37.63	35.08	37.38	34.95	32.97	33.21
2015/8/8	0.00	38.67	38.99	28.76	37.62	29.08	35.38	37.47	32.22	34.85	37.24	37.04	35.80	37.61	35.05	37.36	34.93	32.96	33.19
2015/8/9	0.00	38.63	38.95	28.77	37.59	29.10	35.36	37.45	32.27	34.83	37.22	37.00	35.78	37.59	35.03	37.35	34.91	32.94	33.18
2015/8/10	3.50	38.60	38.92	28.79	37.56	29.12	35.34	37.43	32.24	34.81	37.19	36.95	35.76	37.58	35.01	37.34	34.89	32.93	33.17
2015/8/11	0.00	38.57	38.89	28.79	37.53	29.12	35.32	37.41	32.22	34.79	37.17	36.91	35.74	37.56	34.99	37.32	34.86	32.91	33.16
2015/8/12	0.50	38.54	38.86	28.78	37.51	29.11	35.29	37.39	32.20	34.76	37.15	36.87	35.72	37.55	34.96	37.31	34.84	32.90	33.13
2015/8/13	1.50	38.52	38.84	28.80	37.48	29.13	35.27	37.37	32.21	34.74	37.13	36.84	35.71	37.53	34.95	37.30	34.82	32.88	33.12
2015/8/14	6.50	38.49	38.82	28.84	37.46	29.16	35.26	37.36	32.20	34.72	37.11	36.80	35.70	37.52	34.93	37.28	34.81	32.87	33.11
2015/8/15	0.00	38.47	38.80	28.85	37.45	29.18	35.24	37.34	32.19	34.71	37.09	36.77	35.68	37.51	34.91	37.27	34.79	32.87	33.11
2015/8/16	38.50	38.45	38.78	28.86	37.43	29.19	35.22	37.33	32.21	34.69	37.08	36.74	35.67	37.50	34.89	37.26	34.77	32.85	33.08
2015/8/17	52.50	38.70	39.03	28.90	37.58	29.23	35.33	37.44	32.23	34.80	37.18	36.92	35.82	37.64	35.01	37.35	34.88	33.13	33.29
2015/8/18	0.50	38.94	39.29	28.94	37.79	29.26	35.50	37.59	32.25	34.96	37.34	37.18	35.93	37.75	35.16	37.44	35.03	33.06	33.37
2015/8/19	0.00	38.94	39.29	28.93	37.81	29.25	35.52	37.61	32.24	34.99	37.36	37.21	35.92	37.73	35.18	37.45	35.05	32.96	33.33
2015/8/20	3.00	38.91	39.25	28.93	37.79	29.26	35.52	37.60	32.27	34.99	37.36	37.20	35.91	37.72	35.19	37.44	35.06	32.92	33.31
2015/8/21	0.50	38.87	39.22	28.95	37.77	29.28	35.51	37.58	32.29	34.97	37.34	37.17	35.90	37.70	35.17	37.43	35.04	32.91	33.30
2015/8/22	0.00	38.83	39.18	28.95	37.74	29.28	35.49	37.56	32.28	34.95	37.32	37.14	35.88	37.69	35.16	37.42	35.03	32.89	33.29
2015/8/23	0.00	38.78	39.13	28.96	37.70	29.29	35.46	37.53	32.31	34.92	37.29	37.09	35.85	37.67	35.13	37.40	35.00	32.87	33.25
2015/8/24	0.00	38.74	39.08	28.95	37.67	29.28	35.43	37.51	32.26	34.89	37.26	37.04	35.83	37.64	35.10	37.39	34.97	32.86	33.25
2015/8/25	0.50	38.69	39.04	28.93	37.63	29.25	35.39	37.48	32.23	34.85	37.24	37.00	35.79	37.62	35.06	37.37	34.94	32.85	33.22
2015/8/26	33.00	38.76	39.10	28.94	37.67	29.27	35.42	37.51	32.25	34.89	37.26	37.05	35.85	37.67	35.09	37.39	34.97	32.98	33.29
2015/8/27	0.00	38.83	39.18	28.95	37.73	29.28	35.47	37.55	32.25	34.94	37.31	37.12	35.88	37.70	35.14	37.42	35.01	32.97	33.34
2015/8/28	0.00	38.81	39.15	28.95	37.71	29.27	35.46	37.54	32.23	34.93	37.30	37.10	35.87	37.68	35.13	37.41	35.01	32.92	33.30
2015/8/29	3.50	38.78	39.12	28.96	37.69	29.28	35.45	37.52	32.23	34.91	37.28	37.08	35.85	37.66	35.12	37.40	34.99	32.89	33.29
2015/8/30	3.50	38.76	39.10	28.99	37.67	29.32	35.43	37.51	32.29	34.90	37.27	37.06	35.84	37.65	35.10	37.39	34.97	32.89	33.26
2015/8/31	3.00	38.74	39.08	29.01	37.66	29.34	35.42	37.50	32.27	34.88	37.25	37.04	35.83	37.64	35.09	37.38	34.96	32.89	33.26
2015/9/1	8.50	38.72	39.06	29.01	37.64	29.34	35.41	37.49	32.26	34.87	37.24	37.02	35.82	37.64	35.08	37.37	34.95	32.90	33.25
2015/9/2	3.00	38.73	39.08	29.03	37.65	29.35	35.41	37.49	32.28	34.88	37.25	37.02	35.82	37.65	35.08	37.38	34.96	32.95	33.27
2015/9/3	1.00	38.72	39.06	29.01	37.64	29.33	35.40	37.48	32.25	34.87	37.24	37.01	35.81	37.64	35.07	37.37	34.95	32.90	33.25
2015/9/4	16.00	38.71	39.05	29.00	37.63	29.32	35.40	37.48	32.25	34.86	37.23	37.00	35.81	37.63	35.07	37.37	34.95	32.89	33.25
2015/9/5	0.00	38.73	39.06	28.98	37.63	29.30	35.39	37.47	32.25	34.85	37.23	36.99	35.79	37.63	35.06	37.36	34.94	32.89	33.24
2015/9/6	20.00	38.72	39.05	29.01	37.62	29.33	35.39	37.47	32.30	34.85	37.22	36.98	35.79	37.62	35.06	37.36	34.93	32.88	33.22
2015/9/7	14.00	38.83	39.17	29.05	37.70	29.37	35.44	37.53	32.31	34.91	37.28	37.07	35.86	37.69	35.11	37.40	34.99	33.03	33.31
2015/9/8	61.00	39.07	39.40	29.07	37.85	29.39	35.55	37.65	32.32	35.01	37.40	37.26	35.98	37.80	35.22	37.48	35.09	33.29	33.46
2015/9/9	140.00	40.17	40.44	29.18	38.61	29.51	36.01	38.28	32.49	35.48	38.02	38.10	36.45	38.24	35.66	37.90	35.53	33.62	33.94
2015/9/10	22.50	41.62	41.77	29.42	39.69	29.74	36.88	39.10	32.86	36.36	38.94	39.38	37.08	38.51	36.48	38.54	36.33	33.58	34.34
2015/9/11	0.00	41.73	41.89	29.67	39.72	29.99	37.22	39.05	33.24	36.70	38.94	39.68	37.20	38.50	36.82	38.49	36.65	33.19	34.41
2015/9/12	0.00	41.54	41.70	29.83	39.58	30.15	37.23	38.92	33.47	36.71	38.80	39.70	37.16	38.48	36.83	38.37	36.67	33.05	34.36
2015/9/13	0.00	41.29	41.47	29.66	39.44	30.29	37.16	38.80	33.66	36.65	38.68	39.63	37.08	38.43	36.77	38.28	36.61	33.02	34.31
2015/9/14	0.00	41.03	41.21	30.02	39.29	30.35	37.06	38.69	33.68	36.54	38.55	39.51	36.98	38.39	36.67	38.19	36.51	33.00	34.26
2015/9/15	0.00	40.82	41.00	30.03	39.16	30.36	36.96	38.60	33.67	36.44	38.45	39.39	36.78	38.47	36.58	38.11	36.42	32.99	34.21
2015/9/16	3.00	40.63	40.81	30.04	39.04	30.37	36.86	38.52	33.66	36.34	38.36	39.26	36.60	38.55	36.48	38.04	36.33	32.99	34.16
2015/9/17	70.50	40.74	40.93	30.08	39.10	30.41	36.87	38.59	33.68	36.35	38.42	39.28	36.64	38.63	36.50	38.09	36.34	33.38	34.28
2015/9/18	3.50	41.01	41.20	30.15	39.28	30.48	37.05	38.72	33.77	36.53	38.57	39.46	36.69	38.75	36.67	38.20	36.52	33.25	34.44
2015/9/19	0.00	40.94	41.13	30.19	39.25	30.52	37.06	38.67	33.84	36.53	38.52	39.46	36.64	38.73	36.68	38.16	36.53	33.07	34.42
2015/9/20	0.00	40.81	40.99	30.23	39.16	30.57	37.01	38.60	33.90	36.48	38.45	39.38	36.62	38.68	36.63	38.10	36.48	33.03	34.36
2015/9/21	0.00	40.66	40.84	30.27	39.06	30.61	36.93	38.53	33.88	36.40	38.37	39.29	36.59	38.62	36.56	38.04	36.40	33.01	34.30
2015/9/22	0.00	40.51	40.70	30.26	38.97	30.61	36.85	38.46	33.82	36.32	38.29	39.17	36.54	38.55	36.48	37.99	36.32	32.99	34.25
2015/9/23	0.00	40.38	40.57	30.25	38.88	30.59	36.77	38.40	33.78	36.24	38.23	39.07	36.50	38.49	36.40	37.95	36.25	32.98	34.21
2015/9/24	1.50	40.26	40.46	30.23	38.80	30.57	36.70	38.34	33.72	36.17	38.17	38.96	36.46	38.43	36.34	37.92	36.19	32.98	34.16
2015/9/25	29.50	40.21	40.42	30.23	38.77	30.57	36.67	38.32	33.71	36.14	38.14	38.89	36.47	38.42	36.31	37.91	36.16	33.06	34.17
2015/9/26	2.50	40.24	40.46	30.22	38.79	30.55	36.68	38.35	33.68	36.14	38.17	38.88	36.50	38.43	36.32	37.93	36.18	33.09	34.22
2015/9/27	0.00	40.16	40.37	30.21	38.74	30.55	36.65	38.30	33.68	36.11	38.12	38.81	36.45	38.40	36.29	37.90	36.14	33.01	34.19
2																			

平成27年度 地下水位観測結果(15/15)

凡例
 : 未観測
 空欄 : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2015/12/1	0.00	38.78	39.08	29.14	37.65	29.46	35.44	37.48	32.36	34.90	37.22	37.06	35.84	37.59	35.10	37.30	34.97	32.90	33.21
2015/12/2	0.00	38.75	39.05	29.12	37.63	29.44	35.42	37.46	32.34	34.88	37.21	37.04	35.83	37.57	35.08	37.29	34.95	32.89	33.19
2015/12/3	0.00	38.74	39.04	29.15	37.62	29.47	35.43	37.46	32.38	34.89	37.20	37.03	35.83	37.57	35.09	37.29	34.96	32.89	33.19
2015/12/4	0.00	38.71	39.01	29.13	37.60	29.45	35.40	37.44	32.34	34.86	37.18	36.99	35.81	37.55	35.06	37.28	34.93	32.88	33.17
2015/12/5	0.00	38.68	38.98	29.08	37.57	29.40	35.37	37.42	32.30	34.83	37.16	36.96	35.79	37.53	35.03	37.26	34.90	32.87	33.14
2015/12/6	0.00	38.65	38.95	29.07	37.55	29.39	35.34	37.39	32.30	34.80	37.14	36.92	35.77	37.52	35.01	37.24	34.88	32.87	33.12
2015/12/7	0.00	38.62	38.92	29.06	37.53	29.38	35.32	37.37	32.28	34.78	37.12	36.89	35.75	37.50	34.99	37.23	34.86	32.86	33.10
2015/12/8	0.00	38.60	38.90	29.05	37.50	29.37	35.30	37.36	32.25	34.76	37.10	36.86	35.73	37.48	34.97	37.22	34.83	32.85	33.08
2015/12/9	0.00	38.58	38.87	29.02	37.48	29.34	35.28	37.34	32.22	34.74	37.08	36.84	35.71	37.47	34.94	37.20	34.81	32.84	33.06
2015/12/10	1.50	38.56	38.86	29.00	37.46	29.32	35.26	37.32	32.22	34.72	37.07	36.81	35.69	37.46	34.93	37.19	34.80	32.84	33.05
2015/12/11	55.00	38.73	39.02	29.07	37.57	29.39	35.35	37.40	32.31	34.82	37.14	36.93	35.78	37.55	35.02	37.25	34.89	33.10	33.21
2015/12/12	0.00	38.85	39.15	29.04	37.68	29.36	35.42	37.48	32.26	34.88	37.22	37.05	35.82	37.61	35.08	37.30	34.95	33.00	33.22
2015/12/13	2.50	38.85	39.15	29.08	37.69	29.40	35.44	37.49	32.33	34.90	37.24	37.08	35.84	37.61	35.10	37.31	34.97	32.94	33.20
2015/12/14	0.00	38.84	39.13	29.10	37.68	29.42	35.44	37.49	32.33	34.90	37.24	37.08	35.83	37.60	35.10	37.30	34.97	32.92	33.18
2015/12/15	0.00	38.81	39.11	29.10	37.67	29.42	35.43	37.48	32.33	34.89	37.23	37.07	35.81	37.59	35.09	37.30	34.96	32.91	33.17
2015/12/16	0.00	38.79	39.09	29.11	37.65	29.42	35.42	37.46	32.33	34.89	37.21	37.05	35.81	37.57	35.08	37.27	34.95	32.90	33.15
2015/12/17	0.00	38.76	39.06	29.08	37.61	29.40	35.40	37.43	32.30	34.86	37.17	37.02	35.79	37.54	35.06	37.26	34.93	32.89	33.13
2015/12/18	0.00	38.72	39.02	29.05	37.58	29.37	35.36	37.40	32.26	34.82	37.15	36.98	35.77	37.51	35.03	37.27	34.89	32.89	33.10
2015/12/19	0.00	38.70	39.00	29.03	37.56	29.35	35.35	37.37	32.24	34.81	37.12	36.95	35.75	37.48	35.01	37.24	34.88	32.97	33.08
2015/12/20	0.00	38.67	38.97	29.04	37.52	29.36	35.32	37.34	32.28	34.79	37.08	36.93	35.74	37.44	34.99	37.20	34.86	32.93	33.07
2015/12/21	0.00	38.65	38.94	29.07	37.49	29.39	35.33	37.30	32.29	34.79	37.05	36.91	35.73	37.41	34.99	37.16	34.87	32.98	33.07
2015/12/22	0.00	38.62	38.91	29.05	37.45	29.37	35.29	37.24	32.25	34.75	37.00	36.87	35.70	37.34	34.95	37.10	34.82	32.93	33.04
2015/12/23	3.50	38.60	38.88	29.02	37.41	29.34	35.26	37.21	32.22	34.73	36.97	36.84	35.69	37.32	34.93	37.08	34.80	32.87	33.03
2015/12/24	4.50	38.59	38.87	29.06	37.40	29.38	35.27	37.20	32.25	34.73	36.95	36.82	35.69	37.31	34.94	37.09	34.81	32.86	33.04
2015/12/25	0.00	38.57	38.86	29.05	37.39	29.37	35.26	37.20	32.23	34.72	36.95	36.80	35.69	37.31	34.93	37.09	34.80	32.89	33.03
2015/12/26	0.00	38.55	38.83	29.02	37.37	29.34	35.24	37.18	32.20	34.70	36.93	36.77	35.67	37.30	34.90	37.08	34.77	32.89	33.01
2015/12/27	0.00	38.53	38.81	29.03	37.35	29.35	35.21	37.17	32.22	34.68	36.92	36.74	35.65	37.29	34.88	37.08	34.75	32.86	32.98
2015/12/28	0.00	38.51	38.79	29.03	37.34	29.35	35.23	37.16	32.19	34.69	36.91	36.72	35.65	37.28	34.91	37.07	34.78	32.84	32.97
2015/12/29	0.00	38.49	38.77	29.02	37.33	29.34	35.18	37.16	32.18	34.65	36.90	36.70	35.63	37.28	34.85	37.07	34.72	32.83	32.96
2015/12/30	0.00	38.47	38.75	29.01	37.31	29.33	35.16	37.14	32.17	34.63	36.89	36.67	35.62	37.27	34.83	37.07	34.70	32.82	32.94
2015/12/31	0.00	38.45	38.74	29.03	37.30	29.35	35.15	37.13	32.18	34.61	36.88	36.65	35.61	37.26	34.82	37.06	34.69	32.82	32.93
2016/1/1	0.00	38.43	38.72	29.05	37.28	29.37	35.14	37.12	32.20	34.60	36.86	36.63	35.60	37.25	34.81	37.05	34.68	32.82	32.92
2016/1/2	0.00	38.42	38.70	29.09	37.27	29.41	35.14	37.11	32.23	34.60	36.85	36.61	35.60	37.24	34.81	37.04	34.68	32.81	32.91
2016/1/3	0.00	38.40	38.68	29.14	37.25	29.46	35.13	37.10	32.27	34.59	36.84	36.59	35.59	37.23	34.80	37.04	34.67	32.81	32.91
2016/1/4	0.00	38.38	38.67	29.16	37.24	29.47	35.12	37.09	32.24	34.58	36.83	36.57	35.58	37.22	34.79	37.03	34.66	32.81	32.89
2016/1/5	0.00	38.37	38.65	29.14	37.22	29.46	35.10	37.07	32.19	34.56	36.81	36.55	35.56	37.19	34.77	37.00	34.64	32.81	32.88
2016/1/6	0.00	38.35	38.63	29.11	37.19	29.43	35.07	37.03	32.16	34.54	36.78	36.52	35.55	37.16	34.74	36.96	34.61	32.82	32.87
2016/1/7	0.00	38.33	38.61	29.09	37.17	29.41	35.05	37.01	32.16	34.51	36.76	36.50	35.54	37.13	34.72	36.95	34.59	32.83	32.86
2016/1/8	0.00	38.32	38.60	29.07	37.15	29.39	35.05	36.99	32.12	34.51	36.73	36.48	35.53	37.12	34.73	36.93	34.60	32.82	32.85
2016/1/9	0.00	38.30	38.58	29.03	37.15	29.35	35.03	37.00	32.09	34.49	36.74	36.46	35.52	37.14	34.70	36.97	34.56	32.82	32.84
2016/1/10	0.00	38.29	38.57	29.02	37.14	29.34	35.02	37.00	32.13	34.48	36.73	36.44	35.51	37.14	34.70	36.97	34.56	32.81	32.82
2016/1/11	0.00	38.28	38.56	29.03	37.13	29.35	35.01	36.99	32.12	34.47	36.73	36.43	35.50	37.14	34.69	36.97	34.55	32.81	32.81
2016/1/12	0.00	38.26	38.54	29.02	37.11	29.34	35.01	36.97	32.09	34.47	36.71	36.41	35.50	37.10	34.69	36.92	34.56	32.81	32.81
2016/1/13	0.00	38.25	38.53	28.99	37.08	29.31	34.99	36.93	32.08	34.45	36.67	36.39	35.48	37.06	34.66	36.88	34.53	32.81	32.80
2016/1/14	0.00	38.24	38.51	28.96	37.07	29.28	34.97	36.91	32.05	34.43	36.66	36.37	35.47	37.05	34.65	36.86	34.52	32.81	32.79
2016/1/15	0.00	38.23	38.50	28.92	37.05	29.23	34.95	36.90	32.01	34.42	36.64	36.36	35.46	37.04	34.63	36.86	34.50	32.83	32.78
2016/1/16	0.00	38.21	38.49	28.88	37.06	29.20	34.94	36.92	32.00	34.40	36.65	36.34	35.45	37.07	34.62	36.90	34.48	32.84	32.77
2016/1/17	5.00	38.20	38.48	28.88	37.05	29.20	34.93	36.92	32.03	34.39	36.65	36.32	35.45	37.07	34.61	36.90	34.47	32.82	32.75
2016/1/18	57.00	38.29	38.58	28.96	37.12	29.28	35.00	36.97	32.07	34.46	36.69	36.38	35.52	37.15	34.67	36.95	34.54	32.96	32.89
2016/1/19	1.50	38.26	38.56	28.94	37.11	29.26	35.00	36.97	32.04	34.45	36.81	36.53	35.61	37.28	34.77	37.03	34.64	33.01	33.03
2016/1/20	0.00	38.25	38.53	28.91	37.10	29.23	35.13	37.14	32.03	34.60	36.87	36.62	35.64	37.31	34.80	37.06	34.67	32.95	33.02
2016/1/21	0.00	38.24	38.52	28.90	37.09	29.22	35.14	37.16	32.02	34.61	36.89	36.67	35.65	37.31	34.81	37.07	34.68	32.93	32.99
2016/1/22	0.00	38.23	38.51	28.89	37.08	29.21	35.15	37.17	32.03	34.61	36.90	36.68	35.64	37.31	34.81	37.08	34.68	32.91	32.96
2016/1/23	0.00	38.22	38.50	28.88	37.07	29.20	35.16	37.18	32.04	34.62	36.91	36.69	35.64	37.30	34.82	37.08	34.68	32.90	32.95
2016/1/24	0.00	38.21	38.49	28.87	37.06	29.19	35.17	37.19	32.05	34.63	36.92	36.70	35.64	37.30	34.83	37.08	34.69	32.89	32.94
2016/1/25	0.00	38.20	38.48	28.86	37.05	29.18	35.18	37.20	32.06	34.64	36.93	36.67	35.64	37.29	34.82	37.07	34.68	32.88	32.93
2016/1/26	0.00	38.19	38.47	28.85	37.04	29.17	35.19	37.21	32.07	34.65	36.94	36.65	35.64	37.28	34.81	37.06	34.67	32.87	32.92
2016/1/27	0.00	38.18	38.46	28.84	37.03	29.16	35												