

第６回

東京外環地下水検討委員会

資料

地下水位観測結果（平成２８年４月～平成２９年８月）

平成２９年１１月２０日

国土交通省関東地方整備局 東京外かく環状国道事務所

東日本高速道路株式会社関東支社 東京外環工事事務所

中日本高速道路株式会社東京支社 東京工事事務所

平成28年度 地下水位観測結果(1／25)

凡 例
：未観測
空 欄：欠測
単位：降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位																				
		世田谷区										狛江市	世田谷区	狛江市			世田谷区	狛江市	調布市			三鷹市
		W-1	W-2	W-2'	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2016/4/1	2.50	19.15	11.23		13.19	13.10	15.55	17.09	17.06	28.92	16.05	16.98	19.88	18.21	20.99	20.26	33.70	21.81	23.82	24.59	27.62	22.95
2016/4/2	1.50	19.16	11.22		13.18	13.10	15.54	17.08	17.04	28.91	16.04	16.97	19.87	18.20	20.98	20.25	33.69	21.81	23.79	24.56	27.61	22.86
2016/4/3	4.00	19.17	11.22		13.18	13.10	15.53	17.08	17.05	28.91	16.03	16.96	19.88	18.19	20.98	20.25	33.68	21.82	23.82	24.58	27.61	22.88
2016/4/4	14.50	19.22	11.23		13.22	13.12	15.53	17.17	17.14	28.90	16.08	16.97	19.94	18.20	21.04	20.30	33.68	21.90	23.92	24.65	27.60	23.00
2016/4/5	2.00	19.23	11.23		13.21	13.12	15.53	17.18	17.16	28.91	16.13	16.98	19.96	18.21	21.05	20.31	33.68	21.86	23.86	24.60	27.60	22.90
2016/4/6	0.00	19.22	11.23		13.20	13.12	15.53	17.16	17.14	28.92	16.09	16.98	19.94	18.21	21.03	20.30	33.67	21.84	23.82	24.57	27.60	22.82
2016/4/7	29.00	19.36	11.24		13.24	13.14	15.53	17.28	17.27	28.93	16.11	16.99	19.98	18.22	21.08	20.35	33.66	21.98	23.89	24.62	27.60	22.87
2016/4/8	0.00	19.36	11.27		13.27	13.18	15.57	17.41	17.41	28.95	16.23	17.03	20.09	18.25	21.14	20.42	33.68	21.92	23.91	24.62	27.60	22.87
2016/4/9	0.00	19.30	11.28		13.26	13.17	15.58	17.34	17.33	28.96	16.19	17.03	20.07	18.25	21.12	20.40	33.68	21.89	23.86	24.59	27.61	22.79
2016/4/10	0.00	19.27	11.28		13.26	13.17	15.58	17.30	17.28	28.96	16.17	17.03	20.03	18.25	21.10	20.38	33.69	21.88	23.89	24.61	27.62	22.83
2016/4/11	0.00	19.24	11.27		13.24	13.16	15.58	17.25	17.23	28.96	16.14	17.03	20.00	18.25	21.07	20.35	33.70	21.86	23.86	24.59	27.62	22.79
2016/4/12	0.00	19.22	11.26		13.23	13.14	15.57	17.19	17.17	28.96	16.12	17.02	19.96	18.24	21.05	20.32	33.69	21.84	23.79	24.53	27.63	22.66
2016/4/13	1.50	19.21	11.25		13.23	13.14	15.56	17.17	17.14	28.95	16.09	17.01	19.95	18.24	21.04	20.31	33.69	21.85	23.84	24.56	27.63	22.68
2016/4/14	23.00	19.29	11.26		13.28	13.17	15.57	17.32	17.30	28.95	16.14	17.03	20.04	18.26	21.13	20.40	33.71	21.99	23.93	24.62	27.63	22.78
2016/4/15	0.00	19.29	11.27		13.27	13.17	15.59	17.31	17.29	28.96	16.17	17.05	20.08	18.27	21.13	20.41	33.71	21.89	23.86	24.56	27.63	22.69
2016/4/16	0.00	19.26	11.27		13.25	13.16	15.59	17.23	17.20	28.96	16.13	17.05	20.03	18.27	21.11	20.39	33.71	21.87	23.82	24.52	27.64	22.60
2016/4/17	11.00	19.26	11.27		13.27	13.17	15.59	17.24	17.21	28.96	16.12	17.05	20.04	18.28	21.13	20.40	33.72	21.89	23.91	24.60	27.64	22.73
2016/4/18	0.50	19.26	11.27		13.27	13.17	15.60	17.26	17.24	28.96	16.19	17.06	20.06	18.29	21.14	20.41	33.74	21.89	23.89	24.59	27.65	22.73
2016/4/19	0.00	19.24	11.27		13.26	13.16	15.60	17.21	17.18	28.96	16.14	17.06	20.02	18.29	21.10	20.38	33.73	21.86	23.83	24.54	27.65	22.62
2016/4/20	0.00	19.22	11.26		13.25	13.15	15.59	17.15	17.12	28.96	16.10	17.05	19.99	18.28	21.08	20.36	33.73	21.85	23.79	24.49	27.65	22.52
2016/4/21	6.00	19.21	11.26		13.26	13.14	15.59	17.13	17.10	28.96	16.08	17.05	19.98	18.28	21.08	20.34	33.74	21.86	23.86	24.54	27.65	22.59
2016/4/22	0.00	19.22	11.26		13.26	13.14	15.59	17.14	17.11	28.95	16.07	17.05	19.98	18.28	21.09	20.35	33.75	21.87	23.89	24.58	27.66	22.67
2016/4/23	0.00	19.20	11.25		13.25	13.13	15.59	17.11	17.07	28.95	16.06	17.04	19.96	18.28	21.06	20.33	33.74	21.85	23.84	24.55	27.66	22.61
2016/4/24	3.00	19.20	11.25		13.24	13.13	15.58	17.09	17.06	28.94	16.05	17.04	19.95	18.27	21.06	20.32	33.74	21.85	23.82	24.53	27.65	22.60
2016/4/25	0.00	19.19	11.24		13.23	13.13	15.58	17.07	17.04	28.94	16.04	17.03	19.94	18.27	21.05	20.31	33.73	21.84	23.79	24.50	27.65	22.53
2016/4/26	0.00	19.18	11.24		13.22	13.12	15.57	17.06	17.02	28.93	16.03	17.03	19.93	18.26	21.04	20.30	33.73	21.84	23.81	24.51	27.64	22.53
2016/4/27	0.50	19.17	11.23		13.22	13.12	15.56	17.04	17.01	28.92	16.02	17.02	19.92	18.26	21.03	20.29	33.73	21.84	23.83	24.52	27.64	22.55
2016/4/28	20.00	19.22	11.24		13.25	13.13	15.57	17.13	17.10	28.92	16.06	17.03	19.96	18.27	21.08	20.33	33.73	21.93	23.90	24.59	27.64	22.66
2016/4/29	0.50	19.25	11.26		13.26	13.15	15.59	17.20	17.17	28.93	16.18	17.05	20.01	18.28	21.11	20.37	33.73	21.89	23.88	24.57	27.64	22.66
2016/4/30	0.00	19.23	11.26		13.24	13.15	15.59	17.14	17.11	28.93	16.15	17.05	19.98	18.28	21.08	20.34	33.72	21.86	23.80	24.51	27.64	22.53
2016/5/1	0.00	19.21	11.25		13.24	13.14	15.59	17.11	17.07	28.93	16.12	17.04	19.96	18.27	21.06	20.32	33.72	21.85	23.81	24.51	27.64	22.53
2016/5/2	0.00	19.19	11.25		13.22	13.13	15.58	17.07	17.03	28.93	16.10	17.03	1									

平成28年度 地下水位観測結果(2/25)

凡 例
■ : 未観測
□ : 欠測
単位: 降水量 (mm)
地下水位 (I.P.m)

年月日	アメダス 世田谷 降水量	地下水位																				
		世田谷区									狛江市	世田谷区	狛江市			世田谷区	狛江市	調布市				三鷹市
		W-1	W-2	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20	
2016/8/1	16.00	19.17	11.44	13.27	13.18	15.79	17.05	17.00	29.05	16.66	17.18	19.92	18.45	21.08	20.31	33.84	21.85	23.77	24.32	27.69	22.27	
2016/8/2	49.00	19.37	11.45	13.31	13.22	15.77	17.06	17.01	29.04	16.66	17.18	19.93	18.45	21.09	20.31	33.83	21.85	23.76	24.32	27.68	22.26	
2016/8/3	21.00	19.39	11.48	13.37	13.28	15.83	17.19	17.15	29.04	16.71	17.23	20.05	18.48	21.17	20.41	33.82	21.95	23.76	24.31	27.67	22.25	
2016/8/4	0.00	19.31	11.50	13.37	13.28	15.83	17.18	17.13	29.05	16.72	17.25	20.06	18.50	21.17	20.40	33.83	21.88	23.77	24.31	27.67	22.24	
2016/8/5	0.00	19.26	11.49	13.35	13.27	15.83	17.14	17.09	29.05	16.72	17.24	20.02	18.49	21.14	20.37	33.83	21.86	23.75	24.30	27.67	22.23	
2016/8/6	0.00	19.24	11.48	13.34	13.25	15.83	17.11	17.06	29.05	16.71	17.23	19.99	18.48	21.11	20.34	33.84	21.85	23.75	24.31	27.67	22.24	
2016/8/7	0.00	19.21	11.47	13.32	13.23	15.81	17.08	17.04	29.04	16.69	17.21	19.96	18.47	21.09	20.32	33.84	21.84	23.74	24.31	27.67	22.25	
2016/8/8	0.00	19.19	11.46	13.31	13.22	15.80	17.09	17.04	29.04	16.68	17.20	19.94	18.46	21.08	20.31	33.84	21.84	23.78	24.34	27.67	22.31	
2016/8/9	0.00	19.17	11.45	13.29	13.20	15.78	17.05	17.00	29.03	16.66	17.18	19.92	18.44	21.06	20.29	33.84	21.84	23.77	24.34	27.67	22.32	
2016/8/10	0.00	19.15	11.44	13.27	13.19	15.76	17.01	16.96	29.01	16.64	17.17	19.89	18.42	21.04	20.27	33.82	21.83	23.71	24.30	27.66	22.25	
2016/8/11	0.00	19.14	11.43	13.26	13.18	15.74	16.98	16.93	29.00	16.63	17.15	19.88	18.41	21.02	20.26	33.81	21.82	23.71	24.29	27.65	22.22	
2016/8/12	0.00	19.13	11.42	13.25	13.17	15.73	16.97	16.92	28.99	16.61	17.14	19.87	18.39	21.01	20.25	33.80	21.82	23.71	24.29	27.65	22.22	
2016/8/13	0.00	19.12	11.41	13.24	13.16	15.72	16.98	16.93	28.99	16.60	17.12	19.86	18.38	21.00	20.24	33.79	21.82	23.72	24.30	27.64	22.23	
2016/8/14	0.00	19.11	11.41	13.23	13.15	15.70	17.01	16.97	28.98	16.59	17.11	19.85	18.36	21.00	20.23	33.78	21.82	23.73	24.31	27.63	22.27	
2016/8/15	0.00	19.10	11.40	13.23	13.14	15.69	17.01	16.96	28.97	16.58	17.09	19.84	18.35	20.98	20.22	33.77	21.81	23.73	24.31	27.63	22.29	
2016/8/16	34.00	19.10	11.40	13.23	13.14	15.67	16.98	16.92	28.96	16.57	17.08	19.85	18.34	20.99	20.23	33.76	21.85	23.73	24.32	27.62	22.29	
2016/8/17	4.00	19.22	11.43	13.31	13.22	15.69	17.11	17.06	28.96	16.63	17.13	20.02	18.38	21.12	20.37	33.75	22.02	23.80	24.34	27.62	22.32	
2016/8/18	45.50	19.24	11.44	13.31	13.22	15.70	17.09	17.04	28.97	16.63	17.15	20.05	18.39	21.15	20.39	33.74	21.91	23.75	24.29	27.62	22.23	
2016/8/19	12.00	19.42	11.46	13.34	13.25	15.73	17.25	17.21	28.99	16.69	17.19	20.17	18.42	21.23	20.50	33.75	21.98	23.78	24.29	27.63	22.20	
2016/8/20	64.50	19.67	11.50	13.50	13.40	15.86	17.63	17.66	29.03	16.83	17.28	20.39	18.49	21.42	20.95	33.80	22.26	23.87	24.33	27.66	22.21	
2016/8/21	0.50	19.43	11.59	13.57	13.51	15.93	17.97	18.03	29.11	16.99	17.42	20.61	18.62	21.64	21.13	33.93	22.15	23.96	24.36	27.73	22.22	
2016/8/22	120.00	19.85	11.68	13.94	13.97	16.29	18.36	18.50	29.21	17.42	17.64	20.83	18.83	21.91	21.73	34.05	22.74	24.13	24.44	27.82	22.29	
2016/8/23	8.00	19.57	11.92	14.04	14.02	16.80	18.61	18.75	29.49	17.88	18.04	21.21	19.24	22.33	22.01	34.37	22.56	24.32	24.51	28.03	22.24	
2016/8/24	4.50	19.37	11.96	13.85	13.76	16.89	18.38	18.46	29.66	17.70	18.02	20.92	19.29	22.19	21.64	34.55	22.33	24.28	24.56	28.22	22.22	
2016/8/25	0.00	19.31	11.92	13.72	13.63	16.83	18.24	18.30	29.75	17.56	17.97	20.69	19.28	22.04	21.33	34.62	22.22	24.25	24.59	28.29	22.23	
2016/8/26	0.00	19.28	11.88	13.65	13.54	16.74	18.07	18.10	29.78	17.45	17.91	20.54	19.24	21.90	21.11	34.65	22.16	24.24	24.64	28.28	22.28	
2016/8/27	5.00	19.28	11.83	13.59	13.48	16.65	17.92	17.93	29.78	17.35	17.86	20.45	19.19	21.81	20.98	34.65	22.12	24.20	24.65	28.23	22.29	
2016/8/28	5.50	19.28	11.80	13.55	13.44	16.58	17.80	17.79	29.76	17.27	17.82	20.40	19.16	21.76	20.91	34.65	22.11	24.19	24.68	28.17	22.32	
2016/8/29	15.00	19.31	11.76	13.55	13.43	16.54	17.76	17.74	29.73	17.24	17.79	20.39	19.14	21.76	20.91	34.65	22.14	24.25	24.75	28.13	22.44	
2016/8/30	53.50	19.80	11.84	13.71	13.63	16.69	18.20	18.26	29.77	17.47	17.89	20.64	19.21	21.98	21.40	34.67	22.45	24.34	24.81	28.11	22.54	
2016/8/31	0.00	19.39	11.89	13.74	13.67	16.75	18.19	18.24	29.81	17.46	17.91	20.69	19.22	21.99	21.28	34.69	22.22	24.26	24.76	28.13	22.42	
2016/9/1	0.00	19.30	11.86	13.67	13.58	16.70	18.05	18.08	29.80	17.36	17.87	20.54	19.20	21.89	21.08	34.70	22.15	24.21	24.74	28.14	22.36	
2016/9/2	0.00	19.27	11.82	13.60	13.51	16.63	17.94	17.95	29.78	17.27	17.82	20.44	19.16	21.79	20.95	34.70	22.12					

平成28年度 地下水位観測結果(3／25)

凡 例
■ : 未観測
□ : 欠測
単位: 降水量 (mm)
地下水位 (I.P.m)

年月日	アメダス 世田谷 降水量	地下水位																				
		世田谷区									狛江市	世田谷区	狛江市			世田谷区	狛江市	調布市				三鷹市
		W-1	W-2'	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20	
2016/12/1	10.00	19.31	11.46	13.38	13.30	15.70	17.26	17.24	29.06	16.76	17.15	20.16	18.45	21.37	20.56	34.13	22.01	24.27	25.35	27.69	23.30	
2016/12/2	0.50	19.30	11.46	13.40	13.35	15.71	17.26	17.23	29.06	16.75	17.16	20.16	18.45	21.35	20.55	34.12	22.00	24.23	25.32	27.70	23.27	
2016/12/3	0.00	19.27	11.45	13.38	13.30	15.71	17.20	17.17	29.06	16.74	17.15	20.13	18.45	21.32	20.51	34.11	21.98	24.19	25.28	27.70	23.21	
2016/12/4	1.00	19.26	11.44	13.36	13.27	15.71	17.18	17.15	29.06	16.74	17.15	20.12	18.45	21.32	20.50	34.11	21.98	24.23	25.31	27.70	23.27	
2016/12/5	2.00	19.26	11.44	13.35	13.26	15.70	17.18	17.14	29.05	16.74	17.14	20.11	18.44	21.32	20.49	34.11	21.99	24.26	25.36	27.71	23.34	
2016/12/6	0.00	19.24	11.43	13.33	13.25	15.70	17.17	17.13	29.04	16.72	17.13	20.09	18.43	21.30	20.47	34.10	21.98	24.24	25.34	27.71	23.33	
2016/12/7	0.00	19.22	11.42	13.32	13.25	15.69	17.14	17.11	29.04	16.71	17.12	20.07	18.42	21.27	20.45	34.09	21.96	24.18	25.29	27.70	23.24	
2016/12/8	0.00	19.21	11.41	13.31	13.23	15.67	17.14	17.11	29.03	16.69	17.11	20.06	18.41	21.25	20.43	34.08	21.96	24.18	25.29	27.70	23.23	
2016/12/9	0.00	19.20	11.40	13.30	13.22	15.66	17.14	17.11	29.02	16.69	17.10	20.05	18.40	21.25	20.42	34.08	21.96	24.21	25.31	27.69	23.27	
2016/12/10	0.00	19.18	11.40	13.28	13.20	15.65	17.13	17.11	29.01	16.67	17.09	20.03	18.39	21.23	20.41	34.07	21.95	24.17	25.28	27.69	23.23	
2016/12/11	0.00	19.16	11.39	13.27	13.20	15.63	17.16	17.14	29.00	16.65	17.08	20.02	18.38	21.21	20.39	34.05	21.94	24.13	25.24	27.68	23.19	
2016/12/12	0.00	19.15	11.38	13.30	13.24	15.62	17.16	17.15	28.99	16.64	17.07	20.00	18.37	21.20	20.38	34.04	21.93	24.11	25.21	27.67	23.14	
2016/12/13	3.00	19.15	11.38	13.28	13.20	15.61	17.19	17.18	28.98	16.63	17.06	20.01	18.36	21.20	20.38	34.03	21.94	24.17	25.25	27.66	23.20	
2016/12/14	31.00	19.36	11.40	13.34	13.25	15.63	17.42	17.41	28.98	16.68	17.11	20.15	18.39	21.32	20.53	34.04	22.10	24.27	25.33	27.66	23.32	
2016/12/15	0.00	19.32	11.42	13.33	13.25	15.65	17.41	17.40	29.00	16.69	17.12	20.19	18.40	21.33	20.53	34.03	22.01	24.19	25.26	27.66	23.23	
2016/12/16	0.00	19.28	11.42	13.33	13.25	15.65	17.39	17.38	29.01	16.68	17.11	20.15	18.40	21.31	20.50	34.03	21.98	24.18	25.25	27.66	23.21	
2016/12/17	0.00	19.25	11.41	13.31	13.24	15.65	17.36	17.35	29.00	16.65	17.10	20.11	18.39	21.27	20.47	34.03	21.96	24.13	25.20	27.66	23.14	
2016/12/18	0.00	19.23	11.41	13.31	13.24	15.64	17.33	17.32	29.00	16.63	17.09	20.08	18.38	21.24	20.44	34.02	21.95	24.10	25.17	27.65	23.10	
2016/12/19	0.00	19.21	11.40	13.30	13.23	15.63	17.32	17.31	28.99	16.61	17.08	20.06	18.37	21.23	20.43	34.01	21.94	24.12	25.17	27.65	23.12	
2016/12/20	0.00	19.19	11.39	13.29	13.22	15.61	17.30	17.29	28.98	16.60	17.07	20.04	18.36	21.22	20.41	34.01	21.94	24.12	25.17	27.64	23.11	
2016/12/21	0.00	19.18	11.39	13.27	13.19	15.60	17.27	17.26	28.97	16.58	17.06	20.02	18.35	21.20	20.40	34.00	21.93	24.09	25.14	27.64	23.06	
2016/12/22	16.00	19.18	11.38	13.27	13.18	15.59	17.27	17.25	28.97	16.58	17.05	20.02	18.35	21.21	20.39	34.00	21.94	24.17	25.21	27.63	23.17	
2016/12/23	9.50	19.34	11.40	13.32	13.22	15.60	17.43	17.42	28.97	16.62	17.08	20.12	18.36	21.29	20.49	34.01	22.02	24.25	25.29	27.64	23.33	
2016/12/24	0.00	19.29	11.41	13.29	13.22	15.61	17.40	17.40	28.97	16.60	17.08	20.10	18.36	21.24	20.45	33.99	21.96	24.10	25.16	27.63	23.15	
2016/12/25	0.00	19.26	11.40	13.30	13.25	15.61	17.36	17.35	28.97	16.59	17.08	20.07	18.36	21.22	20.42	33.98	21.93	24.05	25.11	27.62	23.07	
2016/12/26	0.00	19.24	11.40	13.31	13.24	15.60	17.35	17.35	28.96	16.59	17.07	20.06	18.35	21.22	20.41	33.98	21.94	24.11	25.15	27.62	23.12	
2016/12/27	11.00	19.25	11.40	13.33	13.25	15.60	17.39	17.38	28.96	16.58	17.07	20.08	18.35	21.25	20.43	33.99	21.97	24.23	25.26	27.63	23.31	
2016/12/28	0.00	19.25	11.40	13.30	13.23	15.59	17.36	17.36	28.96	16.57	17.07	20.07	18.35	21.22	20.42	33.97	21.93	24.09	25.14	27.62	23.15	
2016/12/29	0.00	19.24	11.40	13.28	13.21	15.59	17.28	17.27	28.96	16.55	17.06	20.05	18.35	21.21	20.41	33.96	21.93	24.11	25.15	27.62	23.15	
2016/12/30	0.00	19.21	11.39	13.26	13.19	15.58	17.20	17.17	28.95	16.52	17.06	20.03	18.34	21.19	20.39	33.96	21.92	24.07	25.11	27.61	23.10	
2016/12/31	0.00	19.20	11.39	13.26	13.18	15.58	17.16	17.14	28.95	16.50	17.05	20.02	18.34	21.18	20.38	33.95	21.91	24.07	25.11	27.61	23.10	
2017/1/1	0.00	19.18	11.38	13.25	13.17	15.57	17.15	17.12	28.94	16.49	17.04	20.00	18.33	21.17	20.37	33.94	21.91	24.08	25.11	27.61	23.12	
2017/1/2	0.00	19.17	11.38	13.24	13.17	15.57	17.14	17.11	28.94	16.48	17.04	20.00	18.33	21.16	20.36	33.94	21.91	24.10	25.13	27.60	23	

平成28年度 地下水位観測結果(4/25)

凡 例
：未観測
空 欄：欠測
単位：降水量 (mm)
地下水位 (T. P. m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市	調布市	三鷹市		調布市			三鷹市			世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31'	W-32	W-33	W-34
2016/4/1	2.50	39.45	38.73	42.18	28.28	24.17	21.90	42.05	21.97	20.18	43.61	42.93	24.43	44.35	43.85	22.86	42.02
2016/4/2	1.50	39.45	38.72	42.17	28.21	24.10	21.85	42.03	21.90	20.11	43.59	42.90	24.36	44.33	43.80	22.81	41.98
2016/4/3	4.00	39.44	38.72	42.18	28.22	24.10	21.86	42.04	21.91	20.13	43.59	42.90	24.37	44.33	43.82	22.83	42.00
2016/4/4	14.50	39.44	38.76	42.26	28.35	24.23	21.93	42.13	22.03	20.26	43.66	42.99	24.51	44.40	43.90	22.95	42.11
2016/4/5	2.00	39.44	38.76	42.26	28.29	24.17	21.87	42.15	21.96	20.18	43.68	43.00	24.44	44.42	43.87	22.89	42.04
2016/4/6	0.00	39.44	38.75	42.24	28.23	24.10	21.82	42.12	21.90	20.12	43.66	42.98	24.38	44.40	43.85	22.84	42.01
2016/4/7	29.00	39.44	38.79	42.33	28.27	24.15	21.83	42.23	21.95	20.18	43.73	43.07	24.44	44.47	43.93	22.89	42.08
2016/4/8	0.00	39.46	38.82	42.38	28.31	24.16	21.84	42.32	21.96	20.18	43.80	43.17	24.45	44.56	44.00	22.91	42.11
2016/4/9	0.00	39.47	38.83	42.34	28.24	24.09	21.80	42.26	21.89	20.11	43.76	43.13	24.38	44.52	44.00	22.85	42.09
2016/4/10	0.00	39.47	38.84	42.32	28.26	24.10	21.83	42.24	21.91	20.14	43.74	43.14	24.41	44.49	44.03	22.88	42.14
2016/4/11	0.00	39.48	38.83	42.29	28.24	24.08	21.81	42.20	21.88	20.10	43.71	43.11	24.38	44.46	44.00	22.86	42.13
2016/4/12	0.00	39.48	38.81	42.27	28.13	23.96	21.71	42.16	21.76	19.98	43.68	43.06	24.27	44.43	43.93	22.76	42.06
2016/4/13	1.50	39.48	38.81	42.23	28.15	23.98	21.71	42.15	21.79	20.02	43.67	43.07	24.30	44.42	43.96	22.79	42.12
2016/4/14	23.00	39.48	38.85	42.29	28.26	24.09	21.77	42.30	21.89	20.12	43.77	43.19	24.40	44.52	44.05	22.88	42.21
2016/4/15	0.00	39.49	38.85	42.30	28.19	24.01	21.72	42.27	21.81	20.03	43.76	43.17	24.33	44.52	44.02	22.81	42.15
2016/4/16	0.00	39.49	38.84	42.32	28.09	23.90	21.69	42.23	21.71	19.94	43.73	43.13	24.24	44.48	43.99	22.73	42.12
2016/4/17	11.00	39.49	38.86	42.35	28.19	24.02	21.77	42.26	21.82	20.06	43.75	43.19	24.36	44.50	44.08	22.84	42.24
2016/4/18	0.50	39.50	38.86	42.34	28.21	24.02	21.78	42.27	21.82	20.05	43.76	43.20	24.36	44.51	44.08	22.84	42.23
2016/4/19	0.00	39.50	38.84	42.31	28.12	23.94	21.70	42.23	21.73	19.96	43.73	43.15	24.28	44.48	44.02	22.76	42.16
2016/4/20	0.00	39.50	38.83	42.30	28.03	23.85	21.61	42.20	21.63	19.87	43.72	43.11	24.19	44.46	43.98	22.68	42.12
2016/4/21	6.00	39.50	38.84	42.30	28.09	23.90	21.61	42.20	21.69	19.93	43.70	43.13	24.26	44.44	44.03	22.75	42.19
2016/4/22	0.00	39.50	38.84	42.30	28.18	23.99	21.67	42.20	21.78	20.01	43.70	43.15	24.34	44.44	44.06	22.82	42.24
2016/4/23	0.00	39.50	38.82	42.28	28.12	23.93	21.64	42.17	21.71	19.94	43.68	43.10	24.28	44.42	44.00	22.76	42.18
2016/4/24	3.00	39.50	38.81	42.27	28.10	23.91	21.65	42.16	21.68	19.91	43.67	43.08	24.25	44.41	43.97	22.75	42.16
2016/4/25	0.00	39.49	38.80	42.26	28.03	23.84	21.59	42.14	21.61	19.85	43.66	43.05	24.18	44.39	43.93	22.70	42.11
2016/4/26	0.00	39.49	38.80	42.25	28.04	23.84	21.56	42.13	21.62	19.86	43.65	43.05	24.19	44.38	43.94	22.71	42.13
2016/4/27	0.50	39.49	38.79	42.24	28.06	23.85	21.57	42.11	21.64	19.89	43.64	43.04	24.22	44.37	43.94	22.73	42.14
2016/4/28	20.00	39.49	38.82	42.32	28.17	23.99	21.64	42.20	21.75	19.99	43.70	43.11	24.33	44.42	44.01	22.83	42.22
2016/4/29	0.50	39.49	38.83	42.33	28.18	24.00	21.66	42.24	21.75	19.99	43.72	43.14	24.32	44.47	44.01	22.82	42.20
2016/4/30	0.00	39.49	38.81	42.30	28.06	23.87	21.60	42.19	21.63	19.86	43.69	43.08	24.20	44.43	43.94	22.72	42.11
2016/5/1	0.00	39.49	38.81	42.28	28.04	23.84	21.60	42.16	21.60	19.85	43.67	43.06	24.18	44.41	43.93	22.71	42.11
2016/5/2	0.00	39.49	38.79	42.26	27.96	23.75	21.55	42.13	21.52	19.77	43.65	43.02	24.10	44.38	43.88	22.65	42.05
2016/5/3	0.00	39.49	38.79	42.25	27.98	23.76	21.54	42.12	21.54	19.79	43.64	43.02	24.12	44.37	43.90	22.67	42.09
2016/5/4	12.50	39.49	38.81	42.29	28.10	23.89	21.62	42.15	21.66	19.92	43.66	43.07	24.24	44.39	43.96	22.78	42.18
2016/5/5	0.00	39.49	38.79	42.26	28.05	23.82	21.60	42.12	21.60	19.85	43.64	43.03	24.18	44.37	43.89	22.72	42.11
2016/5/6	3.50	39.48	38.77	42.24	27.97	23.74	21.54	42.10	21.52	19.77	43.62	42.99	24.10	44.35	43.84	22.65	42.05
2016/5/7	0.00	39.48	38.78	42.24	28.05	23.82	21.58	42.10	21.60	19.86	43.62	43.02	24.19	44.34	43.90	22.73	42.13
2016/5/8	0.00	39.48	38.76	42.21	27.97	23.73	21.54	42.06	21.51	19.77	43.59	42.96	24.10	44.32	43.81	22.65	42.04
2016/5/9	13.00	39.47	38.75	42.21	27.94	23.71	21.51	42.05	21.49	19.74	43.58	42.94	24.07	44.31	43.81	22.64	42.03
2016/5/10	4.50	39.47	38.78	42.30	28.02	23.81	21.54	42.16	21.57	19.82	43.66	43.04	24.15	44.38	43.88	22.70	42.10
2016/5/11	10.00	39.47	38.79	42.31	28.09	23.87	21.58	42.19	21.63	19.88	43.67	43.08	24.22	44.40	43.93	22.75	42.15
2016/5/12	0.00	39.47	38.78	42.28	27.97	23.74	21.50	42.14	21.50	19.75	43.65	43.01	24.09	44.38	43.84	22.64	42.04
2016/5/13	0.00	39.48	38.76	42.26	27.90	23.67	21.44	42.12	21.43	19.68	43.62	42.99	24.02	44.35	43.82	22.58	42.01
2016/5/14	0.00	39.48	38.75	42.24	27.86	23.62	21.41	42.09	21.39	19.64	43.61	42.96	23.98	44.33	43.79	22.55	41.99
2016/5/15	0.00	39.47	38.74	42.23	27.86	23.61	21.42	42.07	21.39								

平成28年度 地下水位観測結果(5／25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T. P. m)	

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市	調布市	三鷹市		調布市			三鷹市			世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2016/8/1	16.00	39.54	38.84	42.27	27.77	23.48	21.31	42.17	21.14	19.36	43.69	43.09	23.79	44.43	44.06	22.33	42.23
2016/8/2	49.00	39.54	38.82	42.26	27.78	23.49	21.30	42.15	21.15	19.36	43.67	43.07	23.80	44.41	44.03	22.31	42.21
2016/8/3	21.00	39.53	38.85	42.41	27.77	23.48	21.31	42.30	21.14	19.34	43.84	43.15	23.79	44.63	44.04	22.30	42.19
2016/8/4	0.00	39.54	38.84	42.37	27.77	23.47	21.30	42.28	21.13	19.33	43.81	43.16	23.78	44.60	44.08	22.28	42.19
2016/8/5	0.00	39.54	38.82	42.33	27.76	23.47	21.29	42.23	21.12	19.32	43.77	43.12	23.77	44.55	44.07	22.27	42.17
2016/8/6	0.00	39.54	38.81	42.31	27.76	23.47	21.29	42.20	21.12	19.32	43.74	43.09	23.77	44.51	44.05	22.27	42.17
2016/8/7	0.00	39.53	38.81	42.29	27.75	23.47	21.31	42.17	21.11	19.31	43.71	43.05	23.77	44.47	44.02	22.26	42.15
2016/8/8	0.00	39.53	38.81	42.28	27.81	23.52	21.34	42.15	21.17	19.37	43.69	43.05	23.82	44.45	44.03	22.31	42.18
2016/8/9	0.00	39.52	38.80	42.26	27.83	23.54	21.35	42.12	21.18	19.38	43.67	43.01	23.84	44.42	43.99	22.32	42.16
2016/8/10	0.00	39.52	38.78	42.24	27.77	23.48	21.31	42.09	21.12	19.32	43.65	42.97	23.78	44.39	43.92	22.26	42.09
2016/8/11	0.00	39.51	38.77	42.23	27.74	23.45	21.28	42.07	21.10	19.29	43.63	42.94	23.75	44.37	43.88	22.24	42.07
2016/8/12	0.00	39.50	38.76	42.21	27.73	23.45	21.28	42.05	21.09	19.29	43.61	42.92	23.75	44.35	43.86	22.23	42.06
2016/8/13	0.00	39.50	38.75	42.20	27.74	23.45	21.28	42.03	21.10	19.30	43.60	42.90	23.76	44.33	43.85	22.24	42.05
2016/8/14	0.00	39.49	38.74	42.19	27.76	23.47	21.32	42.02	21.12	19.32	43.58	42.88	23.78	44.31	43.83	22.26	42.06
2016/8/15	0.00	39.49	38.73	42.18	27.78	23.49	21.33	42.00	21.14	19.34	43.56	42.86	23.80	44.30	43.81	22.28	42.05
2016/8/16	34.00	39.48	38.73	42.22	27.79	23.50	21.33	42.01	21.15	19.34	43.57	42.85	23.80	44.29	43.79	22.29	42.04
2016/8/17	4.00	39.49	38.82	42.49	27.83	23.58	21.38	42.42	21.19	19.39	43.88	43.15	23.84	44.63	43.93	22.33	42.09
2016/8/18	45.50	39.51	38.83	42.47	27.76	23.55	21.32	42.40	21.11	19.31	43.87	43.17	23.76	44.62	44.00	22.26	42.08
2016/8/19	12.00	39.53	38.85	42.47	27.74	23.50	21.30	42.39	21.10	19.29	43.85	43.20	23.75	44.61	44.06	22.24	42.12
2016/8/20	64.50	39.56	38.98	42.80	27.76	23.52	21.31	42.90	21.11	19.31	44.24	43.52	23.76	45.02	44.21	22.26	42.20
2016/8/21	0.50	39.64	39.12	42.96	27.77	23.54	21.33	43.47	21.12	19.32	44.81	44.14	23.76	45.63	44.87	22.27	42.40
2016/8/22	120.00	39.75	39.40	43.32	27.84	23.67	21.38	44.07	21.18	19.38	45.42	44.62	23.82	46.21	45.44	22.34	42.68
2016/8/23	8.00	40.08	39.64	43.42	27.82	23.66	21.38	44.82	21.15	19.33	46.35	45.41	23.78	47.28	46.40	22.32	43.06
2016/8/24	4.50	40.32	39.70	43.27	27.81	23.62	21.36	44.51	21.13	19.31	46.08	45.43	23.75	47.09	46.68	22.31	43.35
2016/8/25	0.00	40.46	39.75	43.13	27.83	23.62	21.36	44.22	21.14	19.32	45.80	45.31	23.76	46.84	46.69	22.33	43.52
2016/8/26	0.00	40.52	39.79	43.02	27.88	23.66	21.39	43.98	21.17	19.36	45.56	45.17	23.80	46.60	46.61	22.38	43.60
2016/8/27	5.00	40.52	39.80	42.94	27.89	23.65	21.40	43.78	21.17	19.35	45.35	45.00	23.80	46.39	46.46	22.38	43.59
2016/8/28	5.50	40.50	39.81	42.90	27.92	23.65	21.44	43.65	21.19	19.37	45.22	44.88	23.82	46.26	46.35	22.40	43.56
2016/8/29	15.00	40.48	39.84	42.92	28.02	23.75	21.52	43.64	21.29	19.47	45.18	44.84	23.92	46.22	46.29	22.50	43.59
2016/8/30	53.50	40.52	39.96	43.13	28.13	23.83	21.61	43.98	21.37	19.55	45.42	45.03	24.01	46.48	46.36	22.57	43.65
2016/8/31	0.00	40.55	40.00	43.07	28.02	23.70	21.56	43.98	21.25	19.42	45.50	45.08	23.89	46.57	46.43	22.46	43.60
2016/9/1	0.00	40.55	39.98	43.00	27.96	23.62	21.51	43.85	21.17	19.35	45.44	45.01	23.81	46.50	46.44	22.40	43.59
2016/9/2	0.00	40.52	39.95	42.92	27.93	23.59	21.49	43.71	21.14	19.31	45.32	44.90	23.78	46.39	46.38	22.38	43.56
2016/9/3	0.50	40.48	39.92	42.86	27.92	23.57	21.49	43.57	21.12	19.30	45.20	44.79	23.77	46.27	46.28	22.37	43.53
2016/9/4	7.50	40.44	39.88	42.82	27.93	23.58	21.50	43.47	21.12	19.30	45.09	44.68	23.77	46.16	46.18	22.38	43.49
2016/9/5	0.00	40.40	39.85	42.77	27.96	23.60	21.52	43.37	21.14	19.33	45.00	44.58	23.80	46.06	46.08	22.41	43.45
2016/9/6	0.00	40.35	39.83	42.73	28.02	23.65	21.55	43.27	21.20	19.39	44.92	44.49	23.86	45.97	45.99	22.45	43.42
2016/9/7	3.50	40.31	39.80	42.71	28.06	23.69	21.59	43.20	21.23	19.42	44.84	44.41	23.91	45.89	45.88	22.47	43.37
2016/9/8	8.00	40.27	39.77	42.71	28.09	23.71	21.60	43.18	21.26	19.45	44.81	44.36	23.94	45.85	45.79	22.50	43.33
2016/9/9	0.00	40.23	39.73	42.67	28.09	23.70	21.60	43.10	21.26	19.44	44.75	44.27	23.94	45.79	45.68	22.49	43.25
2016/9/10	0.00	40.18	39.69	42.62	28.03	23.64	21.56	43.02	21.19	19.37	44.67	44.16	23.88	45.70	45.54	22.43	43.14
2016/9/11	4.00	40.14	39.65	42.60	27.99	23.60	21.54	42.96	21.15	19.34	44.61	44.08	23.84	45.63	45.44	22.40	43.07
2016/9/12	0.00	40.10	39.62	42.57	27.97	23.58	21.53	42.90	21.13	19.32	44.55	44.02	23.83	45.57	45.35	22.40	43.01
2016/9/13	37.00	40.07	39.63	42.68	27.99	23.61	21.55	43.02	21.16	19.35	44.61	44.06	23.85	45.61	45.32	22.42	42.99
2016/9/14	0.50	40.06	39.64	42.70	28.00	23.61	21.56	43.08	21.16	19.36	44.66	44.13	23.86	45.68	45.36	22.42	42.99
2016/9/15	27.50	40.05	39.66	422													

平成28年度 地下水位観測結果(6／25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T. P. m)	

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市	調布市	三鷹市		調布市			三鷹市			世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2016/12/1	10.00	39.57	39.03	42.47	28.32	24.19	22.40	42.57	21.92	20.35	44.18	43.48	24.65	45.11	44.54	23.06	42.50
2016/12/2	0.50	39.57	39.02	42.45	28.32	24.17	22.40	42.55	21.91	20.34	44.17	43.47	24.64	45.10	44.52	23.05	42.48
2016/12/3	0.00	39.57	39.00	42.42	28.26	24.12	22.37	42.51	21.87	20.31	44.15	43.43	24.59	45.07	44.50	23.02	42.45
2016/12/4	1.00	39.57	39.01	42.42	28.30	24.17	22.40	42.49	21.93	20.39	44.13	43.43	24.64	45.05	44.53	23.08	42.49
2016/12/5	2.00	39.57	39.01	42.41	28.39	24.26	22.45	42.49	22.04	20.50	44.13	43.44	24.72	45.04	44.55	23.17	42.53
2016/12/6	0.00	39.57	38.99	42.39	28.40	24.27	22.45	42.46	22.08	20.56	44.11	43.41	24.74	45.02	44.52	23.19	42.51
2016/12/7	0.00	39.56	38.97	42.37	28.33	24.20	22.40	42.43	22.05	20.56	44.08	43.36	24.69	44.99	44.46	23.16	42.44
2016/12/8	0.00	39.56	38.96	42.36	28.34	24.21	22.40	42.41	22.12	20.65	44.06	43.34	24.71	44.97	44.44	23.21	42.43
2016/12/9	0.00	39.56	38.96	42.35	28.38	24.27	22.42	42.40	22.23	20.80	44.05	43.34	24.79	44.95	44.45	23.29	42.46
2016/12/10	0.00	39.55	38.93	42.33	28.36	24.25	22.42	42.36	22.26	20.85	44.03	43.29	24.78	44.92	44.38	23.31	42.40
2016/12/11	0.00	39.54	38.91	42.31	28.30	24.21	22.42	42.33	22.27	20.90	44.00	43.24	24.77	44.90	44.32	23.32	42.35
2016/12/12	0.00	39.54	38.90	42.30	28.26	24.22	22.39	42.31	22.29	20.95	43.98	43.21	24.75	44.87	44.28	23.34	42.31
2016/12/13	3.00	39.53	38.90	42.30	28.33	24.35	22.41	42.31	22.44	21.12	43.98	43.23	24.87	44.87	44.32	23.46	42.36
2016/12/14	31.00	39.53	38.96	42.47	28.47	24.51	22.51	42.53	22.64	21.34	44.14	43.40	25.04	45.05	44.41	23.63	42.45
2016/12/15	0.00	39.54	38.95	42.42	28.39	24.44	22.48	42.50	22.63	21.34	44.13	43.40	25.00	45.05	44.40	23.62	42.39
2016/12/16	0.00	39.54	38.94	42.40	28.39	24.46	22.48	42.47	22.68	21.41	44.11	43.40	25.04	45.02	44.41	23.68	42.40
2016/12/17	0.00	39.54	38.92	42.37	28.33	24.41	22.45	42.44	22.65	21.36	44.08	43.37	25.00	44.98	44.37	23.66	42.35
2016/12/18	0.00	39.54	38.91	42.35	28.28	24.37	22.44	42.41	22.61	21.31	44.06	43.35	24.98	44.94	44.34	23.66	42.32
2016/12/19	0.00	39.54	38.90	42.34	28.30	24.41	22.44	42.39	22.64	21.32	44.04	43.34	25.02	44.92	44.35	23.71	42.34
2016/12/20	0.00	39.53	38.90	42.33	28.31	24.43	22.42	42.37	22.65	21.31	44.02	43.32	25.03	44.90	44.33	23.73	42.34
2016/12/21	0.00	39.53	38.88	42.31	28.27	24.41	22.39	42.35	22.61	21.25	44.00	43.29	25.00	44.88	44.29	23.71	42.30
2016/12/22	16.00	39.52	38.90	42.32	28.38	24.54	22.45	42.35	22.73	21.35	44.00	43.33	25.12	44.88	44.36	23.82	42.39
2016/12/23	9.50	39.52	38.93	42.43	28.55	24.73	22.57	42.48	22.88	21.48	44.11	43.44	25.28	44.99	44.43	23.96	42.48
2016/12/24	0.00	39.52	38.89	42.36	28.39	24.56	22.50	42.41	22.71	21.28	44.06	43.35	25.11	44.94	44.31	23.81	42.32
2016/12/25	0.00	39.51	38.88	42.34	28.29	24.47	22.44	42.38	22.61	21.17	44.03	43.31	25.01	44.90	44.28	23.74	42.27
2016/12/26	0.00	39.51	38.88	42.33	28.34	24.54	22.45	42.37	22.65	21.21	44.01	43.32	25.05	44.89	44.32	23.79	42.33
2016/12/27	11.00	39.51	38.91	42.36	28.54	24.77	22.56	42.40	22.84	21.39	44.04	43.39	25.25	44.91	44.42	23.95	42.47
2016/12/28	0.00	39.51	38.87	42.33	28.41	24.64	22.50	42.36	22.69	21.22	44.01	43.31	25.09	44.88	44.28	23.82	42.32
2016/12/29	0.00	39.50	38.87	42.32	28.40	24.64	22.48	42.36	22.68	21.21	44.00	43.32	25.10	44.87	44.31	23.82	42.34
2016/12/30	0.00	39.50	38.86	42.30	28.37	24.61	22.47	42.33	22.63	21.15	43.98	43.28	25.05	44.85	44.26	23.78	42.30
2016/12/31	0.00	39.50	38.85	42.29	28.36	24.61	22.46	42.32	22.60	21.12	43.97	43.26	25.02	44.83	44.25	23.77	42.30
2017/1/1	0.00	39.49	38.84	42.28	28.37	24.62	22.48	42.30	22.61	21.12	43.96	43.25	25.02	44.82	44.24	23.78	42.30
2017/1/2	0.00	39.49	38.84	42.28	28.41	24.67	22.50	42.29	22.65	21.16	43.95	43.24	25.07	44.81	44.26	23.84	42.33
2017/1/3	0.00	39.49	38.83	42.27	28.45	24.71	22.52	42.27	22.68	21.18	43.93	43.22	25.09	44.79	44.24	23.87	42.32
2017/1/4	0.00	39.48	38.83	42.26	28.45	24.71	22.53	42.25	22.67	21.16	43.92	43.20	25.09	44.77	44.21	23.86	42.31
2017/1/5	0.00	39.48	38.81	42.24	28.42	24.68	22.50	42.23	22.62	21.11	43.90	43.16	25.04	44.75	44.16	23.82	42.26
2017/1/6	0.00	39.47	38.80	42.23	28.36	24.62	22.46	42.21	22.56	21.05	43.88	43.12	24.98	44.73	44.12	23.77	42.21
2017/1/7	0.00	39.47	38.79	42.22	28.37	24.64	22.48	42.20	22.57	21.06	43.87	43.11	24.99	44.72	44.12	23.78	42.23
2017/1/8	16.50	39.46	38.80	42.23	28.44	24.71	22.55	42.20	22.63	21.12	43.87	43.12	25.05	44.72	44.14	23.83	42.27
2017/1/9	4.50	39.46	38.83	42.33	28.56	24.84	22.65	42.33	22.75	21.23	43.96	43.22	25.16	44.82	44.21	23.93	42.34
2017/1/10	0.00	39.46	38.81	42.30	28.50	24.76	22.60	42.28	22.67	21.15	43.93	43.18	25.08	44.80	44.16	23.86	42.27
2017/1/11	0.00	39.46	38.81	42.28	28.49	24.75	22.58	42.25	22.65	21.13	43.91	43.16	25.06	44.77	44.15	23.84	42.26
2017/1/12	0.00	39.46	38.80	42.27	28.52	24.79	22.59	42.23	22.69	21.17	43.89	43.15	25.10	44.75	44.16	23.87	42.29
2017/1/13	0.00	39.45	38.80	42.25	28.56	24.84	22.62	42.22	22.72	21.19	43.88	43.14	25.12	44.73	44.15	23.90	42.30
2017/1/14	0.00	39.45	38.79	42.24	28.55	24.83	22.63	42.19	22.71	21.18	43.86	43.11	25.11	44.71	44.12	23.90	42.27
2017/1/15	0.00	39.45	38.77	42.22	28.49	24.77											

平成28年度 地下水位観測結果(7/25)

凡 例
：未観測
空 欄：欠測
単位：降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 線馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2016/4/1	0.00	42.63	18.79	33.97	42.58	42.44	42.31	40.89	42.16	40.24	32.02	42.56	41.79	34.56	37.27	34.11	42.43	42.63	37.25	42.62	38.34
2016/4/2	1.00	42.61	18.75	33.93	42.57	42.43	42.30	40.88	42.16	40.23	32.02	42.56	41.79	34.55	37.26	34.10	42.49	42.76	37.24	42.68	38.33
2016/4/3	3.50	42.61	18.75	33.94	42.58	42.43	42.31	40.88	42.17	40.23	32.00	42.57	41.81	34.57	37.26	34.12	42.52	42.80	37.28	42.71	38.36
2016/4/4	19.50	42.66	18.86	34.06	42.70	42.44	42.33	40.92	42.20	40.26	32.08	42.60	41.84	34.62	37.30	34.17	42.49	42.69	37.30	42.68	38.39
2016/4/5	2.50	42.66	18.82	34.01	42.70	42.46	42.33	40.93	42.20	40.25	32.01	42.60	41.82	34.61	37.29	34.16	42.47	42.66	37.28	42.66	38.39
2016/4/6	0.00	42.65	18.77	33.97	42.66	42.46	42.34	40.94	42.19	40.25	32.01	42.58	41.81	34.60	37.28	34.15	42.46	42.66	37.28	42.65	38.38
2016/4/7	27.00	42.70	18.81	34.02	42.77	42.47	42.36	40.98	42.22	40.27	32.03	42.61	41.86	34.61	37.30	34.16	42.49	42.67	37.29	42.67	38.39
2016/4/8	0.00	42.73	18.83	34.05	42.82	42.50	42.40	41.03	42.26	40.29	32.08	42.65	41.85	34.63	37.31	34.17	42.51	42.71	37.27	42.71	38.38
2016/4/9	0.00	42.73	18.77	34.00	42.76	42.51	42.40	41.04	42.26	40.30	32.07	42.66	41.86	34.62	37.30	34.16	42.57	42.85	37.28	42.78	38.37
2016/4/10	0.00	42.75	18.78	34.04	42.73	42.51	42.41	41.07	42.26	40.31	32.07	42.67	41.87	34.65	37.31	34.19	42.60	42.89	37.33	42.81	38.40
2016/4/11	0.00	42.74	18.77	34.02	42.70	42.51	42.40	41.05	42.26	40.31	32.10	42.66	41.86	34.64	37.31	34.18	42.53	42.75	37.32	42.74	38.40
2016/4/12	0.00	42.71	18.69	33.94	42.68	42.51	42.39	41.02	42.24	40.30	32.03	42.63	41.84	34.61	37.30	34.15	42.50	42.71	37.28	42.70	38.37
2016/4/13	0.00	42.73	18.70	33.98	42.67	42.50	42.38	41.01	42.23	40.31	32.07	42.62	41.83	34.61	37.30	34.16	42.49	42.68	37.30	42.68	38.41
2016/4/14	21.50	42.78	18.77	34.07	42.80	42.52	42.41	41.04	42.27	40.33	32.11	42.66	41.89	34.65	37.33	34.19	42.53	42.73	37.32	42.72	38.43
2016/4/15	0.00	42.76	18.73	34.02	42.76	42.53	42.42	41.04	42.27	40.32	32.10	42.66	41.86	34.62	37.32	34.16	42.51	42.71	37.28	42.71	38.39
2016/4/16	0.00	42.75	18.64	33.96	42.73	42.53	42.41	41.04	42.26	40.32	32.06	42.66	41.86	34.60	37.28	34.14	42.57	42.85	37.27	42.78	38.37
2016/4/17	6.00	42.79	18.72	34.07	42.75	42.53	42.43	41.06	42.28	40.34	32.10	42.68	41.89	34.66	37.31	34.20	42.61	42.90	37.35	42.82	38.42
2016/4/18	0.00	42.78	18.73	34.08	42.75	42.54	42.43	41.05	42.28	40.35	32.13	42.68	41.87	34.65	37.32	34.19	42.55	42.77	37.33	42.75	38.42
2016/4/19	0.00	42.76	18.66	34.02	42.71	42.54	42.42	41.04	42.26	40.33	32.07	42.66	41.85	34.62	37.31	34.16	42.51	42.71	37.29	42.71	38.39
2016/4/20	0.00	42.74	18.58	33.95	42.69	42.53	42.41	41.02	42.25	40.32	32.06	42.64	41.84	34.59	37.29	34.13	42.50	42.71	37.28	42.70	38.36
2016/4/21	4.00	42.77	18.64	34.01	42.69	42.53	42.41	41.03	42.25	40.33	32.09	42.64	41.84	34.61	37.31	34.15	42.49	42.69	37.27	42.69	38.36
2016/4/22	0.00	42.78	18.72	34.09	42.69	42.53	42.40	41.05	42.25	40.34	32.13	42.64	41.84	34.62	37.32	34.16	42.50	42.70	37.25	42.69	38.36
2016/4/23	0.00	42.76	18.68	34.04	42.67	42.52	42.39	41.04	42.24	40.32	32.10	42.63	41.84	34.60	37.30	34.13	42.55	42.82	37.23	42.75	38.33
2016/4/24	5.50	42.75	18.66	34.03	42.66	42.51	42.39	41.04	42.24	40.32	32.09	42.64	41.86	34.60	37.30	34.14	42.57	42.86	37.26	42.78	38.36
2016/4/25	0.00	42.73	18.62	33.97	42.65	42.51	42.38	41.03	42.23	40.31	32.08	42.63	41.84	34.58	37.29	34.12	42.51	42.71	37.23	42.70	38.38
2016/4/26	0.00	42.73	18.62	33.99	42.64	42.50	42.38	41.02	42.22	40.31	32.00	42.62	41.83	34.59	37.29	34.13	42.48	42.69	37.22	42.67	38.38
2016/4/27	0.50	42.72	18.63	34.01	42.64	42.50	42.37	41.00	42.21	40.31	32.03	42.61	41.82	34.59	37.29	34.13	42.47	42.66	37.24	42.66	38.38
2016/4/28	21.00	42.76	18.71	34.08	42.71	42.50	42.38	41.01	42.23	40.32	32.05	42.63	41.85	34.62	37.31	34.16	42.49	42.68	37.27	42.68	38.40
2016/4/29	0.00	42.76	18.73	34.07	42.73	42.51	42.40	41.03	42.25	40.31	32.05	42.65	41.85	34.62	37.32	34.16	42.55	42.83	37.26	42.76	38.39
2016/4/30	0.00	42.73	18.63	33.96	42.69	42.51	42.40	41.02	42.25	40.30	32.00	42.65	41.86	34.59	37.30	34.13	42.58	42.86	37.25	42.78	38.36
2016/5/1	0.00	42.73	18.62	33.97	42.67	42.51	42.39	41.02	42.25	40.30	32.00	42.65	41.86	34.60	37.30	34.14	42.58	42.87	37.27	42.79	38.38
2016/5/2	0.00	42.70	18.56	33.91	42.65	42.50	42.38	40.99	42.23	40.29	32.02	42.63	41.84	34.58	37.29	34.12	42.51	42.72	37.24	42.71	38.37
2016/5/3	0.00	42.70	18.57	33.94	42.64	42.50	42.37	40.99	42.22	40.29	31.99	42.62	41.84	34.58	37.29	34.13	42.55	42.83	37.25	42.75	38.37

平成28年度 地下水位観測結果(8/25)

凡 例
■ : 未観測
空 欄 : 欠測
単位: 降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2016/8/1	2.50	42.84	18.10	33.85	42.68	42.55	42.43	40.99	42.26	40.35	32.00	42.66	41.86	34.62	37.37	34.16	42.52	42.73	37.27	42.72	38.34
2016/8/2	1.00	42.82	18.09	33.86	42.66	42.54	42.41	40.98	42.24	40.34	32.06	42.63	41.84	34.62	37.37	34.16	42.48	42.69	37.27	42.68	38.33
2016/8/3	8.50	42.83	18.09	33.85	42.94	42.56	42.44	41.01	42.27	40.35	31.93	42.66	41.88	34.62	37.38	34.15	42.50	42.69	37.28	42.69	38.32
2016/8/4	0.00	42.82	18.08	33.84	42.85	42.56	42.44	41.00	42.27	40.34	31.93	42.65	41.84	34.59	37.37	34.12	42.49	42.69	37.23	42.68	38.30
2016/8/5	0.00	42.81	18.07	33.82	42.77	42.55	42.42	40.99	42.25	40.34	31.95	42.63	41.83	34.57	37.36	34.10	42.47	42.66	37.21	42.66	38.27
2016/8/6	0.00	42.79	18.07	33.82	42.73	42.54	42.40	40.98	42.23	40.33	31.91	42.63	41.83	34.56	37.35	34.09	42.52	42.80	37.21	42.72	38.26
2016/8/7	0.00	42.78	18.06	33.82	42.69	42.53	42.38	40.98	42.23	40.31	31.90	42.63	41.84	34.56	37.34	34.09	42.54	42.83	37.23	42.74	38.27
2016/8/8	0.00	42.78	18.10	33.86	42.68	42.52	42.39	40.98	42.22	40.31	31.96	42.62	41.83	34.57	37.35	34.10	42.48	42.69	37.25	42.67	38.28
2016/8/9	0.00	42.76	18.12	33.88	42.66	42.51	42.38	40.96	42.20	40.31	31.95	42.59	41.81	34.57	37.35	34.10	42.44	42.63	37.30	42.62	38.29
2016/8/10	0.00	42.73	18.07	33.83	42.64	42.50	42.35	40.95	42.18	40.29	31.95	42.57	41.79	34.53	37.33	34.06	42.43	42.63	37.25	42.60	38.26
2016/8/11	0.00	42.71	18.05	33.80	42.62	42.49	42.34	40.94	42.17	40.27	31.93	42.56	41.80	34.52	37.32	34.05	42.47	42.74	37.24	42.65	38.24
2016/8/12	0.00	42.70	18.04	33.79	42.61	42.47	42.33	40.93	42.17	40.26	31.91	42.56	41.80	34.50	37.31	34.03	42.49	42.77	37.20	42.67	38.25
2016/8/13	0.00	42.69	18.05	33.80	42.60	42.47	42.32	40.91	42.16	40.26	31.89	42.56	41.80	34.52	37.31	34.05	42.49	42.77	37.24	42.67	38.26
2016/8/14	0.00	42.68	18.07	33.81	42.58	42.46	42.32	40.90	42.16	40.25	31.87	42.55	41.80	34.55	37.31	34.08	42.49	42.77	37.33	42.67	38.30
2016/8/15	2.00	42.67	18.09	33.82	42.57	42.45	42.30	40.89	42.15	40.24	31.90	42.55	41.79	34.56	37.32	34.09	42.49	42.76	37.36	42.66	38.32
2016/8/16	48.50	42.67	18.09	33.83	42.61	42.44	42.29	40.89	42.14	40.23	31.90	42.54	41.82	34.56	37.33	34.10	42.43	42.61	37.32	42.59	38.31
2016/8/17	6.00	42.80	18.14	33.87	43.12	42.51	42.43	41.01	42.29	40.28	31.93	42.67	41.90	34.62	37.37	34.14	42.52	42.70	37.34	42.69	38.34
2016/8/18	21.50	42.81	18.08	33.81	42.95	42.54	42.45	41.02	42.29	40.31	31.92	42.67	41.87	34.59	37.36	34.11	42.49	42.68	37.29	42.68	38.32
2016/8/19	1.00	42.84	18.08	33.81	42.89	42.55	42.46	41.03	42.29	40.33	31.93	42.67	41.86	34.59	37.37	34.12	42.50	42.70	37.25	42.69	38.31
2016/8/20	66.00	42.97	18.10	33.84	43.39	42.60	42.54	41.11	42.40	40.37	31.98	42.77	42.01	34.64	37.39	34.16	42.65	42.91	37.31	42.85	38.35
2016/8/21	0.00	43.22	18.11	33.87	43.63	42.75	42.76	41.30	42.60	40.47	32.02	42.97	42.06	34.73	37.43	34.24	42.77	43.07	37.44	43.00	38.44
2016/8/22	145.50	43.57	18.20	33.95	43.86	42.96	43.07	41.57	42.94	40.62	32.15	43.30	42.41	34.85	37.51	34.35	43.02	43.23	37.56	43.26	38.57
2016/8/23	4.00	44.13	18.23	33.99	44.04	43.47	43.70	42.09	43.52	40.92	32.18	43.84	42.60	35.07	37.62	34.54	43.34	43.63	37.75	43.71	38.77
2016/8/24	2.00	44.25	18.16	34.03	43.80	43.68	43.76	42.14	43.53	41.19	32.32	43.86	42.60	35.18	37.73	34.65	43.37	43.69	37.86	43.76	38.89
2016/8/25	0.00	44.25	18.15	34.08	43.77	43.72	43.70	42.11	43.47	41.31	32.41	43.80	42.55	35.23	37.82	34.72	43.35	43.69	37.89	43.74	38.95
2016/8/26	0.00	44.20	18.17	34.14	43.73	43.68	43.64	42.06	43.39	41.35	32.44	43.73	42.50	35.25	37.89	34.75	43.30	43.63	37.90	43.68	38.99
2016/8/27	11.50	44.12	18.16	34.16	43.68	43.61	43.55	42.00	43.31	41.34	32.49	43.66	42.46	35.26	37.94	34.78	43.31	43.72	37.93	43.69	39.02
2016/8/28	6.00	44.05	18.18	34.19	43.63	43.55	43.49	41.96	43.25	41.31	32.50	43.62	42.44	35.28	37.99	34.81	43.30	43.72	37.99	43.68	39.08
2016/8/29	21.00	44.04	18.26	34.29	43.69	43.54	43.48	41.96	43.25	41.30	32.55	43.62	42.45	35.32	38.04	34.86	43.26	43.59	38.01	43.61	39.13
2016/8/30	45.50	44.18	18.34	34.37	44.03	43.67	43.62	42.10	43.42	41.34	32.56	43.76	42.56	35.40	38.10	34.93	43.34	43.66	38.07	43.69	39.21
2016/8/31	0.00	44.18	18.26	34.29	43.95	43.71	43.68	42.14	43.45	41.38	32.59	43.79	42.53	35.41	38.12	34.94	43.35	43.68	38.12	43.71	39.24
2016/9/1	0.00	44.14	18.20	34.24	43.82	43.67	43.63	42.10	43.39	41.39	32.55	43.74	42.50	35.39	38.13	34.93	43.31	43.65	38.10	43.68	39.24
2016/9/2	0.00	44.08	18.18	34.22	43.73	43.63	43.58	42.05	43.33	41.37	32.55	43.70	42.47	35.39	38.14	34.93	43.29	43.64	38.12	43.65	39.24

平成28年度 地下水位観測結果(9/25)

凡 例
：未観測
空 欄：欠測
単位：降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2016/12/1	10.00	42.93	19.15	34.70	43.01	42.91	42.86	41.50	42.70	40.77	32.63	43.09	42.12	35.20		34.82	42.83	43.10	37.91	43.06	39.14
2016/12/2	0.00	42.92	19.17	34.68	42.99	42.91	42.86	41.49	42.69	40.77	32.61	43.08	42.10	35.19		34.81	42.82	43.11	37.87	43.06	39.12
2016/12/3	0.00	42.91	19.15	34.64	42.96	42.90	42.85	41.48	42.68	40.76	32.60	43.08	42.10	35.17		34.79	42.87	43.24	37.86	43.11	39.11
2016/12/4	1.00	42.92	19.22	34.68	42.95	42.90	42.85	41.48	42.68	40.76	32.58	43.09	42.11	35.19		34.81	42.89	43.26	37.90	43.14	39.12
2016/12/5	2.00	42.92	19.32	34.75	42.94	42.90	42.85	41.48	42.67	40.77	32.66	43.08	42.10	35.21		34.83	42.83	43.11	37.90	43.06	39.14
2016/12/6	0.00	42.91	19.39	34.75	42.92	42.89	42.83	41.45	42.65	40.76	32.65	43.05	42.08	35.20		34.83	42.80	43.09	37.88	43.03	39.14
2016/12/7	0.00	42.88	19.41	34.69	42.90	42.87	42.80	41.43	42.63	40.74	32.66	43.03	42.06	35.17	37.85	34.79	42.78	43.06	37.88	43.00	39.12
2016/12/8	0.00	42.87	19.49	34.69	42.88	42.86	42.79	41.41	42.62	40.73	32.63	43.01	42.05	35.16	37.84	34.78	42.77	43.05	37.85	42.99	39.08
2016/12/9	0.00	42.87	19.61	34.72	42.87	42.85	42.78	41.41	42.61	40.73	32.64	43.00	42.05	35.15	37.84	34.77	42.75	43.02	37.82	42.98	39.07
2016/12/10	0.00	42.84	19.67	34.69	42.86	42.83	42.76	41.39	42.59	40.71	32.60	42.99	42.05	35.12	37.82	34.74	42.80	43.16	37.81	43.04	39.05
2016/12/11	0.00	42.81	19.72	34.64	42.84	42.82	42.75	41.38	42.59	40.69	32.58	42.99	42.05	35.11	37.80	34.72	42.82	43.19	37.83	43.06	39.05
2016/12/12	0.00	42.79	19.77	34.60	42.83	42.81	42.74	41.35	42.58	40.67	32.60	42.98	42.04	35.08	37.79	34.70	42.76	43.05	37.81	42.99	39.03
2016/12/13	2.50	42.80	19.91	34.66	42.82	42.81	42.74	41.35	42.57	40.68	32.61	42.97	42.02	35.11	37.80	34.73	42.73	43.00	37.81	42.95	39.04
2016/12/14	29.50	42.88	20.10	34.78	43.05	42.84	42.80	41.43	42.64	40.71	32.68	43.04	42.10	35.16	37.84	34.79	42.80	43.06	37.88	43.01	39.08
2016/12/15	0.00	42.86	20.13	34.70	42.99	42.86	42.81	41.42	42.65	40.72	32.66	43.04	42.06	35.14	37.83	34.75	42.78	43.06	37.85	43.01	39.07
2016/12/16	0.00	42.86	20.19	34.69	42.94	42.86	42.80	41.43	42.64	40.72	32.66	43.03	42.05	35.13	37.83	34.75	42.77	43.05	37.83	43.00	39.07
2016/12/17	0.00	42.84	20.15	34.63	42.91	42.85	42.78	41.40	42.62	40.71	32.64	43.01	42.05	35.11	37.81	34.73	42.82	43.18	37.83	43.06	39.06
2016/12/18	0.00	42.82	20.11	34.58	42.89	42.83	42.77	41.39	42.61	40.70	32.57	43.01	42.05	35.11	37.80	34.72	42.83	43.20	37.86	43.07	39.07
2016/12/19	0.00	42.82	20.12	34.60	42.87	42.83	42.76	41.38	42.60	40.69	32.62	43.00	42.04	35.11	37.81	34.72	42.77	43.05	37.84	42.99	39.07
2016/12/20	0.00	42.81	20.10	34.60	42.86	42.81	42.74	41.36	42.58	40.69	32.60	42.97	42.02	35.10	37.81	34.72	42.74	43.02	37.80	42.96	39.04
2016/12/21	0.00	42.79	20.06	34.57	42.84	42.80	42.73	41.34	42.56	40.67	32.59	42.96	42.01	35.07	37.80	34.69	42.74	43.03	37.78	42.95	39.02
2016/12/22	12.00	42.81	20.12	34.66	42.84	42.80	42.73	41.35	42.57	40.68	32.57	42.97	42.03	35.09	37.81	34.71	42.79	43.15	37.79	43.02	39.04
2016/12/23	10.00	42.86	20.23	34.78	42.96	42.82	42.77	41.40	42.61	40.71	32.68	43.02	42.08	35.14	37.84	34.76	42.84	43.21	37.85	43.07	39.09
2016/12/24	0.00	42.80	20.09	34.63	42.90	42.81	42.75	41.37	42.59	40.68	32.64	43.00	42.05	35.10	37.81	34.71	42.83	43.20	37.83	43.07	39.07
2016/12/25	0.00	42.77	20.00	34.56	42.87	42.80	42.74	41.36	42.58	40.67	32.58	42.99	42.04	35.09	37.79	34.71	42.82	43.19	37.85	43.06	39.08
2016/12/26	0.00	42.79	20.01	34.60	42.86	42.80	42.74	41.36	42.58	40.67	32.63	42.99	42.04	35.10	37.81	34.73	42.82	43.20	37.87	43.06	39.10
2016/12/27	10.00	42.83	20.13	34.77	42.87	42.81	42.75	41.38	42.60	40.70	32.68	43.01	42.06	35.17	37.85	34.80	42.84	43.21	37.88	43.07	39.14
2016/12/28	0.00	42.78	20.03	34.65	42.86	42.79	42.73	41.37	42.58	40.68	32.66	42.98	42.04	35.12	37.83	34.75	42.82	43.19	37.84	43.05	39.11
2016/12/29	0.00	42.78	20.01	34.65	42.85	42.79	42.73	41.35	42.58	40.68	32.64	42.98	42.04	35.12	37.83	34.74	42.82	43.19	37.85	43.05	39.12
2016/12/30	0.00	42.76	19.97	34.62	42.83	42.78	42.72	41.32	42.56	40.66	32.62	42.97	42.03	35.11	37.83	34.73	42.81	43.17	37.84	43.04	39.11
2016/12/31	0.00	42.76	19.94	34.61	42.82	42.78	42.71	41.31	42.56	40.66	32.58	42.96	42.02	35.11	37.82	34.73	42.80	43.17	37.85	43.03	39.12
2017/1/1	0.00	42.75	19.97	34.62	42.81	42.77	42.70	41.31	42.55	40.65	32.67	42.96	42.02	35.12	37.83	34.75	42.80	43.16	37.86	43.02	39.12
2017/1/2	0.00	42.75	20.06	34.67	42.81	42.77	42.70	41.31	42.54	40.65	32.57	42.95	42.02	35.16	37.84	34.80	42.80	43.16	37.89	43.02	39.14
2017/1/3	0.00	42.74	20.05	34.69	42.80	42.76	42.69	41.31	42.54	40.65	32.										

平成28年度 地下水位観測結果(10/25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T.P.m)	

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2016/4/1	0.00	43.20	43.01	37.03	41.82	31.85	42.07	36.59	42.78	41.02	40.63	36.73	36.32	40.46	35.66	35.50	34.85	39.99	39.57	36.64	39.91
2016/4/2	1.00	43.28	43.10	37.02	41.84	31.84	42.07	36.57	42.78	41.02	40.63	36.72	36.31	40.45	35.65	35.48	34.84	39.98	39.56	36.61	39.90
2016/4/3	3.50	43.32	43.14	37.06	41.86	31.86	42.09	36.60	42.79	41.03	40.63	36.73	36.32	40.45	35.66	35.51	34.87	39.97	39.55	36.59	39.89
2016/4/4	19.50	43.26	43.07	37.08	41.88	31.91	42.12	36.63	42.82	41.06	40.68	36.77	36.36	40.48	35.71	35.56	34.92	40.01	39.58	36.65	39.93
2016/4/5	2.50	43.23	43.05	37.07	41.88	31.90	42.12	36.62	42.82	41.08	40.68	36.77	36.36	40.50	35.70	35.54	34.90	40.05	39.62	36.65	39.97
2016/4/6	0.00	43.23	43.04	37.06	41.86	31.88	42.11	36.61	42.81	41.06	40.66	36.75	36.34	40.50	35.68	35.51	34.87	40.04	39.62	36.63	39.96
2016/4/7	27.00	43.23	43.05	37.07	41.91	31.90	42.13	36.62	42.84	41.10	40.71	36.78	36.36	40.53	35.71	35.55	34.90	40.08	39.65	36.71	40.00
2016/4/8	0.00	43.27	43.09	37.06	41.95	31.91	42.19	36.61	42.88	41.16	40.75	36.79	36.38	40.60	35.72	35.57	34.92	40.17	39.74	36.71	40.10
2016/4/9	0.00	43.37	43.19	37.06	41.97	31.89	42.19	36.61	42.88	41.15	40.74	36.79	36.38	40.61	35.72	35.57	34.92	40.18	39.76	36.72	40.12
2016/4/10	0.00	43.42	43.24	37.11	41.99	31.92	42.21	36.65	42.89	41.15	40.73	36.81	36.40	40.60	35.74	35.60	34.96	40.18	39.76	36.73	40.11
2016/4/11	0.00	43.33	43.14	37.10	41.96	31.92	42.19	36.65	42.88	41.14	40.72	36.82	36.41	40.59	35.75	35.60	34.96	40.16	39.75	36.73	40.09
2016/4/12	0.00	43.29	43.10	37.06	41.92	31.89	42.16	36.61	42.86	41.12	40.71	36.80	36.39	40.58	35.73	35.57	34.92	40.14	39.72	36.69	40.06
2016/4/13	0.00	43.26	43.08	37.08	41.91	31.89	42.15	36.63	42.85	41.10	40.70	36.80	36.39	40.57	35.73	35.57	34.92	40.13	39.71	36.67	40.05
2016/4/14	21.50	43.28	43.10	37.10	41.96	31.92	42.19	36.65	42.88	41.15	40.75	36.83	36.42	40.61	35.76	35.61	34.97	40.17	39.75	36.76	40.12
2016/4/15	0.00	43.28	43.10	37.06	41.95	31.89	42.19	36.62	42.88	41.15	40.74	36.82	36.41	40.62	35.75	35.59	34.94	40.20	39.78	36.72	40.14
2016/4/16	0.00	43.37	43.20	37.05	41.96	31.86	42.19	36.60	42.88	41.14	40.73	36.79	36.38	40.61	35.72	35.57	34.92	40.19	39.77	36.71	40.13
2016/4/17	6.00	43.43	43.24	37.12	41.99	31.91	42.22	36.67	42.90	41.16	40.74	36.83	36.42	40.61	35.77	35.63	34.99	40.19	39.77	36.73	40.12
2016/4/18	0.00	43.35	43.16	37.10	41.97	31.92	42.21	36.65	42.89	41.15	40.74	36.84	36.43	40.60	35.77	35.63	34.98	40.18	39.76	36.74	40.11
2016/4/19	0.00	43.30	43.11	37.06	41.93	31.89	42.18	36.61	42.87	41.13	40.72	36.81	36.40	40.59	35.74	35.59	34.94	40.16	39.75	36.72	40.10
2016/4/20	0.00	43.28	43.10	37.06	41.91	31.85	42.16	36.61	42.85	41.12	40.71	36.79	36.38	40.58	35.72	35.56	34.92	40.15	39.73	36.71	40.09
2016/4/21	4.00	43.27	43.08	37.05	41.90	31.86	42.16	36.60	42.85	41.11	40.70	36.80	36.39	40.57	35.73	35.59	34.94	40.14	39.73	36.71	40.08
2016/4/22	0.00	43.27	43.08	37.03	41.90	31.88	42.15	36.58	42.84	41.11	40.70	36.80	36.39	40.57	35.74	35.60	34.95	40.13	39.72	36.73	40.08
2016/4/23	0.00	43.35	43.17	37.01	41.91	31.85	42.15	36.56	42.84	41.10	40.69	36.78	36.37	40.55	35.71	35.55	34.91	40.12	39.70	36.71	40.05
2016/4/24	5.50	43.39	43.21	37.04	41.93	31.86	42.16	36.59	42.85	41.10	40.69	36.77	36.36	40.54	35.71	35.55	34.91	40.10	39.69	36.74	40.04
2016/4/25	0.00	43.30	43.11	37.01	41.90	31.85	42.15	36.56	42.84	41.10	40.69	36.76	36.35	40.54	35.69	35.55	34.91	40.10	39.68	36.71	40.03
2016/4/26	0.00	43.26	43.07	37.00	41.88	31.85	42.13	36.55	42.83	41.08	40.68	36.77	36.36	40.53	35.70	35.55	34.90	40.09	39.67	36.70	40.03
2016/4/27	0.50	43.24	43.05	37.02	41.87	31.85	42.12	36.57	42.81	41.07	40.67	36.76	36.35	40.52	35.69	35.54	34.89	40.08	39.67	36.70	40.03
2016/4/28	21.00	43.24	43.06	37.04	41.90	31.88	42.14	36.60	42.83	41.10	40.70	36.78	36.38	40.54	35.72	35.57	34.92	40.10	39.68	36.73	40.04
2016/4/29	0.00	43.35	43.17	37.04	41.94	31.88	42.17	36.59	42.86	41.13	40.73	36.78	36.38	40.58	35.72	35.56	34.92	40.15	39.73	36.71	40.09
2016/4/30	0.00	43.39	43.21	37.02	41.94	31.85	42.18	36.57	42.86	41.12	40.71	36.76	36.35	40.58	35.69	35.53	34.88	40.14	39.73	36.69	40.09
2016/5/1	0.00	43.41	43.22	37.04	41.95	31.86	42.18	36.59	42.87	41.12	40.71	36.76	36.35	40.57	35.69	35.55	34.90	40.13	39.72	36.69	40.07
2016/5/2	0.00	43.31	43.11	37.02	41.91	31.84	42.16	36.57	42.85	41.11	40.70	36.75	36.35	40.56	35.69	35.54	34.89	40.12	39.70	36.67	40.05
2016/5/3	0.00	43.36	43.18	37.03	41.91	31.85	42.15	36.57	42.84	41.10	40.69	36.76	36.36	40.55	35.70	35.55	34.90	40.10	39.69	36.66	40.03
2016/5/4	10.00	43.39	43.21	37.09	41.94	31.90	42.17	36.63	42.86	41.11	40.71	36.79	36.39	40.56	35.73	35.59	34.95	40.11	39.69	36.70	

平成28年度 地下水位観測結果(11/25)

凡 例
■ : 未観測
□ : 欠測
単位: 降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 線馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2016/8/1	2.50	43.31	43.14	37.04	41.98	31.89	42.20	36.59	42.87	41.17	40.74	36.82	36.42	40.61	35.77	35.67	35.03	40.22	39.82	36.70	40.18
2016/8/2	1.00	43.26	43.10	37.05	41.95	31.90	42.17	36.59	42.85	41.15	40.72	36.82	36.42	40.59	35.76	35.66	35.02	40.20	39.80	36.69	40.17
2016/8/3	8.50	43.25	43.09	37.06	41.97	31.88	42.18	36.60	42.85	41.16	40.73	36.82	36.42	40.59	35.76	35.64	35.01	40.19	39.79	36.69	40.17
2016/8/4	0.00	43.25	43.09	37.01	41.95	31.84	42.17	36.56	42.84	41.15	40.72	36.80	36.40	40.58	35.74	35.63	34.99	40.18	39.79	36.67	40.16
2016/8/5	0.00	43.23	43.07	36.99	41.93	31.82	42.15	36.53	42.83	41.13	40.71	36.79	36.39	40.57	35.73	35.61	34.97	40.17	39.77	36.66	40.14
2016/8/6	0.00	43.31	43.16	36.99	41.94	31.80	42.15	36.54	42.82	41.12	40.69	36.77	36.38	40.55	35.72	35.60	34.96	40.15	39.75	36.64	40.12
2016/8/7	0.00	43.35	43.19	37.01	41.95	31.80	42.15	36.55	42.83	41.11	40.69	36.77	36.37	40.54	35.71	35.60	34.96	40.13	39.73	36.63	40.10
2016/8/8	0.00	43.26	43.10	37.02	41.91	31.82	42.14	36.56	42.82	41.10	40.68	36.77	36.37	40.53	35.71	35.61	34.97	40.12	39.72	36.67	40.08
2016/8/9	0.00	43.21	43.04	37.07	41.86	31.82	42.10	36.61	42.79	41.08	40.67	36.76	36.37	40.51	35.71	35.59	34.95	40.10	39.69	36.63	40.06
2016/8/10	0.00	43.19	43.02	37.03	41.83	31.78	42.08	36.57	42.77	41.06	40.65	36.73	36.33	40.50	35.67	35.54	34.90	40.07	39.67	36.59	40.04
2016/8/11	0.00	43.25	43.10	37.02	41.84	31.77	42.07	36.56	42.77	41.04	40.64	36.71	36.31	40.48	35.65	35.52	34.88	40.05	39.65	36.55	40.02
2016/8/12	0.00	43.28	43.12	36.98	41.84	31.76	42.07	36.52	42.77	41.03	40.63	36.70	36.30	40.47	35.64	35.52	34.88	40.04	39.63	36.53	40.00
2016/8/13	0.00	43.29	43.13	37.01	41.84	31.78	42.06	36.55	42.76	41.02	40.62	36.70	36.30	40.46	35.64	35.52	34.88	40.02	39.62	36.53	39.98
2016/8/14	0.00	43.28	43.12	37.11	41.83	31.80	42.06	36.63	42.76	41.02	40.62	36.71	36.31	40.45	35.65	35.53	34.89	40.01	39.60	36.52	39.97
2016/8/15	2.00	43.28	43.12	37.13	41.83	31.83	42.05	36.66	42.75	41.01	40.61	36.72	36.32	40.43	35.66	35.54	34.91	39.99	39.59	36.52	39.95
2016/8/16	48.50	43.18	43.01	37.10	41.81	31.85	42.04	36.64	42.74	41.01	40.62	36.72	36.33	40.43	35.67	35.54	34.91	39.99	39.58	36.58	39.96
2016/8/17	6.00	43.22	43.08	37.11	41.97	31.87	42.18	36.65	42.86	41.18	40.78	36.76	36.37	40.58	35.71	35.59	34.95	40.20	39.78	36.69	40.20
2016/8/18	21.50	43.23	43.08	37.07	41.95	31.85	42.18	36.61	42.86	41.18	40.77	36.78	36.38	40.62	35.72	35.59	34.95	40.25	39.84	36.67	40.20
2016/8/19	1.00	43.25	43.09	37.03	41.96	31.85	42.20	36.57	42.88	41.20	40.78	36.80	36.40	40.65	35.74	35.62	34.98	40.30	39.89	36.69	40.30
2016/8/20	66.00	43.39	43.25	37.08	42.10	31.89	42.30	36.61	42.98	41.31	40.93	36.84	36.45	40.76	35.78	35.68	35.03	40.45	40.03	36.81	40.49
2016/8/21	0.00	43.56	43.42	37.20	42.27	31.95	42.50	36.73	43.13	41.51	41.06	36.94	36.53	41.00	35.87	35.80	35.16	40.83	40.43	36.91	40.89
2016/8/22	145.50	43.73	43.62	37.32	42.65	32.06	42.88	36.83	43.54	41.96	41.58	37.10	36.69	41.46	36.03	36.00	35.34	41.58	41.06	37.33	41.62
2016/8/23	4.00	44.22	44.11	37.50	43.15	32.20	43.55	37.01	44.08	42.67	42.01	37.43	37.00	42.05	36.34	36.39	35.69	42.62	42.19	37.64	42.58
2016/8/24	2.00	44.34	44.20	37.62	43.15	32.29	43.56	37.12	44.07	42.62	41.89	37.66	37.23	41.96	36.57	36.59	35.90	42.42	42.07	37.86	42.46
2016/8/25	0.00	44.35	44.21	37.65	43.09	32.36	43.49	37.16	44.01	42.50	41.77	37.76	37.33	41.85	36.68	36.68	36.00	42.20	41.87	37.95	42.24
2016/8/26	0.00	44.31	44.15	37.66	43.02	32.40	43.39	37.18	43.93	42.38	41.66	37.80	37.38	41.74	36.73	36.70	36.04	42.01	41.68	37.99	42.03
2016/8/27	11.50	44.36	44.20	37.70	42.96	32.44	43.30	37.22	43.86	42.27	41.58	37.80	37.39	41.65	36.74	36.69	36.04	41.84	41.51	38.01	41.84
2016/8/28	6.00	44.36	44.19	37.76	42.92	32.48	43.25	37.28	43.82	42.19	41.52	37.81	37.40	41.60	36.75	36.69	36.05	41.72	41.39	37.96	41.71
2016/8/29	21.00	44.28	44.11	37.79	42.90	32.54	43.22	37.32	43.81	42.17	41.51	37.82	37.42	41.58	36.77	36.71	36.07	41.68	41.34	37.99	41.67
2016/8/30	45.50	44.34	44.17	37.85	43.00	32.62	43.33	37.37	43.93	42.29	41.67	37.88	37.47	41.69	36.83	36.76	36.12	41.89	41.53	38.14	41.91
2016/8/31	0.00	44.38	44.21	37.90	43.01	32.61	43.37	37.42	43.97	42.34	41.70	37.90	37.49	41.75	36.84	36.79	36.14	42.05	41.71	38.07	42.04
2016/9/1	0.00	44.36	44.19	37.88	42.96	32.60	43.33	37.41	43.93	42.28	41.62	37.91	37.50	41.71	36.85	36.80	36.15	41.97	41.63	38.06	41.94
2016/9/2	0.00	44.34	44.16	37.91	42.92	32.61	43.27	37.43	43.88	42.21	41.56	37.92	37.50	41.65	36.86	36.79	36.15	41.85	41.51	38.06	41.81
2016/9/3	0.00	44.40	44.22																		

平成28年度 地下水位観測結果(12/25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T.P.m)	

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2016/12/1	10.00	43.75	43.56	37.72	42.19	32.60	42.49	37.28	43.23	41.39	40.91	37.23	36.81	40.76	36.17	35.97	35.34	40.43	40.03	37.06	40.39
2016/12/2	0.00	43.76	43.56	37.68	42.18	32.59	42.49	37.24	43.22	41.38	40.90	37.22	36.81	40.75	36.16	35.96	35.32	40.43	40.04	37.05	40.39
2016/12/3	0.00	43.84	43.64	37.67	42.19	32.56	42.48	37.23	43.22	41.37	40.89	37.21	36.79	40.73	36.15	35.94	35.30	40.41	40.02	37.03	40.37
2016/12/4	1.00	43.87	43.68	37.71	42.20	32.59	42.50	37.26	43.23	41.37	40.89	37.22	36.80	40.72	36.16	35.96	35.33	40.39	40.00	37.03	40.35
2016/12/5	2.00	43.78	43.57	37.71	42.18	32.61	42.49	37.27	43.22	41.37	40.88	37.24	36.82	40.71	36.18	35.98	35.35	40.38	39.99	37.04	40.34
2016/12/6	0.00	43.74	43.54	37.69	42.16	32.61	42.46	37.25	43.19	41.35	40.87	37.24	36.82	40.71	36.18	35.97	35.33	40.36	39.97	37.04	40.32
2016/12/7	0.00	43.70	43.50	37.69	42.13	32.57	42.43	37.25	43.17	41.33	40.86	37.21	36.79	40.70	36.15	35.92	35.29	40.34	39.95	37.02	40.29
2016/12/8	0.00	43.69	43.49	37.66	42.11	32.56	42.42	37.23	43.16	41.31	40.84	37.19	36.78	40.69	36.13	35.91	35.27	40.33	39.93	37.01	40.27
2016/12/9	0.00	43.67	43.47	37.64	42.10	32.56	42.40	37.20	43.14	41.30	40.84	37.18	36.77	40.68	36.12	35.90	35.27	40.31	39.92	36.99	40.26
2016/12/10	0.00	43.76	43.56	37.62	42.11	32.52	42.40	37.18	43.14	41.28	40.82	37.16	36.74	40.66	36.10	35.88	35.24	40.29	39.90	36.99	40.24
2016/12/11	0.00	43.79	43.59	37.64	42.11	32.50	42.40	37.20	43.15	41.28	40.82	37.14	36.72	40.65	36.08	35.86	35.23	40.27	39.87	36.98	40.21
2016/12/12	0.00	43.70	43.50	37.62	42.08	32.49	42.39	37.17	43.14	41.27	40.81	37.13	36.72	40.64	36.07	35.85	35.22	40.25	39.86	36.96	40.19
2016/12/13	2.50	43.65	43.45	37.62	42.06	32.51	42.37	37.18	43.12	41.26	40.80	37.14	36.73	40.63	36.08	35.86	35.23	40.24	39.84	36.94	40.18
2016/12/14	29.50	43.69	43.50	37.69	42.15	32.56	42.44	37.24	43.19	41.34	40.90	37.17	36.76	40.70	36.11	35.90	35.27	40.32	39.92	37.01	40.28
2016/12/15	0.00	43.70	43.50	37.66	42.14	32.53	42.44	37.22	43.18	41.35	40.88	37.16	36.74	40.73	36.09	35.88	35.24	40.36	39.96	36.99	40.32
2016/12/16	0.00	43.69	43.49	37.64	42.12	32.52	42.43	37.20	43.16	41.33	40.87	37.17	36.75	40.72	36.10	35.88	35.24	40.36	39.96	36.98	40.30
2016/12/17	0.00	43.78	43.58	37.64	42.12	32.50	42.42	37.19	43.15	41.31	40.85	37.15	36.73	40.70	36.07	35.86	35.22	40.33	39.94	36.96	40.28
2016/12/18	0.00	43.80	43.60	37.67	42.13	32.49	42.42	37.22	43.16	41.30	40.84	37.14	36.72	40.69	36.07	35.85	35.22	40.31	39.91	36.92	40.25
2016/12/19	0.00	43.70	43.50	37.65	42.10	32.50	42.41	37.20	43.14	41.29	40.83	37.14	36.73	40.67	36.07	35.87	35.23	40.29	39.90	36.93	40.23
2016/12/20	0.00	43.66	43.46	37.61	42.07	32.50	42.38	37.17	43.12	41.27	40.81	37.14	36.72	40.66	36.07	35.86	35.22	40.27	39.88	36.90	40.21
2016/12/21	0.00	43.66	43.46	37.59	42.05	32.47	42.36	37.15	43.10	41.25	40.80	37.11	36.70	40.64	36.04	35.82	35.18	40.25	39.85	36.88	40.19
2016/12/22	12.00	43.74	43.54	37.60	42.08	32.48	42.36	37.15	43.11	41.25	40.80	37.11	36.70	40.63	36.04	35.82	35.18	40.24	39.84	36.88	40.18
2016/12/23	10.00	43.80	43.60	37.66	42.14	32.53	42.42	37.21	43.17	41.31	40.86	37.15	36.73	40.67	36.08	35.87	35.24	40.29	39.89	36.96	40.25
2016/12/24	0.00	43.80	43.60	37.64	42.13	32.49	42.42	37.19	43.15	41.29	40.83	37.12	36.70	40.66	36.05	35.82	35.18	40.29	39.89	36.94	40.24
2016/12/25	0.00	43.79	43.59	37.66	42.11	32.48	42.40	37.21	43.14	41.28	40.82	37.10	36.68	40.64	36.02	35.81	35.17	40.27	39.87	36.88	40.22
2016/12/26	0.00	43.79	43.59	37.69	42.11	32.51	42.40	37.24	43.14	41.27	40.81	37.12	36.70	40.63	36.05	35.84	35.20	40.25	39.85	36.89	40.20
2016/12/27	10.00	43.81	43.61	37.69	42.12	32.58	42.41	37.24	43.15	41.28	40.82	37.16	36.75	40.63	36.10	35.89	35.25	40.25	39.85	36.92	40.20
2016/12/28	0.00	43.79	43.59	37.65	42.10	32.54	42.39	37.21	43.13	41.26	40.81	37.12	36.70	40.62	36.05	35.82	35.18	40.23	39.83	36.90	40.19
2016/12/29	0.00	43.79	43.58	37.66	42.10	32.52	42.39	37.22	43.13	41.26	40.80	37.11	36.70	40.61	36.05	35.81	35.18	40.22	39.83	36.87	40.18
2016/12/30	0.00	43.77	43.57	37.65	42.08	32.51	42.37	37.21	43.11	41.24	40.79	37.10	36.68	40.60	36.03	35.80	35.16	40.21	39.81	36.84	40.16
2016/12/31	0.00	43.77	43.56	37.66	42.08	32.51	42.37	37.21	43.11	41.24	40.78	37.09	36.67	40.59	36.02	35.80	35.16	40.20	39.80	36.83	40.15
2017/1/1	0.00	43.76	43.56	37.67	42.06	32.54	42.36	37.23	43.10	41.23	40.78	37.10	36.68	40.58	36.04	35.82	35.19	40.18	39.78	36.82	40.13
2017/1/2	0.00	43.75	43.55	37.71	42.06	32.59	42.35	37.26	43.10	41.22	40.77	37.13	36.72	40.57	36.07	35.85	35.23	40.17	39.77	36.83	40.12
2017/1/3	0.00	43.75	43.55	37.73	42.05	32.63	42.34	37.29	43.09	41.21	40.77	37.14	36.72	40.56	36.08	35.86	35.2				

平成28年度 地下水位観測結果(13／25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T.P.m)	

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2016/4/1	0.00	38.28	38.26	28.77	37.14	29.09	34.81	37.06	31.89	34.30	36.81	36.44	35.44	37.24	34.42	37.06	34.25	32.85	32.70
2016/4/2	1.00	38.27	38.25	28.76	37.13	29.07	34.75	37.05	31.88	34.24	36.80	36.42	35.43	37.23	34.32	37.05	34.14	32.84	32.67
2016/4/3	3.50	38.26	38.24	28.79	37.12	29.11	34.77	37.04	31.95	34.27	36.79	36.41	35.43	37.22	34.38	37.04	34.21	32.83	32.67
2016/4/4	19.50	38.29	38.27	28.84	37.14	29.16	34.82	37.06	31.99	34.31	36.80	36.43	35.46	37.24	34.44	37.05	34.27	32.91	32.73
2016/4/5	2.50	38.33	38.31	28.84	37.17	29.15	34.84	37.08	31.95	34.33	36.83	36.46	35.47	37.27	34.45	37.07	34.28	32.93	32.75
2016/4/6	0.00	38.33	38.28	28.80	37.16	29.12	34.69	37.08	31.90	34.20	36.83	36.46	35.45	37.26	34.23	37.07	34.02	32.90	32.73
2016/4/7	27.00	38.37	38.22	28.83	37.17	29.14	34.90	37.09	31.94	34.39	36.84	36.50	35.49	37.28	34.56	37.08	34.42	32.96	32.81
2016/4/8	0.00	38.46	38.39	28.84	37.27	29.16	35.01	37.16	31.96	34.48	36.90	36.58	35.56	37.35	34.65	37.12	34.51	32.98	32.88
2016/4/9	0.00	38.47	38.48	28.81	37.31	29.13	35.04	37.19	31.95	34.51	36.93	36.61	35.57	37.37	34.69	37.14	34.55	32.93	32.86
2016/4/10	0.00	38.48	38.48	28.85	37.31	29.17	35.06	37.19	32.02	34.53	36.94	36.63	35.58	37.37	34.71	37.14	34.58	32.90	32.84
2016/4/11	0.00	38.46	38.41	28.86	37.30	29.17	35.03	37.19	32.00	34.50	36.94	36.62	35.56	37.36	34.67	37.14	34.53	32.87	32.82
2016/4/12	0.00	38.44	38.41	28.82	37.27	29.13	35.05	37.17	31.94	34.52	36.92	36.60	35.57	37.34	34.70	37.12	34.58	32.86	32.83
2016/4/13	0.00	38.42	38.41	28.81	37.26	29.13	35.03	37.16	31.96	34.50	36.91	36.60	35.54	37.32	34.69	37.12	34.56	32.85	32.82
2016/4/14	21.50	38.48	38.54	28.84	37.31	29.16	35.05	37.19	32.00	34.53	36.94	36.64	35.59	37.37	34.71	37.14	34.57	32.94	32.90
2016/4/15	0.00	38.50	38.56	28.82	37.34	29.14	35.08	37.21	31.97	34.56	36.96	36.66	35.60	37.38	34.74	37.15	34.61	32.92	32.90
2016/4/16	0.00	38.50	38.59	28.80	37.34	29.11	35.08	37.21	31.96	34.55	36.96	36.67	35.59	37.38	34.73	37.15	34.60	32.89	32.88
2016/4/17	6.00	38.50	38.56	28.86	37.33	29.17	35.09	37.21	32.07	34.57	36.97	36.68	35.60	37.38	34.75	37.16	34.62	32.87	32.88
2016/4/18	0.00	38.49	38.54	28.87	37.33	29.18	35.08	37.21	32.05	34.56	36.96	36.67	35.59	37.38	34.73	37.15	34.60	32.86	32.87
2016/4/19	0.00	38.47	38.58	28.83	37.32	29.14	35.06	37.20	31.99	34.54	36.95	36.65	35.58	37.37	34.72	37.15	34.59	32.85	32.85
2016/4/20	0.00	38.45	38.62	28.79	37.32	29.10	35.04	37.20	31.97	34.52	36.95	36.63	35.57	37.38	34.69	37.12	34.57	32.84	32.82
2016/4/21	4.00	38.45	38.67	28.80	37.33	29.11	35.04	37.21	32.00	34.52	36.95	36.64	35.58	37.38	34.68	37.10	34.56	32.83	32.81
2016/4/22	0.00	38.44	38.60	28.81	37.32	29.12	35.05	37.21	32.01	34.53	36.95	36.63	35.58	37.38	34.69	37.10	34.57	32.83	32.80
2016/4/23	0.00	38.42	38.50	28.76	37.28	29.07	35.02	37.18	31.96	34.50	36.93	36.60	35.54	37.36	34.66	37.08	34.55	32.82	32.78
2016/4/24	5.50	38.41	38.53	28.77	37.29	29.09	35.01	37.18	31.99	34.49	36.92	36.59	35.55	37.35	34.66	37.08	34.54	32.82	32.78
2016/4/25	0.00	38.40	38.53	28.77	37.28	29.08	35.00	37.17	31.97	34.48	36.92	36.58	35.54	37.36	34.65	37.08	34.53	32.82	32.77
2016/4/26	0.00	38.39	38.62	28.75	37.28	29.06	35.00	37.17	31.95	34.48	36.92	36.57	35.54	37.36	34.64	37.08	34.53	32.81	32.77
2016/4/27	0.50	38.38	38.65	28.73	37.29	29.04	35.00	37.18	31.94	34.48	36.92	36.56	35.55	37.36	34.64	37.08	34.53	32.81	32.77
2016/4/28	21.00	38.40	38.54	28.77	37.29	29.08	35.02	37.18	31.98	34.50	36.93	36.58	35.56	37.38	34.66	37.09	34.55	32.85	32.83
2016/4/29	0.00	38.45	38.58	28.78	37.33	29.09	35.04	37.21	31.97	34.52	36.96	36.62	35.59	37.40	34.68	37.11	34.57	32.90	32.86
2016/4/30	0.00	38.45	38.58	28.75	37.33	29.06	35.03	37.21	31.92	34.51	36.96	36.62	35.58	37.40	34.67	37.11	34.56	32.87	32.84
2016/5/1	0.00	38.43	38.56	28.75	37.32	29.07	35.03	37.20	31.98	34.51	36.95	36.61	35.57	37.39	34.67	37.10	34.56	32.84	32.82
2016/5/2	0.00	38.41	38.54	28.75	37.30	29.06	35.01	37.19	31.95	34.49	36.94	36.59	35.56	37.38	34.66	37.09	34.54	32.83	32.80
2016/5/3	0.00	38.40	38.52	28.76	37.28	29.07	35.01	37.18	31.97	34.48	36.93	36.57	35.55	37.37	34.65	37.08	34.54	32.82	32.80
2016/5/4	10.00	38.40	38.53	28.83	37.28	29.14	35.02	37.18	32.03	34.50	36.93	36.58	35.56	37.37	34.66	37.08	34.55	32.83	32.82
2016/5/5	0.00	38.39	38.52	28.83	37.28	29.14	35.01	37.17	32.00	34.48	36.92	36.56	35.55	37.37	34.65	37.08	34.54	32.83	32.81
2016/5/6	1.00	38.37	38.55	28.80	37.27	29.11	34.99	37.16	31.95	34.47	36.91	36.54	35.54	37.36	34.63	37.07	34.52	32.82	32.79
2016/5/7	0.00	38.37	38.49	28.82	37.26	29.13	34.99	37.16	31.97	34.47	36.91	36.54	35.53	37.35	34.64	37.07	34.52	32.81	32.79
2016/5/8	0.00	38.34	38.47	28.80	37.24	29.11	34.97	37.14	31.98	34.44	36.89	36.51	35.51	37.34	34.61	37.06	34.50	32.80	32.76
2016/5/9	13.00	38.33	38.46	28.79	37.23	29.10	34.96	37.13	31.96	34.44	36.88	36.50	35.51	37.33	34.61	37.05	34.49	32.80	32.76
2016/5/10	4.00	38.38	38.54	28.80	37.26	29.11	34.99	37.16	31.98	34.47									

平成28年度 地下水位観測結果(14／25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T.P.m)	

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2016/8/1	2.50	38.59	38.89	28.80	37.48	29.12	35.17	37.32	32.13	34.64	37.08	36.88	35.68	37.52	34.81	37.21	34.66	32.87	32.88
2016/8/2	1.00	38.56	38.88	28.79	37.47	29.10	35.10	37.32	32.11	34.58	37.07	36.85	35.65	37.52	34.72	37.21	34.56	32.88	32.88
2016/8/3	8.50	38.56	38.87	28.77	37.46	29.09	35.14	37.31	32.09	34.61	37.06	36.84	35.65	37.52	34.78	37.20	34.64	32.88	32.87
2016/8/4	0.00	38.55	38.86	28.76	37.45	29.07	35.13	37.30	32.08	34.60	37.05	36.82	35.64	37.51	34.77	37.20	34.63	32.86	32.84
2016/8/5	0.00	38.53	38.83	28.73	37.43	29.04	35.11	37.29	32.05	34.57	37.04	36.80	35.62	37.50	34.75	37.19	34.60	32.85	32.82
2016/8/6	0.00	38.50	38.81	28.71	37.41	29.02	35.07	37.27	32.04	34.54	37.02	36.77	35.60	37.48	34.71	37.17	34.56	32.87	32.80
2016/8/7	0.00	38.48	38.79	28.71	37.39	29.02	35.06	37.25	32.07	34.53	37.00	36.74	35.59	37.47	34.70	37.16	34.55	32.87	32.78
2016/8/8	0.00	38.46	38.77	28.72	37.38	29.04	35.04	37.24	32.06	34.52	36.99	36.73	35.58	37.45	34.68	37.15	34.53	32.85	32.77
2016/8/9	0.00	38.44	38.75	28.69	37.36	29.01	35.02	37.22	32.03	34.49	36.98	36.69	35.57	37.44	34.66	37.15	34.51	32.84	32.77
2016/8/10	0.00	38.41	38.72	28.64	37.33	28.96	35.00	37.20	31.98	34.47	36.96	36.66	35.55	37.43	34.65	37.13	34.50	32.83	32.75
2016/8/11	0.00	38.39	38.70	28.63	37.32	28.94	35.00	37.19	31.97	34.47	36.94	36.64	35.54	37.41	34.64	37.12	34.50	32.82	32.73
2016/8/12	0.00	38.37	38.68	28.64	37.30	28.96	34.98	37.18	31.97	34.45	36.93	36.61	35.53	37.40	34.63	37.12	34.49	32.82	32.72
2016/8/13	0.00	38.35	38.66	28.66	37.28	28.98	34.97	37.16	31.98	34.44	36.91	36.59	35.52	37.39	34.62	37.11	34.48	32.82	32.72
2016/8/14	0.00	38.34	38.64	28.69	37.27	29.01	34.97	37.15	32.02	34.44	36.90	36.57	35.51	37.38	34.61	37.10	34.47	32.82	32.71
2016/8/15	2.00	38.32	38.63	28.72	37.25	29.04	34.96	37.14	32.03	34.43	36.89	36.55	35.50	37.37	34.61	37.09	34.48	32.82	32.71
2016/8/16	48.50	38.32	38.63	28.74	37.25	29.06	34.98	37.14	32.02	34.44	36.88	36.54	35.52	37.37	34.63	37.09	34.49	32.83	32.75
2016/8/17	6.00	38.58	38.87	28.77	37.43	29.09	35.10	37.26	32.05	34.57	37.00	36.73	35.65	37.51	34.75	37.18	34.62	32.98	32.93
2016/8/18	21.50	38.62	38.93	28.75	37.49	29.07	35.16	37.30	32.03	34.62	37.04	36.81	35.68	37.53	34.81	37.20	34.67	32.94	32.95
2016/8/19	1.00	38.68	38.99	28.77	37.54	29.09	35.21	37.34	32.07	34.67	37.09	36.88	35.71	37.57	34.87	37.23	34.73	32.96	32.98
2016/8/20	66.00	38.88	39.20	28.81	37.69	29.13	35.31	37.45	32.12	34.77	37.19	37.06	35.85	37.67	34.96	37.31	34.82	33.26	33.12
2016/8/21	0.00	39.31	39.63	28.90	38.03	29.21	35.56	37.69	32.25	35.03	37.45	37.49	36.03	37.87	35.19	37.46	35.04	33.14	33.27
2016/8/22	145.50	40.03	40.31	29.03	38.52	29.35	35.86	38.07	32.38	35.33	37.83	38.03	36.38	38.13	35.49	37.70	35.34	33.59	33.60
2016/8/23	4.00	41.08	41.28	29.21	39.24	29.52	36.49	38.58	32.63	35.97	38.41	38.97	36.82	38.38	36.07	37.99	35.89	33.30	33.91
2016/8/24	2.00	41.01	41.25	29.36	39.21	29.68	36.54	38.55	32.84	36.03	38.40	39.12	36.84	38.35	36.07	37.97	35.87	33.09	33.92
2016/8/25	0.00	40.85	41.10	29.47	39.13	29.78	36.54	38.49	32.97	36.03	38.34	39.11	36.80	38.34	36.08	37.93	35.88	33.01	33.88
2016/8/26	0.00	40.68	40.92	29.52	39.04	29.84	36.44	38.42	33.04	35.94	38.27	39.05	36.74	38.30	35.96	37.90	35.75	32.98	33.83
2016/8/27	11.50	40.51	40.75	29.56	38.94	29.87	36.32	38.36	33.07	35.83	38.20	38.96	36.67	38.25	35.83	37.85	35.62	32.98	33.80
2016/8/28	6.00	40.38	40.62	29.60	38.86	29.91	36.35	38.30	33.13	35.85	38.14	38.88	36.63	38.22	35.90	37.82	35.71	32.98	33.80
2016/8/29	21.00	40.33	40.58	29.66	38.83	29.97	36.32	38.29	33.14	35.82	38.13	38.83	36.62	38.22	35.87	37.82	35.68	33.04	33.83
2016/8/30	45.50	40.54	40.79	29.71	38.96	30.03	36.39	38.42	33.20	35.89	38.25	38.93	36.73	38.31	35.94	37.90	35.74	33.27	33.98
2016/8/31	0.00	40.71	40.94	29.71	39.07	30.03	36.46	38.48	33.20	35.97	38.33	39.08	36.79	38.31	35.97	37.94	35.76	33.14	34.05
2016/9/1	0.00	40.64	40.87	29.71	39.04	30.02	36.38	38.44	33.21	35.89	38.29	39.09	36.75	38.30	35.86	37.91	35.62	33.00	34.00
2016/9/2	0.00	40.53	40.74	29.71	38.96	30.03	36.40	38.38	33.23	35.91	38.23	39.04	36.72	38.27	35.92	37.87	35.70	32.98	33.97
2016/9/3	0.00	40.40	40.62	29.72	38.88	30.03	36.43	38.32	33.24	35.93	38.17	38.96	36.68	38.23	35.97	37.84	35.77	32.96	33.95
2016/9/4	3.00	40.28	40.50	29.74	38.80	30.05	36.28	38.27	33.28	35.80	38.11	38.87	36.63	38.19	35.80	37.82	35.58	32.96	33.91
2016/9/5	0.00	40.16	40.38	29.74	38.72	30.05	36.32	38.22	33.24	35.82	38.05	38.77	36.59	38.14	35.88	37.78	35.69	32.95	33.90
2016/9/6	0.00	40.05	40.27	29.73	38.64	30.05	36.35	38.16	33.21	35.83	37.99	38.67	36.56	38.12	35.94	37.73	35.77	32.94	33.88
2016/9/7	7.00	39.95	40.18	29.72	38.57	30.03	36.29	38.10	33.19	35.77	37.93	38.57	36.52	38.09	35.88	37.68	35.71	32.94	33.86
2016/9/8	4.00	39.86	40.09	29.71	38.50	30.03	36.18	38.05	33.16	35.67	37.88	38.47	36.46	38.04	35.76	37.66	35.59	32.94	33.84
2016/9/9	0.00	39.76	40.00	29.70	38.44	30.01	36.12	38.											

平成28年度 地下水位観測結果(15／25)

凡 例	
	: 未観測
	: 欠測
単位: 降水量 (mm)	
地下水位 (T.P.m)	

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2016/12/1	10.00	38.79	39.11	29.33	37.70	29.65	35.40	37.36	32.43	34.87	37.15	37.07	35.85	37.54	35.06	37.25	34.93	32.93	33.24
2016/12/2	0.00	38.79	39.11	29.31	37.70	29.63	35.40	37.37	32.41	34.87	37.16	37.07	35.85	37.54	35.06	37.25	34.93	32.93	33.23
2016/12/3	0.00	38.77	39.09	29.29	37.69	29.61	35.37	37.35	32.39	34.84	37.15	37.06	35.83	37.52	35.04	37.24	34.90	32.90	33.20
2016/12/4	1.00	38.75	39.07	29.32	37.67	29.63	35.36	37.34	32.45	34.84	37.14	37.04	35.82	37.51	35.03	37.23	34.89	32.89	33.19
2016/12/5	2.00	38.73	39.06	29.34	37.66	29.65	35.37	37.33	32.46	34.84	37.13	37.02	35.82	37.50	35.04	37.23	34.90	32.88	33.19
2016/12/6	0.00	38.71	39.04	29.31	37.65	29.63	35.34	37.32	32.42	34.82	37.11	37.00	35.80	37.49	35.01	37.22	34.88	32.88	33.17
2016/12/7	0.00	38.69	39.01	29.27	37.63	29.59	35.33	37.30	32.36	34.80	37.10	36.97	35.79	37.48	34.99	37.21	34.86	32.87	33.14
2016/12/8	0.00	38.67	38.99	29.25	37.61	29.56	35.31	37.29	32.34	34.78	37.08	36.95	35.78	37.47	34.98	37.20	34.84	32.86	33.13
2016/12/9	0.00	38.66	38.97	29.25	37.60	29.56	35.29	37.27	32.35	34.77	37.07	36.93	35.77	37.46	34.96	37.19	34.83	32.86	33.12
2016/12/10	0.00	38.63	38.94	29.23	37.57	29.54	35.27	37.26	32.33	34.74	37.05	36.90	35.75	37.44	34.94	37.18	34.80	32.85	33.10
2016/12/11	0.00	38.61	38.92	29.22	37.55	29.53	35.24	37.24	32.34	34.71	37.04	36.87	35.73	37.43	34.91	37.17	34.78	32.85	33.08
2016/12/12	0.00	38.59	38.90	29.21	37.53	29.53	35.24	37.23	32.30	34.71	37.02	36.85	35.72	37.42	34.90	37.16	34.77	32.84	33.06
2016/12/13	2.50	38.57	38.88	29.22	37.52	29.53	35.24	37.22	32.31	34.69	37.01	36.83	35.72	37.41	34.89	37.15	34.76	32.84	33.06
2016/12/14	29.50	38.68	39.00	29.25	37.59	29.56	35.31	37.28	32.35	34.76	37.06	36.91	35.79	37.47	34.96	37.20	34.83	32.97	33.16
2016/12/15	0.00	38.71	39.03	29.22	37.63	29.53	35.33	37.30	32.30	34.79	37.08	36.95	35.80	37.47	34.98	37.22	34.85	32.95	33.15
2016/12/16	0.00	38.70	39.02	29.22	37.63	29.53	35.33	37.29	32.31	34.78	37.08	36.95	35.79	37.46	34.98	37.22	34.85	32.91	33.13
2016/12/17	0.00	38.68	38.99	29.19	37.61	29.50	35.30	37.27	32.29	34.76	37.06	36.92	35.77	37.44	34.95	37.20	34.82	32.89	33.10
2016/12/18	0.00	38.65	38.96	29.19	37.58	29.50	35.25	37.24	32.31	34.72	37.03	36.89	35.74	37.42	34.91	37.18	34.78	32.88	33.08
2016/12/19	0.00	38.63	38.94	29.20	37.56	29.51	35.27	37.23	32.31	34.72	37.02	36.87	35.74	37.41	34.92	37.17	34.79	32.87	33.07
2016/12/20	0.00	38.60	38.92	29.20	37.54	29.51	35.25	37.21	32.29	34.70	37.00	36.84	35.73	37.39	34.90	37.16	34.77	32.86	33.05
2016/12/21	0.00	38.58	38.89	29.16	37.53	29.47	35.22	37.19	32.25	34.67	36.98	36.82	35.71	37.38	34.87	37.15	34.74	32.85	33.03
2016/12/22	12.00	38.57	38.88	29.15	37.52	29.46	35.19	37.17	32.23	34.66	36.97	36.81	35.70	37.37	34.86	37.14	34.73	32.85	33.03
2016/12/23	10.00	38.63	38.95	29.21	37.56	29.52	35.24	37.20	32.32	34.70	37.00	36.85	35.75	37.40	34.90	37.16	34.77	32.94	33.10
2016/12/24	0.00	38.62	38.94	29.17	37.56	29.48	35.22	37.20	32.25	34.68	37.00	36.84	35.73	37.40	34.89	37.16	34.76	32.92	33.07
2016/12/25	0.00	38.60	38.92	29.15	37.54	29.46	35.20	37.18	32.26	34.66	36.98	36.82	35.71	37.38	34.86	37.15	34.73	32.89	33.04
2016/12/26	0.00	38.58	38.90	29.19	37.53	29.50	35.20	37.17	32.28	34.66	36.97	36.81	35.71	37.37	34.87	37.14	34.74	32.88	33.04
2016/12/27	10.00	38.58	38.89	29.24	37.52	29.55	35.21	37.17	32.33	34.66	36.97	36.81	35.70	37.37	34.87	37.14	34.74	32.88	33.05
2016/12/28	0.00	38.56	38.88	29.18	37.51	29.49	35.17	37.16	32.25	34.62	36.96	36.78	35.67	37.36	34.83	37.13	34.70	32.89	33.02
2016/12/29	0.00	38.55	38.87	29.18	37.50	29.49	35.16	37.15	32.26	34.62	36.95	36.77	35.67	37.35	34.82	37.12	34.69	32.88	33.01
2016/12/30	0.00	38.54	38.85	29.18	37.48	29.49	35.15	37.14	32.25	34.60	36.94	36.75	35.66	37.34	34.81	37.12	34.68	32.87	32.99
2016/12/31	0.00	38.52	38.84	29.19	37.47	29.50	35.13	37.13	32.27	34.59	36.93	36.74	35.65	37.33	34.79	37.11	34.67	32.86	32.98
2017/1/1	0.00	38.51	38.82	29.23	37.46	29.54	35.13	37.12	32.32	34.59	36.92	36.72	35.64	37.32	34.79	37.10	34.66	32.85	32.97
2017/1/2	0.00	38.49	38.81	29.28	37.45	29.59	35.13	37.11	32.36	34.59	36.91	36.71	35.64	37.31	34.79	37.10	34.66	32.84	32.96
2017/1/3	0.00	38.48	38.79	29.32	37.43	29.63	35.12	37.10	32.36	34.57	36.90	36.69	35.63	37.31	34.78	37.09	34.65	32.84	32.95
2017/1/4	0.00	38.46	38.78	29.34	37.42	29.65	35.11	37.09	32.35	34.56	36.89	36.67	35.62	37.30	34.77	37.09	34.64	32.84	32.94
2017/1/5	0.00	38.45	38.76	29.32	37.41	29.63	35.09	37.08	32.30	34.54	36.88	36.65	35.60	37.29	34.75	37.08	34.62	32.83	32.92
2017/1/6	0.00	38.43	38.74	29.29	37.39	29.60	35.08	37.07	32.26	34.53	36.87	36.63	35.60	37.28	34.74	37.07	34.61	32.83	32.91
2017/1/7	0.00	38.42	38.73	29.27	37.38	29.58	35.07	37.06	32.25	34.52	36.86	36.62	35.59	37.27	34.73	37.07	34.60	32.83	32.91
2017/1/8	18.00	38.41	38.72	29.29	37.37	29.60	35.06	37.06	32.31	34.52	36.85	36.61	35.59	37.27	34.73	37.06	34.60	32.83	32.91
2017/1/9	7.00	38.48	38.80	29.35	37.43	29.66	35.11	37.09	32.35	34.56	36.88	36.66	35.						

平成29年度 地下水位観測結果(16／25)

凡 例
：観測終了
空 欄：欠測
単位：降水量 (mm)
地下水位 (I.P.m)

年月日	アメダス 世田谷 降水量	地下水位																			
		世田谷区									狛江市	世田谷区	狛江市			世田谷区	狛江市	調布市			三鷹市
		W-1	W-2'	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2017/4/1	5.00	19.29	11.37	13.11	13.07	15.23	17.00	16.96	28.75	16.34	16.78	19.87	18.05	20.98	20.24	33.42	21.82	23.84	24.74	27.48	23.46
2017/4/2	0.00	19.29	11.38	13.12	13.08	15.24	17.01	16.97	28.76	16.35	16.79	19.87	18.06	20.97	20.24	33.42	21.81	23.83	24.73	27.48	23.47
2017/4/3	0.50	19.27	11.37	13.11	13.08	15.24	16.96	16.92	28.76	16.36	16.79	19.85	18.06	20.95	20.23	33.42	21.80	23.80	24.71	27.49	23.44
2017/4/4	0.00	19.24	11.37	13.10	13.08	15.25	16.92	16.87	28.77	16.36	16.79	19.82	18.06	20.93	20.21	33.42	21.78	23.75	24.67	27.50	23.35
2017/4/5	0.00	19.23	11.36	13.11	13.10	15.25	16.88	16.83	28.77	16.36	16.78	19.81	18.06	20.92	20.20	33.41	21.78	23.76	24.66	27.50	23.32
2017/4/6	0.00	19.21	11.36	13.11	13.09	15.25	16.87	16.83	28.77	16.36	16.78	19.80	18.06	20.92	20.19	33.41	21.78	23.78	24.68	27.51	23.34
2017/4/7	0.50	19.20	11.35	13.09	13.07	15.25	16.87	16.82	28.77	16.36	16.78	19.79	18.05	20.91	20.18	33.41	21.78	23.82	24.71	27.51	23.40
2017/4/8	3.50	19.20	11.35	13.09	13.07	15.25	16.85	16.80	28.77	16.36	16.78	19.79	18.05	20.91	20.17	33.41	21.78	23.82	24.71	27.51	23.43
2017/4/9	7.50	19.21	11.35	13.11	13.10	15.24	16.87	16.82	28.77	16.36	16.78	19.79	18.05	20.92	20.18	33.41	21.79	23.83	24.73	27.51	23.49
2017/4/10	0.00	19.20	11.35	13.12	13.13	15.25	16.86	16.82	28.77	16.36	16.78	19.79	18.05	20.91	20.18	33.41	21.77	23.74	24.65	27.51	23.36
2017/4/11	37.50	19.42	11.36	13.24	13.25	15.25	17.02	16.99	28.77	16.38	16.80	19.86	18.07	20.97	20.25	33.41	21.96	23.84	24.73	27.51	23.45
2017/4/12	0.50	19.51	11.41	13.34	13.36	15.29	17.27	17.25	28.79	16.45	16.87	20.06	18.12	21.10	20.40	33.41	21.95	23.90	24.75	27.52	23.51
2017/4/13	0.50	19.35	11.43	13.29	13.29	15.32	17.18	17.15	28.81	16.46	16.88	20.04	18.14	21.08	20.38	33.41	21.88	23.82	24.68	27.52	23.38
2017/4/14	0.00	19.31	11.43	13.26	13.24	15.34	17.13	17.10	28.82	16.47	16.89	19.99	18.14	21.06	20.35	33.41	21.85	23.81	24.66	27.53	23.34
2017/4/15	0.00	19.28	11.42	13.23	13.21	15.35	17.10	17.06	28.83	16.48	16.89	19.96	18.15	21.04	20.33	33.42	21.84	23.83	24.68	27.54	23.36
2017/4/16	0.00	19.26	11.41	13.20	13.18	15.35	17.05	17.01	28.84	16.48	16.89	19.92	18.15	21.02	20.30	33.45	21.83	23.82	24.68	27.55	23.37
2017/4/17	20.00	19.25	11.40	13.19	13.16	15.36	17.02	16.97	28.84	16.48	16.88	19.90	18.15	21.01	20.28	33.47	21.82	23.82	24.68	27.55	23.38
2017/4/18	19.00	19.58	11.43	13.29	13.23	15.38	17.30	17.27	28.85	16.54	16.94	20.07	18.20	21.16	20.46	33.50	22.08	23.98	24.79	27.56	23.55
2017/4/19	0.00	19.38	11.45	13.28	13.24	15.41	17.29	17.27	28.87	16.56	16.97	20.11	18.22	21.16	20.46	33.52	21.93	23.91	24.74	27.57	23.48
2017/4/20	0.00	19.31	11.45	13.26	13.22	15.43	17.20	17.18	28.88	16.56	16.97	20.05	18.23	21.12	20.42	33.53	21.88	23.82	24.67	27.58	23.34
2017/4/21	0.00	19.29	11.45	13.25	13.21	15.44	17.16	17.12	28.89	16.57	16.97	20.01	18.24	21.11	20.39	33.55	21.87	23.86	24.69	27.59	23.36
2017/4/22	15.50	19.27	11.44	13.24	13.20	15.45	17.12	17.08	28.90	16.56	16.97	19.98	18.24	21.08	20.37	33.57	21.86	23.86	24.69	27.60	23.35
2017/4/23	0.00	19.29	11.44	13.26	13.21	15.46	17.17	17.13	28.90	16.58	16.99	20.01	18.25	21.12	20.41	33.58	21.91	23.82	24.65	27.61	23.27
2017/4/24	0.00	19.27	11.44	13.24	13.19	15.47	17.12	17.08	28.91	16.58	16.99	19.98	18.26	21.08	20.37	33.58	21.85	23.78	24.61	27.61	23.18
2017/4/25	0.00	19.25	11.43	13.23	13.19	15.48	17.09	17.05	28.91	16.58	16.99	19.96	18.26	21.08	20.35	33.59	21.84	23.81	24.62	27.62	23.17
2017/4/26	0.00	19.25	11.42	13.23	13.19	15.49	17.08	17.04	28.92	16.58	16.99	19.95	18.26	21.08	20.34	33.60	21.85	23.88	24.69	27.62	23.27
2017/4/27	1.50	19.24	11.42	13.23	13.18	15.49	17.06	17.01	28.92	16.57	16.99	19.93	18.26	21.06	20.32	33.62	21.85	23.90	24.72	27.63	23.35
2017/4/28	0.00	19.22	11.41	13.21	13.17	15.49	17.02	16.97	28.91	16.56	16.98	19.91	18.26	21.04	20.30	33.62	21.84	23.86	24.71	27.63	23.33
2017/4/29	0.50	19.21	11.40	13.20	13.15	15.49	17.00	16.95	28.91	16.55	16.97	19.89	18.25	21.03	20.29	33.63	21.83	23.86	24.71	27.63	23.34
2017/4/30	0.00	19.19	11.40	13.18	13.14	15.48	16.96	16.91	28.90	16.54	16.97	19.87	18.24	21.01	20.27	33.62	21.82	23.82	24.69	27.63	23.32
2017/5/1	3.50	19.18	11.39	13.17	13.13	15.48	16.93	16.88	28.90	16.53	16.96	19.86	18.24	20.99	20.26	33.62	21.82	23.81	24.67	27.63	23.30
2017/5/2	0.00	19.17	11.39	13.16	13.12	15.47	16.89	16.83	28.89	16.51	16.95	19.84	18.23	20.97	20.24	33.61	21.80	23.75	24.61	27.63	23.18
2017/5/3	0.00	19.16	11.38	13.15	13.11	15.46	16.86	16.81	28.88	16.50	16.94	19.83	18.22	20.95	20.23	33.60	21.80	23.74			

平成29年度 地下水位観測結果(17／25)

凡 例

: 観測終了

: 欠測

単位: 降水量 (mm)

地下水位 (I.P.m)

年月日	アメダス 世田谷 降水量	地下水位																			
		世田谷区									狛江市	世田谷区	狛江市			世田谷区	狛江市	調布市			三鷹市
		W-1	W-2'	W-3	W-4	W-5	W-6	W-7	W-8	W-9	W-10	W-11	W-12	W-13	W-14	W-15	W-16	W-17	W-18	W-19	W-20
2017/8/1	23.00	19.33	11.58	13.37	13.29	15.55	16.44	16.38	28.91	16.63	17.07	19.95	18.27	21.04	20.32	33.45	21.90	23.80	24.62	27.58	23.39
2017/8/2	1.50	19.43	11.60	13.40	13.33	15.59	16.54	16.50	28.95	16.70	17.12	20.04	18.32	21.11	20.39	33.45	21.92	23.81	24.62	27.60	23.37
2017/8/3	0.00	19.33	11.59	13.39	13.32	15.62	16.46	16.41	28.97	16.70	17.13	19.99	18.35	21.09	20.37	33.47	21.88	23.81	24.62	27.61	23.37
2017/8/4	1.50	19.30	11.57	13.37	13.29	15.63	16.41	16.35	28.99	16.70	17.13	19.95	18.36	21.07	20.34	33.50	21.86	23.81	24.63	27.63	23.38
2017/8/5	0.00	19.27	11.55	13.35	13.27	15.64	16.36	16.30	29.00	16.69	17.13	19.91	18.37	21.05	20.32	33.54	21.85	23.82	24.65	27.64	23.41
2017/8/6	0.00	19.24	11.53	13.33	13.25	15.65	16.31	16.25	29.01	16.68	17.13	19.88	18.37	21.03	20.29	33.57	21.84	23.82	24.67	27.66	23.45
2017/8/7	3.00	19.23	11.51	13.31	13.23	15.65	16.27	16.20	29.01	16.66	17.12	19.86	18.37	21.01	20.27	33.60	21.84	23.83	24.69	27.67	23.48
2017/8/8	0.50	19.22	11.49	13.31	13.23	15.65	16.23	16.16	29.01	16.65	17.11	19.85	18.37	21.01	20.26	33.62	21.84	23.88	24.74	27.68	23.58
2017/8/9	0.00	19.19	11.48	13.29	13.21	15.63	16.18	16.10	29.00	16.63	17.10	19.82	18.36	20.98	20.24	33.63	21.82	23.82	24.71	27.69	23.55
2017/8/10	7.00	19.18	11.46	13.27	13.19	15.62	16.12	16.05	28.99	16.61	17.09	19.79	18.35	20.96	20.22	33.63	21.81	23.77	24.69	27.69	23.49
2017/8/11	2.00	19.20	11.46	13.26	13.18	15.61	16.12	16.05	28.98	16.60	17.09	19.81	18.35	20.97	20.23	33.63	21.81	23.76	24.67	27.69	23.45
2017/8/12	14.50	19.24	11.46	13.27	13.19	15.60	16.13	16.07	28.98	16.60	17.09	19.82	18.36	20.99	20.24	33.62	21.83	23.77	24.68	27.68	23.45
2017/8/13	0.00	19.23	11.45	13.27	13.19	15.60	16.11	16.04	28.98	16.60	17.09	19.83	18.36	20.98	20.24	33.62	21.82	23.77	24.68	27.68	23.46
2017/8/14	7.00	19.23	11.45	13.28	13.19	15.60	16.09	16.02	28.97	16.60	17.09	19.83	18.35	20.98	20.25	33.62	21.84	23.78	24.69	27.68	23.48
2017/8/15	14.50	19.27	11.45	13.30	13.21	15.60	16.14	16.07	28.97	16.61	17.09	19.86	18.35	21.01	20.27	33.62	21.90	23.81	24.70	27.68	23.49
2017/8/16	13.00	19.38	11.48	13.32	13.24	15.62	16.29	16.23	28.99	16.65	17.13	19.93	18.38	21.07	20.33	33.63	21.90	23.83	24.70	27.68	23.47
2017/8/17	1.00	19.44	11.51	13.35	13.27	15.66	16.42	16.38	29.01	16.70	17.16	19.99	18.41	21.13	20.41	33.63	21.95	23.85	24.70	27.69	23.46
2017/8/18	0.00	19.35	11.52	13.36	13.28	15.67	16.38	16.32	29.03	16.72	17.17	19.99	18.42	21.12	20.40	33.64	21.90	23.86	24.71	27.70	23.46
2017/8/19	48.50	19.37	11.52	13.39	13.31	15.68	16.46	16.42	29.03	16.73	17.18	19.99	18.43	21.13	20.44	33.66	21.95	23.87	24.72	27.71	23.46
2017/8/20	0.00	19.61	11.58	13.52	13.47	15.74	16.94	16.95	29.06	16.89	17.27	20.28	18.50	21.35	20.76	33.68	22.08	23.94	24.74	27.73	23.47
2017/8/21	0.00	19.37	11.61	13.52	13.46	15.79	16.79	16.77	29.09	16.89	17.29	20.20	18.53	21.32	20.66	33.72	21.98	23.95	24.74	27.75	23.48
2017/8/22	0.00	19.31	11.60	13.48	13.41	15.82	16.68	16.65	29.11	16.88	17.30	20.11	18.55	21.27	20.57	33.78	21.94	23.94	24.76	27.78	23.49
2017/8/23	0.00	19.27	11.58	13.45	13.37	15.84	16.60	16.56	29.13	16.87	17.29	20.05	18.56	21.23	20.51	33.81	21.92	23.95	24.79	27.81	23.53
2017/8/24	0.00	19.26	11.56	13.43	13.34	15.85	16.54	16.48	29.13	16.84	17.28	20.00	18.56	21.20	20.46	33.83	21.91	23.95	24.81	27.83	23.58
2017/8/25	0.00	19.23	11.54	13.40	13.31	15.84	16.54	16.50	29.13	16.81	17.27	19.97	18.55	21.17	20.42	33.84	21.90	23.95	24.83	27.84	23.62
2017/8/26	0.00	19.21	11.52	13.37	13.29	15.83	16.67	16.66	29.12	16.78	17.26	19.93	18.54	21.14	20.39	33.84	21.88	23.91	24.82	27.84	23.61
2017/8/27	0.00	19.19	11.50	13.35	13.26	15.81	16.45	16.40	29.11	16.75	17.24	19.90	18.53	21.10	20.36	33.83	21.87	23.86	24.80	27.83	23.56
2017/8/28	0.00	19.17	11.49	13.33	13.25	15.79	16.37	16.31	29.10	16.73	17.22	19.88	18.51	21.09	20.34	33.83	21.86	23.89	24.82	27.83	23.59
2017/8/29	0.00	19.16	11.47	13.32	13.23	15.78	16.29	16.23	29.09	16.71	17.21	19.87	18.50	21.08	20.32	33.83	21.86	23.91	24.85	27.82	23.63
2017/8/30	4.50	19.15	11.46	13.30	13.22	15.76	16.24	16.17	29.07	16.69	17.19	19.85	18.48	21.06	20.30	33.82	21.85	23.90	24.86	27.82	23.65
2017/8/31	3.00	19.15	11.45	13.29	13.21	15.74	16.20	16.13	29.06	16.68	17.18	19.84	18.47	21.05	20.29	33.81	21.85	23.90	24.87	27.81	23.66

平成29年度 地下水位観測結果(18／25)

凡 例
：観測終了
空 欄：欠測
単位：降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市	調布市	三鷹市		調布市			三鷹市			世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2017/4/1	5.00	39.28	38.62	42.17	28.86	25.58	23.05	41.91	23.31	21.79	43.47	42.61	25.37	44.17	43.38	24.26	41.77
2017/4/2	0.00	39.28	38.62	42.15	28.86	25.58	23.06	41.90	23.30	21.76	43.46	42.62	25.37	44.17	43.39	24.25	41.77
2017/4/3	0.50	39.29	38.62	42.13	28.84	25.55	23.04	41.87	23.26	21.72	43.44	42.59	25.34	44.14	43.37	24.22	41.76
2017/4/4	0.00	39.29	38.61	42.11	28.77	25.48	22.98	41.83	23.18	21.63	43.41	42.55	25.26	44.12	43.32	24.14	41.71
2017/4/5	0.00	39.30	38.61	42.10	28.74	25.44	22.94	41.80	23.15	21.60	43.39	42.53	25.23	44.10	43.31	24.11	41.71
2017/4/6	0.00	39.30	38.61	42.09	28.77	25.47	22.94	41.81	23.16	21.61	43.39	42.54	25.25	44.08	43.33	24.13	41.75
2017/4/7	0.50	39.30	38.62	42.08	28.83	25.53	22.97	41.80	23.21	21.64	43.38	42.55	25.31	44.07	43.36	24.17	41.80
2017/4/8	3.50	39.30	38.61	42.08	28.85	25.54	22.99	41.80	23.20	21.61	43.37	42.55	25.32	44.06	43.35	24.16	41.80
2017/4/9	7.50	39.31	38.61	42.09	28.90	25.59	23.04	41.81	23.21	21.61	43.37	42.55	25.35	44.06	43.36	24.17	41.82
2017/4/10	0.00	39.31	38.59	42.08	28.79	25.47	22.97	41.79	23.07	21.44	43.36	42.50	25.22	44.05	43.27	24.05	41.71
2017/4/11	37.50	39.31	38.63	42.21	28.87	25.56	22.99	41.92	23.14	21.51	43.46	42.62	25.30	44.14	43.38	24.12	41.82
2017/4/12	0.50	39.32	38.70	42.34	28.95	25.62	23.04	42.16	23.18	21.53	43.63	42.83	25.35	44.35	43.53	24.14	41.88
2017/4/13	0.50	39.33	38.70	42.28	28.83	25.48	22.96	42.08	23.03	21.37	43.58	42.79	25.21	44.30	43.51	24.01	41.83
2017/4/14	0.00	39.34	38.70	42.24	28.79	25.44	22.91	42.04	22.96	21.30	43.55	42.78	25.16	44.26	43.53	23.96	41.85
2017/4/15	0.00	39.35	38.70	42.22	28.81	25.46	22.92	42.01	22.96	21.29	43.52	42.79	25.16	44.23	43.56	23.96	41.90
2017/4/16	0.00	39.35	38.69	42.20	28.80	25.45	22.93	41.98	22.92	21.24	43.50	42.77	25.13	44.21	43.55	23.92	41.91
2017/4/17	20.00	39.36	38.69	42.18	28.80	25.44	22.92	41.96	22.89	21.21	43.48	42.76	25.11	44.18	43.54	23.90	41.92
2017/4/18	19.00	39.37	38.76	42.41	28.98	25.61	23.01	42.25	23.04	21.36	43.69	43.00	25.27	44.39	43.72	24.03	42.09
2017/4/19	0.00	39.38	38.77	42.36	28.93	25.50	22.98	42.20	22.96	21.26	43.66	42.99	25.20	44.38	43.72	23.94	42.05
2017/4/20	0.00	39.39	38.76	42.31	28.79	25.36	22.84	42.13	22.80	21.09	43.61	42.92	25.05	44.33	43.66	23.81	41.98
2017/4/21	0.00	39.40	38.76	42.29	28.81	25.37	22.80	42.11	22.79	21.09	43.59	42.94	25.05	44.30	43.70	23.81	42.04
2017/4/22	15.50	39.41	38.76	42.28	28.80	25.35	22.77	42.08	22.76	21.04	43.57	42.91	25.03	44.28	43.70	23.79	42.05
2017/4/23	0.00	39.41	38.77	42.33	28.72	25.24	22.78	42.15	22.64	20.93	43.62	42.94	24.92	44.33	43.66	23.69	42.00
2017/4/24	0.00	39.42	38.75	42.29	28.62	25.13	22.69	42.11	22.52	20.81	43.59	42.91	24.81	44.31	43.64	23.60	41.96
2017/4/25	0.00	39.43	38.76	42.27	28.61	25.12	22.65	42.09	22.49	20.79	43.57	42.92	24.79	44.28	43.67	23.58	42.00
2017/4/26	0.00	39.43	38.76	42.27	28.70	25.21	22.72	42.09	22.56	20.86	43.57	42.95	24.87	44.28	43.74	23.64	42.09
2017/4/27	1.50	39.44	38.76	42.25	28.79	25.28	22.78	42.07	22.63	20.92	43.56	42.95	24.94	44.27	43.76	23.68	42.13
2017/4/28	0.00	39.44	38.75	42.23	28.77	25.25	22.77	42.05	22.58	20.88	43.54	42.91	24.90	44.24	43.72	23.63	42.10
2017/4/29	0.50	39.44	38.75	42.22	28.77	25.24	22.78	42.03	22.56	20.85	43.53	42.89	24.89	44.22	43.70	23.61	42.09
2017/4/30	0.00	39.44	38.73	42.20	28.73	25.19	22.79	42.00	22.50	20.79	43.50	42.85	24.84	44.20	43.65	23.55	42.05
2017/5/1	3.50	39.44	38.72	42.19	28.70	25.15	22.77	41.99	22.46	20.74	43.49	42.82	24.80	44.18	43.62	23.51	42.01
2017/5/2	0.00	39.44	38.70	42.17	28.60	25.03	22.75	41.95	22.33	20.62	43.47	42.76	24.68	44.16	43.54	23.41	41.92
2017/5/3	0.00	39.44	38.69	42.16	28.55	24.98	22.77	41.93	22.28	20.57	43.45	42.74	24.62	44.14	43.52	23.36	41.90
2017/5/4	0.00	39.43	38.69	42.15	28.58	25.00	22.82	41.92	22.29	20.59	43.44	42.74	24.64	44.13	43.54	23.37	41.93
2017/5/5	0.00	39.43	38.69	42.15	28.65	25.06	22.89	41.91	22.35	20.65	43.44	42.75	24.69	44.12	43.56	23.41	41.97
2017/5/6	0.00	39.43	38.69	42.14	28.71	25.10	22.94	41.90	22.39	20.69	43.43	42.74	24.74	44.11	43.57	23.44	41.99
2017/5/7	0.00	39.43	38.68	42.13	28.74	25.12	23.00	41.88	22.41	20.70	43.41	42.72	24.76	44.09	43.55	23.44	41.98
2017/5/8	0.00	39.42	38.67	42.12	28.72	25.10	23.00	41.86	22.38	20.67	43.40	42.68	24.73	44.08	43.51	23.41	41.94
2017/5/9	0.00	39.42	38.65	42.10	28.64	25.01	22.95	41.83	22.28	20.58	43.38	42.63	24.64	44.06	43.43	23.31	41.85
2017/5/10	3.50	39.41	38.65	42.11	28.67	25.04	22.96	41.84	22.31	20.61	43.38	42.64	24.67	44.05	43.46	23.33	41.89
2017/5/11	0.00	39.41	38.65	42.10	28.72	25.08	23.02	41.83	22.35	20.64	43.37	42.63	24.71	44.05	43.46	23.35	41.91
2017/5/12	0.00	39.40	38.63	42.09	28.67	25.01	23.04	41.82	22.28	20.58	43.37	42.59	24.64	44.04	43.40	23.29	41.84
2017/5/13	32.00	39.40	38.65	42.17	28.70	25.04	23.08	41.88	22.31	20.62	43.41	42.63	24.67	44.08	43.43	23.31	41.86
2017/5/14	0.00	39.40	38.67	42.22	28.70	25.03	23.13	41.98	22.30	20.61	43.48	42.72	24.66	44.16	43.47	23.30	41.86
2017/5/15	0.00	39.40	38.67	42.19	28.70	25.02	23.14	41.95	22.30	20.61	43.46	42.71	24.65	44.14	43.49	23.29	41.88
2017/5/16	0.00	39.40	38.67														

平成29年度 地下水位観測結果(19／25)

凡 例

: 観測終了

: 欠測

単位 : 降水量 (mm)

地下水位 (T.P.m)

年月日	アメダス 世田谷 降水量	地下水位															
		三鷹市	調布市	三鷹市		調布市			三鷹市			世田谷区		三鷹市			
		W-21	W-22	W-23'	W-24'	W-24	W-25	W-26	W-27	W-28	W-29	W-30	W-30'	W-31	W-32	W-33	W-34
2017/8/1	23.00	39.49	38.88	42.43	28.86	25.58	23.23	42.25	23.66	22.29	43.61	43.06	25.53	44.28	43.73	24.24	42.00
2017/8/2	1.50	39.51	38.92	42.48	28.86	25.58	23.24	42.32	23.67	22.28	43.64	43.12	25.54	44.30	43.76	24.25	42.03
2017/8/3	0.00	39.53	38.93	42.42	28.86	25.60	23.24	42.24	23.65	22.23	43.59	43.09	25.55	44.26	43.77	24.27	42.06
2017/8/4	1.50	39.55	38.93	42.38	28.88	25.62	23.24	42.19	23.62	22.15	43.56	43.06	25.56	44.22	43.77	24.28	42.08
2017/8/5	0.00	39.56	38.94	42.35	28.92	25.67	23.25	42.15	23.62	22.10	43.53	43.05	25.60	44.19	43.78	24.30	42.11
2017/8/6	0.00	39.57	38.94	42.32	28.95	25.71	23.28	42.11	23.62	22.06	43.51	43.02	25.61	44.17	43.77	24.30	42.12
2017/8/7	3.00	39.58	38.94	42.29	28.99	25.76	23.29	42.08	23.63	22.06	43.49	43.00	25.64	44.14	43.76	24.32	42.13
2017/8/8	0.50	39.59	38.95	42.29	29.10	25.86	23.35	42.06	23.71	22.12	43.48	43.00	25.73	44.13	43.79	24.38	42.19
2017/8/9	0.00	39.59	38.93	42.26	29.07	25.83	23.35	42.02	23.66	22.04	43.45	42.94	25.68	44.10	43.71	24.33	42.12
2017/8/10	7.00	39.59	38.92	42.23	29.02	25.78	23.31	41.99	23.59	21.97	43.43	42.89	25.62	44.08	43.65	24.27	42.05
2017/8/11	2.00	39.59	38.91	42.26	28.98	25.74	23.28	42.03	23.54	21.91	43.46	42.90	25.56	44.12	43.63	24.23	42.02
2017/8/12	14.50	39.59	38.92	42.28	28.97	25.72	23.29	42.05	23.51	21.89	43.48	42.92	25.54	44.13	43.64	24.22	42.02
2017/8/13	0.00	39.59	38.91	42.27	28.97	25.71	23.30	42.04	23.50	21.87	43.47	42.92	25.53	44.13	43.65	24.20	42.03
2017/8/14	7.00	39.59	38.92	42.33	28.97	25.71	23.30	42.10	23.50	21.88	43.52	42.97	25.52	44.19	43.67	24.21	42.05
2017/8/15	14.50	39.59	38.95	42.44	29.00	25.72	23.31	42.23	23.51	21.89	43.63	43.07	25.54	44.30	43.74	24.22	42.09
2017/8/16	13.00	39.60	38.99	42.54	28.99	25.71	23.31	42.43	23.49	21.87	43.77	43.24	25.52	44.47	43.87	24.21	42.14
2017/8/17	1.00	39.62	39.03	42.59	28.98	25.68	23.30	42.53	23.47	21.85	43.84	43.35	25.50	44.56	44.00	24.19	42.20
2017/8/18	0.00	39.64	39.05	42.55	28.99	25.64	23.30	42.48	23.46	21.84	43.82	43.37	25.50	44.54	44.10	24.19	42.28
2017/8/19	48.50	39.65	39.07	42.59	28.99	25.65	23.29	42.50	23.44	21.81	43.85	43.39	25.49	44.57	44.15	24.18	42.33
2017/8/20	0.00	39.68	39.17	42.75	28.98	25.65	23.31	42.89	23.42	21.77	44.12	43.70	25.47	44.88	44.35	24.17	42.41
2017/8/21	0.00	39.72	39.19	42.68	28.99	25.65	23.32	42.79	23.42	21.80	44.09	43.73	25.46	44.85	44.52	24.17	42.52
2017/8/22	0.00	39.76	39.19	42.62	29.01	25.65	23.33	42.69	23.43	21.82	44.03	43.69	25.47	44.79	44.60	24.17	42.59
2017/8/23	0.00	39.78	39.20	42.56	29.05	25.73	23.35	42.62	23.43	21.78	43.98	43.65	25.50	44.74	44.62	24.20	42.63
2017/8/24	0.00	39.80	39.20	42.50	29.09	25.80	23.38	42.53	23.37	21.64	43.93	43.59	25.52	44.68	44.61	24.19	42.65
2017/8/25	0.00	39.81	39.20	42.45	29.13	25.81	23.40	42.46	23.30	21.48	43.87	43.53	25.52	44.63	44.57	24.16	42.66
2017/8/26	0.00	39.81	39.18	42.40	29.10	25.76	23.38	42.39	23.15	21.26	43.82	43.45	25.45	44.57	44.47	24.06	42.60
2017/8/27	0.00	39.81	39.16	42.36	29.03	25.67	23.34	42.32	22.96	21.02	43.77	43.36	25.31	44.52	44.36	23.92	42.51
2017/8/28	0.00	39.80	39.15	42.34	29.04	25.65	23.32	42.28	22.87	20.89	43.74	43.32	25.27	44.49	44.33	23.85	42.51
2017/8/29	0.00	39.79	39.14	42.31	29.08	25.68	23.32	42.25	22.81	20.80	43.72	43.28	25.24	44.46	44.31	23.80	42.51
2017/8/30	4.50	39.78	39.12	42.29	29.09	25.67	23.32	42.21	22.73	20.71	43.68	43.23	25.19	44.43	44.25	23.73	42.48
2017/8/31	3.00	39.77	39.11	42.27	29.09	25.64	23.31	42.18	22.65	20.62	43.66	43.18	25.12	44.41	44.20	23.65	42.45

平成29年度 地下水位観測結果(20／25)

凡 例
 : 観測終了
 : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 線馬 降水量	地下水位																				
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区									
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54	
2017/4/1	5.00	42.40	20.51	34.21	42.61	42.33	42.22	40.77	42.08	40.21	32.21	42.49	41.76	34.66	37.42	34.25	42.46	42.75	37.35	42.65	38.23	
2017/4/2	0.00	42.41	20.48	34.19	42.58	42.33	42.22	40.76	42.08	40.21	32.14	42.49	41.76	34.67	37.41	34.26	42.45	42.75	37.37	42.65	38.22	
2017/4/3	2.50	42.41	20.44	34.16	42.56	42.32	42.21	40.74	42.07	40.20	32.16	42.48	41.76	34.65	37.40	34.24	42.45	42.74	37.35	42.64	38.21	
2017/4/4	0.00	42.39	20.38	34.10	42.55	42.32	42.20	40.73	42.06	40.18	32.09	42.47	41.75	34.64	37.39	34.22	42.44	42.74	37.33	42.64	38.18	
2017/4/5	0.00	42.39	20.34	34.07	42.54	42.31	42.19	40.72	42.05	40.18	32.09	42.46	41.74	34.63	37.38	34.21	42.44	42.73	37.37	42.63	38.18	
2017/4/6	0.00	42.40	20.34	34.09	42.53	42.30	42.19	40.72	42.04	40.18	32.07	42.45	41.74	34.63	37.38	34.22	42.43	42.72	37.35	42.62	38.17	
2017/4/7	0.00	42.41	20.35	34.13	42.52	42.30	42.18	40.72	42.04	40.18	32.09	42.45	41.73	34.64	37.39	34.22	42.42	42.71	37.30	42.61	38.15	
2017/4/8	3.00	42.41	20.31	34.14	42.51	42.29	42.17	40.71	42.03	40.17	32.07	42.44	41.73	34.64	37.39	34.22	42.42	42.71	37.31	42.60	38.14	
2017/4/9	5.50	42.42	20.30	34.16	42.52	42.29	42.17	40.71	42.03	40.17	32.05	42.44	41.74	34.66	37.39	34.24	42.42	42.71	37.36	42.60	38.16	
2017/4/10	0.00	42.39	20.19	34.05	42.51	42.28	42.16	40.69	42.02	40.14	32.03	42.43	41.73	34.62	37.37	34.19	42.41	42.70	37.31	42.60	38.12	
2017/4/11	38.50	42.45	20.22	34.14	42.67	42.29	42.19	40.72	42.06	40.16	32.07	42.47	41.81	34.65	37.39	34.23	42.47	42.74	37.32	42.65	38.14	
2017/4/12	0.50	42.54	20.24	34.19	42.84	42.35	42.27	40.81	42.15	40.20	32.12	42.55	41.82	34.70	37.41	34.28	42.52	42.81	37.37	42.73	38.18	
2017/4/13	0.50	42.53	20.11	34.09	42.73	42.36	42.28	40.80	42.14	40.21	32.07	42.55	41.81	34.66	37.40	34.23	42.51	42.82	37.33	42.72	38.16	
2017/4/14	0.00	42.54	20.04	34.05	42.67	42.37	42.28	40.79	42.14	40.22	32.04	42.55	41.80	34.65	37.39	34.22	42.51	42.82	37.30	42.72	38.14	
2017/4/15	0.00	42.56	20.00	34.07	42.64	42.37	42.27	40.78	42.13	40.22	32.05	42.54	41.80	34.66	37.40	34.23	42.50	42.81	37.31	42.71	38.14	
2017/4/16	0.00	42.56	19.96	34.07	42.61	42.37	42.25	40.78	42.12	40.22	32.01	42.53	41.79	34.67	37.39	34.24	42.49	42.80	37.35	42.70	38.15	
2017/4/17	13.50	42.56	19.92	34.06	42.59	42.36	42.25	40.77	42.11	40.22	32.06	42.52	41.79	34.66	37.40	34.23	42.49	42.79	37.33	42.69	38.15	
2017/4/18	16.00	42.67	20.03	34.21	42.85	42.39	42.31	40.82	42.17	40.26	32.04	42.59	41.87	34.73	37.44	34.31	42.55	42.85	37.38	42.76	38.19	
2017/4/19	0.00	42.67	19.96	34.16	42.77	42.41	42.31	40.83	42.18	40.26	32.08	42.59	41.83	34.72	37.44	34.29	42.54	42.85	37.39	42.76	38.19	
2017/4/20	0.00	42.65	19.84	34.05	42.71	42.41	42.32	40.81	42.17	40.25	32.03	42.58	41.82	34.68	37.42	34.24	42.53	42.84	37.35	42.75	38.16	
2017/4/21	0.00	42.67	19.82	34.08	42.68	42.42	42.31	40.80	42.16	40.26	32.04	42.57	41.82	34.67	37.42	34.24	42.53	42.84	37.34	42.75	38.15	
2017/4/22	14.50	42.67	19.78	34.08	42.66	42.41	42.30	40.79	42.16	40.26	32.05	42.57	41.83	34.67	37.42	34.25	42.53	42.84	37.35	42.74	38.15	
2017/4/23	0.00	42.68	19.70	34.01	42.76	42.42	42.32	40.81	42.18	40.25	32.02	42.59	41.84	34.68	37.41	34.25	42.55	42.86	37.39	42.77	38.14	
2017/4/24	0.00	42.66	19.60	33.93	42.70	42.42	42.32	40.79	42.17	40.25	31.98	42.58	41.83	34.64	37.40	34.21	42.54	42.85	37.36	42.76	38.12	
2017/4/25	0.00	42.68	19.57	33.93	42.67	42.42	42.32	40.78	42.17	40.25	31.93	42.58	41.82	34.64	37.40	34.21	42.53	42.85	37.34	42.75	38.14	
2017/4/26	0.00	42.70	19.61	34.01	42.65	42.42	42.32	40.80	42.16	40.26	31.97	42.57	41.82	34.67	37.42	34.25	42.53	42.84	37.36	42.75	38.16	
2017/4/27	0.00	42.71	19.65	34.06	42.63	42.42	42.31	40.79	42.16	40.26	31.98	42.57	41.81	34.68	37.43	34.26	42.52	42.84	37.35	42.74	38.15	
2017/4/28	0.00	42.69	19.60	34.03	42.62	42.41	42.30	40.78	42.14	40.25	31.94	42.55	41.81	34.66	37.43	34.24	42.51	42.82	37.33	42.73	38.14	
2017/4/29	0.00	42.68	19.55	34.03	42.60	42.40	42.28	40.79	42.13	40.23	31.99	42.54	41.80	34.65	37.42	34.23	42.50	42.81	37.34	42.71	38.13	
2017/4/30	0.00	42.66	19.50	34.01	42.59	42.39	42.27	40.78	42.12	40.22	31.95	42.53	41.79	34.65	37.41	34.23	42.49	42.80	37.34	42.70	38.13	
2017/5/1	0.00	42.64	19.47	33.98	42.57	42.38	42.26	40.76	42.11	40.21	31.97	42.52	41.79	34.63	37.40	34.20	42.48	42.79	37.31	42.69	38.12	
2017/5/2	0.00	42.61	19.39	33.90	42.56	42.37	42.24	40.75	42.09	40.19	31.90	42.50	41.78	34.61	37.37	34.18	42.47	42.78	37.30	42.68	38.16	
2017/5/3	0.00	42.59	19.34	33.88	42.55	42.36	42.23	40.75	42.08	40.18	31.91	42.49	41.77	34.59	37.36	34.17	42.46	42.76	37.33	42.67	38.11	
2017/5/4	0.00	42.59	19.33	33.91	42.54	42.35																

平成29年度 地下水位観測結果(21／25)

凡 例

：観測終了

空

欄

：欠測

単位：降水量 (mm)

地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		三鷹市				武蔵野市	杉並区	武蔵野市					杉並区								
		W-35	W-36	W-37	W-38	W-39	W-40	W-41	W-42	W-43	W-44	W-45	W-46	W-47	W-48	W-49	W-50	W-51	W-52	W-53	W-54
2017/8/1	11.00	42.75	20.76	33.67	42.71	42.24	42.11	40.56	41.96	40.05	31.83	42.36	41.70	34.34	37.13	33.87	42.32	42.59	37.07	42.50	37.75
2017/8/2	1.00	42.76	20.76	33.66	42.72	42.25	42.12	40.57	41.97	40.06	31.86	42.37	41.70	34.34	37.14	33.87	42.33	42.60	37.06	42.51	37.75
2017/8/3	0.00	42.77	20.72	33.66	42.64	42.26	42.13	40.57	41.97	40.07	31.85	42.37	41.69	34.34	37.15	33.87	42.33	42.60	37.02	42.51	37.75
2017/8/4	0.50	42.77	20.65	33.67	42.60	42.27	42.13	40.57	41.97	40.08	31.85	42.36	41.69	34.33	37.15	33.87	42.33	42.60	37.00	42.51	37.75
2017/8/5	0.00	42.77	20.60	33.70	42.58	42.27	42.12	40.57	41.96	40.09	31.86	42.36	41.68	34.34	37.16	33.87	42.32	42.60	37.00	42.51	37.77
2017/8/6	0.00	42.77	20.56	33.72	42.55	42.26	42.12	40.57	41.96	40.09	31.87	42.35	41.68	34.36	37.16	33.89	42.32	42.59	37.03	42.50	37.79
2017/8/7	2.50	42.77	20.55	33.75	42.54	42.26	42.11	40.56	41.95	40.09	31.87	42.34	41.68	34.36	37.17	33.89	42.31	42.58	37.06	42.49	37.80
2017/8/8	0.00	42.78	20.59	33.83	42.53	42.25	42.11	40.56	41.95	40.09	31.92	42.34	41.68	34.38	37.19	33.92	42.31	42.58	37.07	42.49	37.81
2017/8/9	0.50	42.74	20.54	33.80	42.53	42.25	42.10	40.56	41.94	40.08	31.91	42.34	41.69	34.36	37.19	33.90	42.31	42.58	37.05	42.49	37.80
2017/8/10	11.00	42.71	20.49	33.75	42.54	42.24	42.10	40.55	41.94	40.07	31.88	42.33	41.68	34.35	37.18	33.88	42.31	42.58	37.05	42.49	37.79
2017/8/11	1.00	42.72	20.44	33.72	42.66	42.25	42.11	40.56	41.97	40.07	31.88	42.36	41.70	34.35	37.18	33.88	42.33	42.60	37.05	42.51	37.78
2017/8/12	11.00	42.73	20.42	33.71	42.64	42.26	42.13	40.57	41.98	40.08	31.88	42.37	41.71	34.37	37.18	33.90	42.34	42.61	37.08	42.52	37.80
2017/8/13	2.50	42.74	20.42	33.72	42.60	42.27	42.14	40.58	41.99	40.09	31.88	42.38	41.70	34.38	37.19	33.91	42.34	42.62	37.14	42.53	37.82
2017/8/14	64.50	42.77	20.42	33.73	42.77	42.28	42.16	40.60	42.01	40.10	31.89	42.41	41.75	34.40	37.21	33.94	42.37	42.64	37.20	42.56	37.86
2017/8/15	39.50	42.84	20.44	33.76	43.05	42.32	42.22	40.66	42.10	40.14	31.95	42.50	41.84	34.45	37.25	33.99	42.48	42.76	37.22	42.70	37.91
2017/8/16	13.00	42.92	20.44	33.77	43.12	42.37	42.32	40.76	42.21	40.19	31.97	42.62	41.89	34.50	37.28	34.03	42.59	42.90	37.27	42.86	37.96
2017/8/17	3.50	43.00	20.42	33.76	43.08	42.43	42.40	40.83	42.29	40.25	31.97	42.69	41.91	34.54	37.32	34.07	42.64	42.97	37.30	42.92	38.00
2017/8/18	0.00	43.04	20.41	33.77	42.95	42.48	42.45	40.86	42.32	40.29	31.98	42.72	41.92	34.56	37.35	34.09	42.66	43.00	37.30	42.94	38.01
2017/8/19	56.00	43.08	20.37	33.79	43.07	42.51	42.48	40.89	42.36	40.33	31.99	42.76	41.99	34.59	37.38	34.13	42.70	43.04	37.37	42.98	38.06
2017/8/20	0.00	43.25	20.35	33.79	43.54	42.60	42.66	41.06	42.55	40.41	32.04	42.95	42.11	34.68	37.43	34.20	42.83	43.20	37.50	43.15	38.17
2017/8/21	0.00	43.30	20.37	33.81	43.18	42.68	42.71	41.10	42.58	40.49	32.03	42.99	42.11	34.71	37.48	34.24	42.86	43.24	37.52	43.19	38.23
2017/8/22	0.00	43.32	20.39	33.83	43.05	42.72	42.72	41.11	42.57	40.53	32.06	42.98	42.10	34.74	37.52	34.27	42.86	43.25	37.52	43.19	38.26
2017/8/23	0.00	43.32	20.34	33.87	42.98	42.74	42.71	41.12	42.56	40.56	32.10	42.96	42.08	34.76	37.56	34.30	42.85	43.24	37.56	43.18	38.30
2017/8/24	0.00	43.31	20.22	33.90	42.93	42.75	42.70	41.11	42.54	40.57	32.12	42.94	42.07	34.77	37.59	34.31	42.83	43.22	37.53	43.15	38.31
2017/8/25	0.00	43.29	20.08	33.93	42.90	42.75	42.68	41.09	42.51	40.57	32.12	42.92	42.05	34.77	37.61	34.31	42.81	43.19	37.50	43.12	38.31
2017/8/26	0.00	43.24	19.89	33.90	42.87	42.73	42.65	41.06	42.48	40.55	32.09	42.89	42.02	34.75	37.61	34.30	42.78	43.16	37.51	43.09	38.29
2017/8/27	0.00	43.18	19.69	33.84	42.84	42.71	42.62	41.04	42.45	40.52	32.07	42.86	42.00	34.73	37.60	34.28	42.76	43.13	37.53	43.06	38.29
2017/8/28	0.00	43.16	19.56	33.86	42.82	42.70	42.61	41.03	42.43	40.51	32.07	42.84	41.99	34.72	37.60	34.28	42.74	43.11	37.51	43.03	38.29
2017/8/29	0.00	43.14	19.46	33.90	42.81	42.68	42.58	41.02	42.42	40.50	32.07	42.82	41.97	34.73	37.61	34.28	42.72	43.09	37.51	43.01	38.29
2017/8/30	0.00	43.11	19.36	33.91	42.79	42.67	42.57	41.00	42.39	40.49	32.07	42.80	41.96	34.73	37.61	34.28	42.71	43.07	37.54	42.99	38.29
2017/8/31	4.00	43.08	19.27	33.92	42.77	42.65	42.55	40.99	42.38	40.47	32.09	42.78	41.95	34.71	37.61	34.27	42.69	43.06	37.49	42.97	38.26

平成29年度 地下水位観測結果(22／25)

凡 例
 : 観測終了
 : 欠測
 単位: 降水量 (mm)
 地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2017/4/1	5.00	43.23	43.08	37.14	41.80	32.04	42.02	36.69	42.72	40.97	40.58	36.64	36.23	40.38	35.58	35.39	34.74	39.92	39.50	36.27	39.90
2017/4/2	0.00	43.23	43.08	37.16	41.79	32.05	42.02	36.71	42.72	40.97	40.58	36.64	36.23	40.38	35.57	35.40	34.75	39.93	39.51	36.28	39.91
2017/4/3	2.50	43.23	43.07	37.14	41.78	32.04	42.01	36.69	42.71	40.96	40.57	36.65	36.24	40.37	35.58	35.40	34.75	39.92	39.50	36.30	39.90
2017/4/4	0.00	43.22	43.07	37.12	41.78	32.03	42.01	36.67	42.70	40.95	40.57	36.63	36.22	40.36	35.56	35.38	34.72	39.90	39.49	36.28	39.88
2017/4/5	0.00	43.21	43.06	37.16	41.77	32.02	41.99	36.70	42.69	40.93	40.55	36.62	36.21	40.33	35.55	35.35	34.70	39.89	39.47	36.26	39.87
2017/4/6	0.00	43.21	43.05	37.14	41.76	32.02	41.98	36.69	42.68	40.92	40.53	36.62	36.21	40.30	35.55	35.35	34.71	39.87	39.46	36.25	39.86
2017/4/7	0.00	43.20	43.04	37.09	41.75	32.02	41.98	36.65	42.68	40.91	40.52	36.62	36.22	40.29	35.56	35.36	34.71	39.85	39.44	36.24	39.85
2017/4/8	3.00	43.20	43.04	37.10	41.75	32.02	41.97	36.65	42.67	40.90	40.51	36.62	36.21	40.27	35.55	35.35	34.71	39.84	39.43	36.23	39.83
2017/4/9	5.50	43.19	43.04	37.15	41.75	32.05	41.97	36.70	42.67	40.90	40.51	36.62	36.21	40.27	35.56	35.37	34.73	39.83	39.43	36.23	39.83
2017/4/10	0.00	43.19	43.03	37.10	41.75	32.01	41.96	36.66	42.66	40.90	40.51	36.60	36.19	40.26	35.53	35.34	34.69	39.83	39.42	36.21	39.82
2017/4/11	38.50	43.21	43.06	37.11	41.80	32.04	42.01	36.66	42.70	40.95	40.57	36.63	36.23	40.30	35.57	35.38	34.74	39.89	39.47	36.26	39.89
2017/4/12	0.50	43.29	43.14	37.15	41.91	32.08	42.12	36.70	42.80	41.07	40.67	36.67	36.27	40.43	35.60	35.42	34.77	40.05	39.63	36.29	40.07
2017/4/13	0.50	43.31	43.15	37.12	41.89	32.04	42.12	36.67	42.79	41.06	40.64	36.66	36.25	40.43	35.59	35.40	34.75	40.05	39.64	36.29	40.07
2017/4/14	0.00	43.32	43.15	37.09	41.87	32.02	42.10	36.64	42.78	41.04	40.63	36.66	36.25	40.43	35.59	35.41	34.75	40.05	39.64	36.30	40.06
2017/4/15	0.00	43.31	43.15	37.10	41.86	32.03	42.09	36.65	42.77	41.03	40.62	36.67	36.26	40.42	35.60	35.42	34.76	40.04	39.63	36.30	40.05
2017/4/16	0.00	43.30	43.14	37.13	41.85	32.04	42.08	36.68	42.76	41.01	40.60	36.67	36.26	40.40	35.60	35.42	34.77	40.02	39.61	36.31	40.03
2017/4/17	13.50	43.29	43.13	37.12	41.85	32.03	42.07	36.67	42.75	41.00	40.60	36.68	36.27	40.39	35.61	35.43	34.78	40.00	39.60	36.32	40.01
2017/4/18	16.00	43.33	43.18	37.16	41.95	32.10	42.15	36.71	42.82	41.10	40.70	36.73	36.32	40.47	35.66	35.50	34.85	40.10	39.69	36.41	40.12
2017/4/19	0.00	43.35	43.19	37.18	41.94	32.09	42.16	36.72	42.82	41.10	40.68	36.72	36.31	40.49	35.65	35.47	34.82	40.12	39.71	36.37	40.14
2017/4/20	0.00	43.35	43.19	37.14	41.92	32.05	42.14	36.69	42.81	41.08	40.66	36.70	36.30	40.48	35.63	35.45	34.79	40.11	39.70	36.37	40.12
2017/4/21	0.00	43.35	43.18	37.12	41.91	32.04	42.14	36.67	42.81	41.07	40.65	36.71	36.30	40.47	35.63	35.46	34.81	40.10	39.70	36.36	40.11
2017/4/22	14.50	43.34	43.18	37.14	41.91	32.05	42.13	36.68	42.80	41.06	40.64	36.71	36.30	40.47	35.64	35.46	34.80	40.09	39.68	36.39	40.09
2017/4/23	0.00	43.36	43.20	37.17	41.94	32.04	42.16	36.71	42.83	41.10	40.68	36.70	36.29	40.49	35.63	35.46	34.81	40.12	39.71	36.40	40.14
2017/4/24	0.00	43.36	43.19	37.14	41.93	32.01	42.15	36.69	42.82	41.09	40.66	36.70	36.29	40.49	35.62	35.46	34.81	40.13	39.72	36.39	40.13
2017/4/25	0.00	43.35	43.19	37.12	41.92	32.02	42.14	36.67	42.81	41.08	40.65	36.71	36.30	40.48	35.64	35.47	34.82	40.12	39.71	36.39	40.12
2017/4/26	0.00	43.35	43.19	37.14	41.92	32.04	42.14	36.69	42.81	41.07	40.65	36.73	36.32	40.48	35.66	35.49	34.84	40.11	39.70	36.39	40.11
2017/4/27	0.00	43.34	43.18	37.14	41.90	32.06	42.13	36.69	42.80	41.06	40.64	36.73	36.33	40.46	35.66	35.50	34.85	40.09	39.69	36.39	40.09
2017/4/28	0.00	43.33	43.17	37.12	41.89	32.04	42.11	36.67	42.78	41.04	40.62	36.72	36.31	40.45	35.65	35.47	34.82	40.07	39.67	36.40	40.07
2017/4/29	0.00	43.31	43.15	37.12	41.88	32.03	42.10	36.67	42.77	41.03	40.61	36.70	36.30	40.43	35.63	35.46	34.81	40.05	39.65	36.38	40.05
2017/4/30	0.00	43.30	43.14	37.12	41.87	32.03	42.09	36.67	42.76	41.02	40.60	36.69	36.28	40.42	35.62	35.45	34.81	40.03	39.63	36.34	40.03
2017/5/1	0.00	43.29	43.13	37.10	41.86	32.01	42.08	36.65	42.75	41.01	40.60	36.68	36.28	40.40	35.61	35.45	34.81	40.01	39.61	36.32	40.01
2017/5/2	0.00	43.27	43.11	37.08	41.84	31.99	42.06	36.63	42.74	40.99	40.58	36.66	36.25	40.39	35.59	35.42	34.77	39.99	39.59	36.32	39.99
2017/5/3	0.00	43.26	43.10	37.11	41.83	31.97	42.05	36.66	42.73	40.98	40.57	36.64	36.24	40.38	35.57	35.40	34.75	39.98	39.57	36.31	39.97
2017/5/4	0.00	43.24	43.09	37.09	41.83	31.98	42.04	36.64	42.72	40.98	40.57										

平成29年度 地下水位観測結果 (23／25)

凡 例

：観測終了

空欄

：欠測

単位：降水量 (mm)

地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																			
		杉並区					練馬区														
		W-55	W-56	W-57	W-58	W-59	W-60	W-61	W-62	W-63	W-64	W-65	W-66	W-67	W-68	W-69	W-70	W-71	W-72	W-73	W-74
2017/8/1	11.00	43.02	42.89	36.84	41.72	31.63	41.89	36.36	42.56	40.83	40.40	36.47	36.06	40.38	35.39	35.29	34.63	40.07	39.68	36.20	40.18
2017/8/2	1.00	43.03	42.90	36.83	41.73	31.64	41.90	36.35	42.58	40.84	40.41	36.48	36.07	40.40	35.40	35.29	34.64	40.09	39.70	36.18	40.20
2017/8/3	0.00	43.04	42.91	36.79	41.72	31.63	41.90	36.32	42.58	40.84	40.41	36.48	36.07	40.40	35.40	35.30	34.64	40.08	39.70	36.17	40.19
2017/8/4	0.50	43.04	42.91	36.77	41.71	31.62	41.89	36.30	42.57	40.83	40.40	36.49	36.08	40.39	35.40	35.30	34.65	40.07	39.68	36.17	40.16
2017/8/5	0.00	43.04	42.91	36.77	41.71	31.63	41.88	36.30	42.57	40.82	40.39	36.49	36.08	40.37	35.41	35.30	34.65	40.05	39.66	36.16	40.14
2017/8/6	0.00	43.04	42.90	36.80	41.70	31.64	41.87	36.33	42.56	40.81	40.38	36.49	36.08	40.36	35.41	35.31	34.66	40.03	39.64	36.16	40.11
2017/8/7	2.50	43.03	42.90	36.83	41.69	31.65	41.87	36.36	42.56	40.80	40.37	36.50	36.09	40.34	35.42	35.32	34.67	40.01	39.62	36.16	40.08
2017/8/8	0.00	43.03	42.89	36.84	41.69	31.68	41.86	36.37	42.55	40.79	40.37	36.51	36.10	40.33	35.43	35.32	34.68	39.99	39.60	36.17	40.06
2017/8/9	0.50	43.02	42.89	36.83	41.68	31.67	41.85	36.36	42.55	40.78	40.37	36.48	36.07	40.32	35.40	35.29	34.64	39.97	39.58	36.14	40.04
2017/8/10	11.00	43.02	42.89	36.82	41.69	31.65	41.86	36.35	42.55	40.79	40.37	36.47	36.06	40.31	35.39	35.26	34.61	39.95	39.56	36.12	40.01
2017/8/11	1.00	43.04	42.91	36.82	41.71	31.65	41.88	36.34	42.57	40.81	40.39	36.47	36.06	40.32	35.39	35.26	34.61	39.97	39.57	36.13	40.03
2017/8/12	11.00	43.05	42.92	36.85	41.72	31.67	41.89	36.37	42.58	40.82	40.39	36.48	36.07	40.33	35.40	35.28	34.63	39.99	39.59	36.12	40.06
2017/8/13	2.50	43.06	42.93	36.91	41.72	31.67	41.90	36.43	42.58	40.83	40.39	36.49	36.08	40.34	35.41	35.30	34.66	40.00	39.61	36.12	40.07
2017/8/14	64.50	43.08	42.95	36.96	41.76	31.71	41.93	36.48	42.61	40.86	40.44	36.53	36.12	40.37	35.45	35.34	34.69	40.04	39.64	36.15	40.11
2017/8/15	39.50	43.17	43.06	36.98	41.98	31.76	42.13	36.51	42.76	41.08	40.63	36.60	36.19	40.57	35.52	35.41	34.76	40.29	39.86	36.24	40.39
2017/8/16	13.00	43.33	43.23	37.04	42.17	31.80	42.36	36.55	42.94	41.31	40.80	36.69	36.27	40.78	35.60	35.52	34.86	40.58	40.18	36.36	40.71
2017/8/17	3.50	43.42	43.31	37.06	42.21	31.83	42.42	36.59	43.01	41.36	40.82	36.76	36.35	40.88	35.67	35.60	34.93	40.72	40.33	36.47	40.84
2017/8/18	0.00	43.47	43.35	37.06	42.22	31.85	42.43	36.58	43.02	41.36	40.81	36.82	36.40	40.90	35.73	35.65	34.99	40.76	40.37	36.55	40.85
2017/8/19	56.00	43.51	43.39	37.13	42.26	31.88	42.46	36.65	43.07	41.38	40.86	36.86	36.44	40.93	35.77	35.68	35.02	40.77	40.38	36.62	40.87
2017/8/20	0.00	43.67	43.56	37.26	42.47	31.94	42.69	36.77	43.29	41.61	41.02	36.95	36.52	41.13	35.85	35.80	35.13	41.03	40.63	36.73	41.17
2017/8/21	0.00	43.75	43.62	37.28	42.47	31.96	42.72	36.80	43.30	41.61	40.98	37.04	36.61	41.17	35.94	35.88	35.20	41.09	40.71	36.82	41.19
2017/8/22	0.00	43.77	43.64	37.29	42.46	32.01	42.70	36.80	43.29	41.57	40.93	37.08	36.65	41.15	35.99	35.91	35.23	41.07	40.69	36.88	41.13
2017/8/23	0.00	43.77	43.63	37.33	42.42	32.04	42.66	36.84	43.26	41.53	40.89	37.11	36.67	41.10	36.01	35.92	35.25	41.01	40.64	36.91	41.06
2017/8/24	0.00	43.76	43.62	37.30	42.39	32.05	42.62	36.83	43.23	41.49	40.85	37.10	36.68	41.05	36.01	35.92	35.25	40.94	40.57	36.90	40.98
2017/8/25	0.00	43.73	43.59	37.28	42.36	32.05	42.58	36.80	43.20	41.44	40.82	37.09	36.67	40.99	36.00	35.90	35.24	40.86	40.50	36.89	40.90
2017/8/26	0.00	43.70	43.56	37.28	42.31	32.04	42.53	36.81	43.16	41.39	40.78	37.07	36.64	40.93	35.98	35.86	35.21	40.78	40.42	36.85	40.81
2017/8/27	0.00	43.67	43.52	37.31	42.27	32.02	42.48	36.83	43.12	41.34	40.74	37.03	36.61	40.87	35.94	35.83	35.18	40.70	40.33	36.79	40.73
2017/8/28	0.00	43.65	43.50	37.29	42.24	32.01	42.45	36.81	43.09	41.31	40.72	37.03	36.61	40.82	35.94	35.83	35.17	40.63	40.27	36.76	40.66
2017/8/29	0.00	43.63	43.48	37.28	42.22	32.03	42.42	36.81	43.07	41.28	40.69	37.02	36.60	40.78	35.93	35.82	35.17	40.57	40.21	36.73	40.60
2017/8/30	0.00	43.61	43.46	37.32	42.19	32.03	42.39	36.84	43.04	41.25	40.67	36.99	36.58	40.74	35.91	35.79	35.14	40.51	40.15	36.70	40.55
2017/8/31	4.00	43.59	43.44	37.27	42.16	32.02	42.36	36.80	43.02	41.22	40.65	36.98	36.56	40.71	35.90	35.78	35.13	40.47	40.10	36.68	40.50

平成29年度 地下水位観測結果(24／25)

凡 例
：観測終了
空 欄：欠測
単位：降水量 (mm)
地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2017/4/1	5.00	38.20	38.53	28.66	37.19	28.96	34.76	36.90	31.77	34.20	36.67	36.25	35.45	37.19	34.44	36.97	34.32	32.87	32.62
2017/4/2	0.00	38.20	38.54	28.68	37.20	28.98	34.78	36.90	31.81	34.21	36.68	36.27	35.45	37.20	34.45	36.97	34.33	32.88	32.62
2017/4/3	2.50	38.20	38.53	28.69	37.20	28.99	34.77	36.90	31.78	34.21	36.68	36.27	35.45	37.19	34.45	36.97	34.33	32.86	32.60
2017/4/4	0.00	38.19	38.52	28.66	37.19	28.95	34.76	36.90	31.74	34.20	36.68	36.26	35.44	37.19	34.44	36.97	34.32	32.84	32.59
2017/4/5	0.00	38.17	38.50	28.64	37.18	28.94	34.76	36.89	31.73	34.20	36.67	36.26	35.43	37.18	34.44	36.97	34.32	32.83	32.58
2017/4/6	0.00	38.16	38.49	28.64	37.17	28.94	34.76	36.89	31.75	34.19	36.67	36.25	35.43	37.17	34.43	36.96	34.31	32.82	32.57
2017/4/7	0.00	38.14	38.48	28.65	37.16	28.95	34.76	36.88	31.75	34.19	36.67	36.24	35.42	37.17	34.43	36.96	34.31	32.82	32.57
2017/4/8	3.00	38.13	38.47	28.66	37.15	28.96	34.75	36.88	31.76	34.19	36.66	36.24	35.42	37.16	34.43	36.96	34.31	32.81	32.57
2017/4/9	5.50	38.13	38.46	28.69	37.15	28.99	34.75	36.88	31.81	34.19	36.66	36.23	35.42	37.16	34.43	36.96	34.31	32.82	32.57
2017/4/10	0.00	38.12	38.46	28.66	37.15	28.96	34.74	36.88	31.74	34.18	36.65	36.22	35.41	37.16	34.42	36.95	34.30	32.82	32.56
2017/4/11	38.50	38.18	38.53	28.69	37.19	28.99	34.77	36.91	31.78	34.22	36.68	36.26	35.46	37.20	34.45	36.97	34.33	32.89	32.64
2017/4/12	0.50	38.34	38.70	28.71	37.33	29.01	34.88	36.99	31.80	34.31	36.77	36.38	35.55	37.31	34.56	37.04	34.43	32.98	32.80
2017/4/13	0.50	38.35	38.71	28.67	37.35	28.97	34.89	37.00	31.78	34.32	36.79	36.42	35.55	37.30	34.56	37.04	34.44	32.92	32.77
2017/4/14	0.00	38.35	38.70	28.65	37.35	28.95	34.89	37.01	31.77	34.33	36.80	36.44	35.55	37.29	34.57	37.04	34.44	32.88	32.75
2017/4/15	0.00	38.34	38.69	28.64	37.34	28.94	34.90	37.00	31.79	34.34	36.80	36.45	35.55	37.29	34.57	37.04	34.45	32.87	32.74
2017/4/16	0.00	38.32	38.67	28.65	37.33	28.95	34.89	37.00	31.83	34.33	36.80	36.44	35.54	37.28	34.57	37.04	34.45	32.85	32.72
2017/4/17	13.50	38.31	38.65	28.67	37.32	28.97	34.89	36.99	31.83	34.33	36.79	36.44	35.53	37.27	34.57	37.03	34.44	32.84	32.71
2017/4/18	16.00	38.41	38.77	28.73	37.40	29.03	34.95	37.04	31.89	34.40	36.84	36.51	35.61	37.34	34.64	37.07	34.51	32.94	32.83
2017/4/19	0.00	38.43	38.79	28.70	37.42	28.99	34.97	37.06	31.85	34.41	36.86	36.54	35.61	37.36	34.65	37.08	34.53	32.91	32.82
2017/4/20	0.00	38.42	38.77	28.66	37.42	28.96	34.97	37.06	31.81	34.41	36.87	36.55	35.60	37.35	34.65	37.08	34.52	32.88	32.85
2017/4/21	0.00	38.42	38.76	28.67	37.41	28.97	34.97	37.05	31.83	34.41	36.87	36.56	35.60	37.34	34.65	37.08	34.52	32.86	32.81
2017/4/22	14.50	38.41	38.75	28.67	37.40	28.97	34.97	37.05	31.82	34.41	36.86	36.55	35.60	37.33	34.65	37.07	34.53	32.85	32.79
2017/4/23	0.00	38.46	38.80	28.67	37.44	28.97	34.98	37.08	31.86	34.43	36.89	36.59	35.63	37.37	34.66	37.09	34.54	32.93	32.85
2017/4/24	0.00	38.46	38.80	28.67	37.45	28.97	34.99	37.08	31.84	34.44	36.90	36.60	35.63	37.37	34.67	37.10	34.55	32.89	32.85
2017/4/25	0.00	38.45	38.79	28.68	37.44	28.97	35.00	37.08	31.85	34.44	36.90	36.61	35.63	37.35	34.67	37.10	34.55	32.88	32.82
2017/4/26	0.00	38.44	38.78	28.69	37.44	28.98	35.00	37.08	31.87	34.44	36.90	36.61	35.62	37.35	34.67	37.09	34.55	32.86	32.81
2017/4/27	0.00	38.42	38.76	28.70	37.42	28.99	34.99	37.07	31.88	34.43	36.89	36.60	35.61	37.33	34.67	37.09	34.54	32.85	32.80
2017/4/28	0.00	38.40	38.74	28.68	37.40	28.97	34.97	37.05	31.84	34.42	36.88	36.58	35.60	37.32	34.65	37.08	34.53	32.84	32.78
2017/4/29	0.00	38.38	38.72	28.67	37.38	28.96	34.96	37.04	31.84	34.41	36.86	36.56	35.59	37.31	34.64	37.07	34.51	32.84	32.77
2017/4/30	0.00	38.36	38.69	28.68	37.36	28.98	34.94	37.03	31.89	34.39	36.85	36.54	35.57	37.29	34.62	37.06	34.50	32.83	32.75
2017/5/1	0.00	38.34	38.67	28.68	37.35	28.97	34.93	37.02	31.86	34.38	36.84	36.52	35.56	37.28	34.61	37.05	34.49	32.82	32.75
2017/5/2	0.00	38.32	38.65	28.64	37.33	28.93	34.91	37.00	31.81	34.35	36.82	36.49	35.55	37.27	34.59	37.04	34.47	32.82	32.73
2017/5/3	0.00	38.30	38.63	28.62	37.31	28.92	34.90	36.99	31.80	34.34	36.81	36.47	35.54	37.26	34.58	37.04	34.45	32.81	32.71
2017/5/4	0.00	38.28	38.62	28.66	37.30	28.95	34.89	36.99	31.83	34.33	36.80	36.46	35.53	37.25	34.57	37.03	34.45	32.81	32.70
2017/5/5	0.00	38.27	38.60	28.70	37.29	28.99	34.89	36.98	31.86	34.33	36.79	36.45	35.52	37.25	34.57	37.03	34.44	32.81	32.69
2017/5/6	0.00	38.26	38.58	28.70	37.28	29.00	34.88	36.97	31.86	34.32	36.78	36.43	35.52	37.24	34.56	37.02	34.44	32.81	32.69
2017/5/7	0.00	38.24	38.57	28.71	37.26	29.01	34.87	36.96	31.90	34.31	36.77	36.41	35.51	37.23	34.55	37.02	34.43	32.80	32.68
2017/5/8	0.00	38.22	38.55	28.70	37.25	28.99	34.86	36.95	31.86	34.30	36.76	36.39	35.50	37.22	34.54	37.01	34.41	32.80	32.67
2017/5/9	0.00	38.20	38.53	28.66	37.23	28.95	34.83	36.94	31.81	34.27	36.75	36.37	35.48	37.21	34.51				

平成29年度 地下水位観測結果 (25／25)

凡 例

: 観測終了

: 欠測

単位 : 降水量 (mm)

地下水位 (T.P.m)

年月日	アメダス 練馬 降水量	地下水位																	
		練馬区																	
		W-75	W-76	W-77	W-78	W-79	W-80	W-81	W-79'	W-80'	W-81'	W-82	W-83	W-84	W-85	W-86	W-87	W-88	W-89
2017/8/1	11.00	38.43	38.84	28.37	37.54				31.66	34.34	36.88	36.60	35.87	37.50			34.50	32.89	32.80
2017/8/2	1.00	38.45	38.86	28.37	37.55				31.66	34.36	36.90	36.63	35.89	37.52			34.51	32.93	32.83
2017/8/3	0.00	38.44	38.85	28.36	37.55				31.67	34.40	36.91	36.64	35.90	37.50			34.54	32.90	32.80
2017/8/4	0.50	38.43	38.83	28.36	37.54				31.67	34.41	36.91	36.63	35.89	37.49			34.54	32.87	32.78
2017/8/5	0.00	38.41	38.80	28.36	37.52				31.67	34.49	36.90	36.62	35.91	37.48			34.74	32.86	32.78
2017/8/6	0.00	38.38	38.78	28.39	37.50				31.73	34.35	36.88	36.60	35.85	37.46			34.51	32.85	32.76
2017/8/7	2.50	38.36	38.75	28.40	37.47				31.72	34.38	36.87	36.58	35.86	37.44			34.58	32.84	32.75
2017/8/8	0.00	38.35	38.73	28.41	37.46				31.72	34.36	36.86	36.57	35.85	37.44			34.55	32.84	32.76
2017/8/9	0.50	38.32	38.70	28.38	37.44				31.69	34.31	36.84	36.54	35.82	37.42			34.49	32.84	32.73
2017/8/10	11.00	38.30	38.68	28.35	37.42				31.65	34.28	36.82	36.51	35.79	37.41			34.43	32.83	32.71
2017/8/11	1.00	38.32	38.70	28.36	37.43				31.65	34.28	36.82	36.53	35.81	37.43			34.44	32.87	32.76
2017/8/12	11.00	38.34	38.73	28.40	37.45				31.68	34.30	36.83	36.55	35.83	37.45			34.46	32.91	32.79
2017/8/13	2.50	38.36	38.74	28.44	37.47				31.74	34.32	36.85	36.57	35.83	37.45			34.48	32.89	32.79
2017/8/14	64.50	38.40	38.78	28.48	37.49				31.76	34.35	36.87	36.60	35.86	37.47			34.51	32.93	32.83
2017/8/15	39.50	38.67	39.04	28.61	37.67				31.81	34.46	36.97	36.78	36.01	37.61			34.62	33.20	33.03
2017/8/16	13.00	39.01	39.38	28.68	37.95				31.89	34.68	37.16	37.14	36.15	37.76			34.82	33.14	33.18
2017/8/17	3.50	39.16	39.53	28.69	38.08				31.94	34.81	37.28	37.34	36.21	37.80			34.94	33.02	33.23
2017/8/18	0.00	39.19	39.57	28.72	38.13				31.99	34.88	37.35	37.43	36.24	37.80			35.00	32.96	33.22
2017/8/19	56.00	39.21	39.60	28.79	38.16				32.02	34.96	37.39	37.48	36.29	37.81			35.12	33.12	33.26
2017/8/20	0.00	39.46	39.87	28.88	38.38				32.14	35.08	37.56	37.69	36.42	37.96			35.21	33.27	33.47
2017/8/21	0.00	39.51	39.92	28.90	38.44				32.18	35.23	37.62	37.79	36.46	37.94			35.39	32.99	33.45
2017/8/22	0.00	39.49	39.88	28.93	38.43				32.20	35.26	37.63	37.81	36.45	37.92			35.44	32.95	33.43
2017/8/23	0.00	39.43	39.82	28.96	38.39				32.22	35.21	37.62	37.78	36.42	37.89			35.35	32.93	33.40
2017/8/24	0.00	39.36	39.75	28.96	38.34				32.23	35.18	37.60	37.73	36.38	37.87			35.32	32.91	33.37
2017/8/25	0.00	39.29	39.68	28.96	38.28				32.23	35.22	37.57	37.67	36.39	37.84			35.41	32.90	33.35
2017/8/26	0.00	39.20	39.59	28.93	38.22				32.21	35.24	37.54	37.60	36.36	37.81			35.49	32.89	33.32
2017/8/27	0.00	39.12	39.51	28.92	38.15				32.23	34.98	37.49	37.52	36.25	37.78			35.14	32.88	33.29
2017/8/28	0.00	39.05	39.43	28.91	38.09				32.20	35.03	37.45	37.45	36.25	37.75			35.24	32.87	33.27
2017/8/29	0.00	38.99	39.37	28.90	38.04				32.18	35.07	37.42	37.39	36.28	37.73			35.32	32.87	33.26
2017/8/30	0.00	38.92	39.30	28.87	37.99				32.15	34.93	37.39	37.33	36.31	37.70			35.13	32.87	33.25
2017/8/31	4.00	38.87	39.25	28.86	37.95				32.15	34.92	37.37	37.27	36.33	37.67			35.15	32.87	33.24

※W-79, 80, 81, 85, 86 2017/7/18 観測終了