

観測所番号  
30101

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 山 方                 | 水系名 | 久慈川                 | 河川名   | 久慈川                 | 流量観測所名 |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|--------|------------|---------------------|-----|---------------------|-------|---------------------|--------|-------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|
| 項 目    |            | 単位                  | 月日  | 1.12                | 1.12  | 2.2                 | 2.2    | 2.2   | 2.2   | 3.2                 | 3.2   | 4.28                | 4.28  | 5.18                | 5.18  | 6.28                | 6.28  | 7.30                | 7.30  |
| 一般項目   | 採水位置       |                     | A01 | 流心                  | 流心    | 流心                  | 流心     | 流心    | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    |
|        | 天候         |                     | A02 | 晴                   | 晴     | 晴                   | 晴      | 晴     | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     |
|        | 採水時刻       | 時分                  | A03 | 8:00                | 15:10 | 7:10                | 12:50  | 22:00 | 4:40  | 7:00                | 14:10 | 10:35               | 14:00 | 7:30                | 14:15 | 7:00                | 13:30 | 7:15                | 15:00 |
|        | 水深         | m                   | A04 | -0.63               | -0.62 | -0.61               | -0.61  | -0.61 | -0.61 | -0.50               | -0.51 | -0.82               | -0.82 | -0.60               | -0.60 | -0.43               | -0.45 | -0.29               | -0.30 |
|        | 流量         | m <sup>3</sup> /sec | A05 | 9.93                |       | 12.28               |        |       |       | 19.25               |       | 2.66                |       | 8.80                |       | 22.95               |       | 22.27               |       |
|        | 全水深        | m                   | A06 | 1.22                | 1.23  | 1.25                | 1.25   | 1.25  | 1.25  | 1.32                | 1.31  | 1.01                | 1.01  | 1.27                | 1.27  | 1.50                | 1.48  | 1.43                | 1.42  |
|        | 採水水深       | m                   | A07 | 0.24                | 0.25  | 0.25                | 0.25   | 0.25  | 0.25  | 0.26                | 0.26  | 0.20                | 0.20  | 0.25                | 0.25  | 0.30                | 0.30  | 0.28                | 0.28  |
|        | 気温         | ℃                   | A08 | -0.5                | 8.2   | -5.7                | 5.4    | -2.5  | -2.2  | 0.5                 | 10.2  | 18.2                | 4.5   | 14.6                | 17.3  | 22.0                | 26.9  | 22.2                | 22.7  |
|        | 水温         | ℃                   | A09 | 4.1                 | 9.1   | 2.8                 | 6.0    | 3.6   | 3.7   | 5.2                 | 7.8   | 14.6                | 5.5   | 15.0                | 15.5  | 18.1                | 20.8  | 21.0                | 22.9  |
|        | 干潮時刻       | 時分                  | A1A |                     |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|        | 満潮時刻       | 時分                  | A1B |                     |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|        | 外観         |                     | A11 | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁    | 茶色濁   | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭    | 無臭                  | 無臭     | 無臭    | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    |
|        | 透視度        | cm                  | A13 | 30.0<               | 30.0< | 30.0<               | 30.0<  | 30.0< | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |
|        | 透明度        | m                   | A14 |                     |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|        | 水色         |                     | A15 |                     |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
| 生活環境項目 | pH         |                     | B01 | 7.4                 | 7.1   | 7.2                 | 7.2    | 7.1   | 7.0   | 7.1                 | 7.2   | 7.4                 | 7.4   | 7.3                 | 7.2   | 7.2                 | 7.3   | 7.2                 | 7.0   |
|        | DO         | mg/l                | B02 | 11                  | 12    | 13                  | 13     | 13    | 13    | 11                  | 11    | 8.9                 | 8.7   | 9.8                 | 8.2   | 7.9                 | 8.4   | 7.2                 | 6.3   |
|        | BOD        | mg/l                | B03 | N.D                 | N.D   | 1.5                 | 0.8    | 1.1   | N.D   | 0.7                 | N.D   | 1.8                 | 1.2   | 1.0                 | 1.3   | N.D                 | 0.5   | N.D                 | N.D   |
|        | COD        | mg/l                | B04 | 2.7                 | 1.5   | 1.8                 | 1.2    | 2.4   | 0.8   | 2.5                 | 2.3   | 3.2                 | 2.1   | 2.0                 | 1.7   | 2.1                 | 3.3   | 2.1                 | 2.3   |
|        | SS         | mg/l                | B05 | N.D                 | N.D   | N.D                 | 4      | 1     | 1     | 3                   | N.D   | 2                   | 1     | 4                   | 3     | 8                   | 2     | 6                   | 4     |
|        | 大腸菌群数      |                     | B06 | 4.9×10 <sup>2</sup> |       | 1.3×10 <sup>3</sup> |        |       |       | 7.9×10 <sup>2</sup> |       | 7.9×10 <sup>2</sup> |       | 1.7×10 <sup>2</sup> |       | 1.7×10 <sup>3</sup> |       | 3.3×10 <sup>3</sup> |       |
|        | 総窒素        | mg/l                | B08 | 1.22                |       |                     |        |       |       | 1.06                |       |                     |       | 1.44                |       |                     |       | 1.29                |       |
| 健康項目   | 総リン        | mg/l                | B09 | 0.011               |       |                     |        |       |       | 0.022               |       |                     |       | 0.027               |       |                     |       | 0.027               |       |
|        | カドミウム      | mg/l                | C01 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | 全シアン       | mg/l                | C02 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | 有機リン       | mg/l                | C03 | N.D                 |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|        | 鉛          | mg/l                | C04 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | クロム(6価)    | mg/l                | C05 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | ヒ素         | mg/l                | C06 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | 総水銀        | mg/l                | C07 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | アルキル水銀     | mg/l                | C08 |                     |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |
|        | PCB        | mg/l                | C09 | N.D                 |       |                     |        |       |       |                     |       |                     |       |                     |       |                     |       | N.D                 |       |
|        | トリクロロエチレン  | mg/l                | C10 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |
|        | テトラクロロエチレン | mg/l                | C11 | N.D                 |       |                     |        |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |



観測所番号  
30101

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 山                   | 方   | 水系名                 | 久慈川   | 河川名   | 久慈川   | 流量観測所名              |       |                     |       |                     |       |                     |       |   |   |   |
|--------|------------|---------------------|-----|---------------------|-------|-------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---|---|---|
| 項 目    |            | 単位                  | 番号  | 8.10                | 8.10  | 8.10  | 8.11  | 9.21                | 9.21  | 10.6                | 10.6  | 11.9                | 11.9  | 12.7                | 12.7  | . | . | . |
| 一般項目   | 採水位置       |                     | A01 | 赤心                  | 赤心    | 赤心    | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    |   |   |   |
|        | 天候         |                     | A02 | 曇                   | 曇     | 曇     | 曇     | 曇                   | 曇     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     |   |   |   |
|        | 採水時刻       | 時分                  | A03 | 7:00                | 13:45 | 22:15 | 4:20  | 7:23                | 14:10 | 7:10                | 14:00 | 6:55                | 13:40 | 7:30                | 14:07 |   |   |   |
|        | 水位         | m                   | A04 | -0.44               | -0.44 | -0.42 | -0.43 | -0.47               | -0.46 | -0.36               | -0.38 | -0.69               | -0.70 | -0.77               | -0.78 |   |   |   |
|        | 流量         | m <sup>3</sup> /sec | A05 | 21.02               |       |       |       | 25.98               |       | 40.15               |       | 13.49               |       | 15.88               |       |   |   |   |
|        | 全水深        | m                   | A06 | 1.55                | 1.55  | 1.56  | 1.56  | 1.50                | 1.51  | 1.47                | 1.45  | 1.47                | 1.46  | 1.12                | 1.11  |   |   |   |
|        | 採水水深       | m                   | A07 | 0.31                | 0.31  | 0.31  | 0.31  | 0.30                | 0.30  | 0.29                | 0.29  | 0.29                | 0.29  | 0.22                | 0.22  |   |   |   |
|        | 気温         | ℃                   | A08 | 20.5                | 20.9  | 21.3  | 22.0  | 19.8                | 19.0  | 12.5                | 12.7  | 8.7                 | 15.9  | 2.0                 | 12.7  |   |   |   |
|        | 水温         | ℃                   | A09 | 19.3                | 19.8  | 20.1  | 20.4  | 19.3                | 19.8  | 16.3                | 17.0  | 9.9                 | 14.3  | 5.5                 | 8.5   |   |   |   |
|        | 干潮時刻       | 時分                  | A1A |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 満潮時刻       | 時分                  | A1B |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 外観         |                     | A11 | 茶色濁                 | 茶色濁   | 茶色濁   | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   |   |   |   |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    |   |   |   |
|        | 透明度        | cm                  | A13 | 30.0<               | 30.0< | 30.0< | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |   |   |   |
|        | 透明色        | m                   | A14 |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 水色         |                     | A15 |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
| 生活環境項目 | pH         |                     | B01 | 7.1                 | 6.7   | 6.8   | 6.8   | 7.0                 | 7.2   | 6.9                 | 6.9   | 7.1                 | 6.9   | 6.9                 | 7.2   |   |   |   |
|        | DO         | mg/l                | B02 | 8.9                 | 6.2   | 5.5   | 5.9   | 7.6                 | 8.3   | 8.3                 | 9.3   | 9.9                 | 9.2   | 1.0                 | 1.2   |   |   |   |
|        | BOD        | mg/l                | B03 | N.D                 | N.D   | N.D   | N.D   | N.D                 | N.D   | N.D                 | 0.5   | N.D                 | N.D   | N.D                 | 0.5   |   |   |   |
|        | COD        | mg/l                | B04 | 2.1                 | 2.5   | 2.3   | 2.1   | 1.6                 | 2.6   | 2.1                 | 2.4   | 1.7                 | 1.1   | 1.9                 | 1.3   |   |   |   |
|        | SS         | mg/l                | B05 | 3                   | 2     | 3     | 2     | N.D                 | N.D   | 2                   | 2     | 1                   | 1     | N.D                 | N.D   |   |   |   |
|        | 大腸菌群数      |                     | B06 | 3.3×10 <sup>2</sup> |       |       |       | 2.2×10 <sup>3</sup> |       | 1.7×10 <sup>3</sup> |       | 3.3×10 <sup>2</sup> |       | 2.3×10 <sup>3</sup> |       |   |   |   |
|        | 総窒素        | mg/l                | B08 |                     |       |       |       | 0.80                |       |                     |       | 1.12                |       |                     |       |   |   |   |
| 健康項目   | 総リン        | mg/l                | B09 |                     |       |       |       | 0.025               |       |                     |       | 0.021               |       |                     |       |   |   |   |
|        | カドミウム      | mg/l                | C01 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | 全シアン       | mg/l                | C02 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | 有機リン       | mg/l                | C03 |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 鉛          | mg/l                | C04 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | クロム(6価)    | mg/l                | C05 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | ヒ素         | mg/l                | C06 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | 総水銀        | mg/l                | C07 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | アルキル水銀     | mg/l                | C08 |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | PCB        | mg/l                | C09 |                     |       |       |       |                     |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | トリクロロエチレン  | mg/l                | C10 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | テトラクロロエチレン | mg/l                | C11 |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |



水 質 年 表 ( そ の 1 )

| 観測所名       |        |        | 富岡橋  | 水系名     | 久慈川     | 河川名     | 久慈川     | 流量観測所名  | 平成5年(1993年) |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
|------------|--------|--------|------|---------|---------|---------|---------|---------|-------------|---------|---------|---------|---------|---------|---------|----|---|---|---|--|--|--|--|--|
| 項目         |        | 単位     | 番号   | 1.12    | 2.2     | 3.2     | 4.28    | 5.18    | 6.28        | 7.30    | 8.10    | 9.21    | 10.6    | 11.9    | 12.7    | .  | . | . | . |  |  |  |  |  |
| 一般項目       | 採水位位置  |        | A01  | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      | 赤心          | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      | 赤心 |   |   |   |  |  |  |  |  |
|            | 天候     |        | A02  | 晴       | 晴       | 晴       | 曇       | 曇       | 晴           | 曇       | 曇       | 曇       | 曇       | 晴       | 晴       | 晴  |   |   |   |  |  |  |  |  |
|            | 採水時刻   | 時分     | A03  | 9-30    | 8-50    | 8-10    | 11-25   | 8-30    | 8-30        | 8-50    | 8-30    | 8-40    | 8-47    | 9-20    | 9-05    |    |   |   |   |  |  |  |  |  |
|            | 水位     | m      | A04  | -1.82   | -1.80   | -1.73   | -0.12   | -1.89   | -1.70       | -1.62   | -1.71   | -1.68   | -1.57   | -1.07   | -1.90   |    |   |   |   |  |  |  |  |  |
|            | 流量     | m³/sec | A05  | 12.49   | 11.66   | 16.70   | 1.63    | 8.46    | 19.06       | 26.64   | 15.43   | 25.67   | 28.41   | 12.52   | 12.36   |    |   |   |   |  |  |  |  |  |
|            | 全水深    | m      | A06  | 0.46    | 0.50    | 0.60    | 0.22    | 0.41    | 0.62        | 0.72    | 0.63    | 0.65    | 0.85    | 0.51    | 0.55    |    |   |   |   |  |  |  |  |  |
|            | 採水水深   | m      | A07  | 0.09    | 0.10    | 0.12    | 0.04    | 0.08    | 0.12        | 0.14    | 0.13    | 0.13    | 0.17    | 0.10    | 0.11    |    |   |   |   |  |  |  |  |  |
|            | 気温     | ℃      | A08  | 4.0     | 1.9     | 3.3     | 16.2    | 18.8    | 24.4        | 23.8    | 22.1    | 20.2    | 13.6    | 12.7    | 6.0     |    |   |   |   |  |  |  |  |  |
|            | 水温     | ℃      | A09  | 7.7     | 3.2     | 6.3     | 17.3    | 16.8    | 22.0        | 22.6    | 20.2    | 18.4    | 15.2    | 10.4    | 10.0    |    |   |   |   |  |  |  |  |  |
|            | 干潮時刻   | 時分     | A1A  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
|            | 満潮時刻   | 時分     | A1B  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
|            | 外観     |        | A11  | 近白濁     | 近白濁     | 近白濁     | 近白濁     | 近白濁     | 近白濁         | 近白濁     | 近白濁     | 近白濁     | 近白濁     | 近白濁     | 近白濁     |    |   |   |   |  |  |  |  |  |
|            | 臭気(冷時) |        | A12  | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭          | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      |    |   |   |   |  |  |  |  |  |
|            | 透視度    | cm     | A13  | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<       | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   |    |   |   |   |  |  |  |  |  |
|            | 透明度    | m      | A14  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
| 水色         |        | A15    |      |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
| 生活環境項目     | pH     |        | B01  | 7.5     | 7.0     | 7.2     | 7.2     | 7.0     | 7.1         | 7.2     | 7.1     | 6.8     | 7.0     | 7.1     | 6.8     |    |   |   |   |  |  |  |  |  |
|            | DO     | mg/l   | B02  | 1.2     | 1.3     | 1.2     | 2.4     | 2.7     | 2.3         | 2.3     | 2.5     | 2.2     | 2.6     | 1.0     | 1.3     |    |   |   |   |  |  |  |  |  |
|            | BOD    | mg/l   | B03  | N.D     | 0.8     | N.D     | 1.1     | 0.7     | 0.6         | N.D     | N.D     | 1.1     | 0.5     | N.D     | 0.5     |    |   |   |   |  |  |  |  |  |
|            | COD    | mg/l   | B04  | 2.2     | 1.4     | 1.9     | 2.2     | 2.2     | 3.0         | 2.5     | 2.7     | 1.9     | 2.6     | 1.6     | 1.3     |    |   |   |   |  |  |  |  |  |
|            | SS     | mg/l   | B05  | N.D     | N.D     | N.D     | 1       | 2       | 9           | 4       | 3       | N.D     | 2       | 1       | N.D     |    |   |   |   |  |  |  |  |  |
|            | 大腸菌群数  |        | B06  | 1.3×10² | 2.3×10² | 2.9×10¹ | 1.7×10² | 1.3×10³ | 2.3×10³     | 1.7×10³ | 1.7×10³ | 2.3×10³ | 4.9×10³ | 1.3×10² | 2.3×10³ |    |   |   |   |  |  |  |  |  |
|            | 総窒素    | mg/l   | B08  | 1.5     |         | 1.02    |         | 1.42    |             | 1.39    |         | 0.99    |         | 1.12    |         |    |   |   |   |  |  |  |  |  |
|            | 総リン    | mg/l   | B09  | 0.039   |         | 0.013   |         | 0.017   |             | 0.034   |         | 0.022   |         | 0.022   |         |    |   |   |   |  |  |  |  |  |
|            | 健康項目   | カドミウム  | mg/l | C01     | N.D     |         | N.D     |         | N.D         |         | N.D     |         | N.D     |         | N.D     |    |   |   |   |  |  |  |  |  |
| 全シアン       |        | mg/l   | C02  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| 有機リン       |        | mg/l   | C03  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
| 鉛          |        | mg/l   | C04  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| クロム(6価)    |        | mg/l   | C05  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| ヒ素         |        | mg/l   | C06  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| 総水銀        |        | mg/l   | C07  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| アルキル水銀     |        | mg/l   | C08  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
| PCB        |        | mg/l   | C09  |         |         |         |         |         |             |         |         |         |         |         |         |    |   |   |   |  |  |  |  |  |
| トリクロロエチレン  |        | mg/l   | C10  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |
| テトラクロロエチレン |        | mg/l   | C11  | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |    |   |   |   |  |  |  |  |  |



水 質 年 表 ( そ の 1 )

平成5年（1993年）

| 観測所名   |            |                     |     | 東                   | 橋                   | 水系名                 | 久慈川                 | 河川名                 | 山田川                 | 流量観測所名              | 平成5年(1993年)         |                     |                     |                     |                     |      |      |      |   |   |   |   |
|--------|------------|---------------------|-----|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------|------|------|---|---|---|---|
| 項      |            | 目                   |     | 月日                  | 単位                  | 番号                  | 1.12                | 2.2                 | 3.2                 | 4.28                | 5.18                | 6.28                | 7.30                | 8.10                | 9.21                | 10.6 | 11.9 | 12.7 | . | . | . | . |
| 一般項目   | 採水位置       |                     | A01 | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心                  | 永心   | 永心   | 永心   |   |   |   |   |
|        | 天候         |                     | A02 | 晴                   | 晴                   | 晴                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇                   | 曇    | 曇    | 曇    |   |   |   |   |
|        | 採水時刻       | 時分                  | A03 | 12:50               | 11:40               | 10:40               | 12:07               | 11:30               | 11:30               | 11:45               | 11:35               | 11:28               | 11:50               | 11:05               | 12:00               |      |      |      |   |   |   |   |
|        | 水深         | m                   | A04 | -0.44               | -0.43               | -0.24               | -0.58               | -0.23               | -0.27               | -0.17               | -0.26               | -0.18               | -0.15               | -0.28               | -0.28               |      |      |      |   |   |   |   |
|        | 流量         | m <sup>3</sup> /sec | A05 | 0.98                | 1.10                | 1.85                | 0.27                | 1.81                | 1.30                | 2.44                | 1.34                | 1.28                | 2.63                | 1.15                | 0.91                |      |      |      |   |   |   |   |
|        | 全水深        | m                   | A06 | 0.40                | 0.44                | 0.55                | 0.32                | 0.58                | 0.55                | 0.60                | 0.49                | 0.42                | 0.58                | 0.36                | 0.30                |      |      |      |   |   |   |   |
|        | 採水水深       | m                   | A07 | 0.08                | 0.09                | 0.11                | 0.06                | 0.12                | 0.11                | 0.12                | 0.10                | 0.08                | 0.12                | 0.07                | 0.06                |      |      |      |   |   |   |   |
|        | 気温         | ℃                   | A08 | 9.9                 | 6.8                 | 7.5                 | 16.5                | 15.9                | 29.0                | 28.1                | 21.1                | 19.4                | 16.1                | 10.5                | 11.5                |      |      |      |   |   |   |   |
|        | 水温         | ℃                   | A09 | 6.0                 | 4.5                 | 6.5                 | 15.6                | 16.9                | 22.3                | 23.0                | 20.6                | 20.0                | 17.3                | 13.2                | 8.5                 |      |      |      |   |   |   |   |
|        | 干潮時刻       | 時分                  | A1A |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
|        | 満潮時刻       | 時分                  | A1B |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
|        | 外観         |                     | A11 | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁 |      |      |   |   |   |   |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭   |      |      |   |   |   |   |
|        | 透視度        | cm                  | A13 | 30.0<               | 30.0<               | 30.0<               | 15.5                | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               |      |      |      |   |   |   |   |
|        | 透明度        | m                   | A14 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
| 水色     |            | A15                 |     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
| 生活環境項目 | pH         |                     | B01 | 7.4                 | 7.3                 | 7.2                 | 7.0                 | 7.3                 | 7.3                 | 7.4                 | 7.4                 | 7.2                 | 7.1                 | 7.2                 | 7.2                 |      |      |      |   |   |   |   |
|        | DO         | mg/l                | B02 | 1.2                 | 1.3                 | 1.2                 | 7.9                 | 9.9                 | 2.3                 | 8.7                 | 9.1                 | 8.3                 | 9.3                 | 11                  | 12                  |      |      |      |   |   |   |   |
|        | BOD        | mg/l                | B03 | 0.6                 | 0.9                 | 0.5                 | 1.7                 | 1.5                 | N.D                 | 0.6                 | 0.5                 | 0.6                 | 0.7                 | 0.8                 | 0.6                 |      |      |      |   |   |   |   |
|        | COD        | mg/l                | B04 | 3.5                 | 2.3                 | 3.0                 | 6.8                 | 3.7                 | 5.0                 | 3.9                 | 4.6                 | 4.1                 | 5.0                 | 2.1                 | 2.5                 |      |      |      |   |   |   |   |
|        | SS         | mg/l                | B05 | 6                   | 1                   | 1                   | 38                  | 18                  | 17                  | 15                  | 11                  | 1                   | 6                   | 4                   | 1                   |      |      |      |   |   |   |   |
| 健康項目   | 大腸菌群数      |                     | B06 | 1.3×10 <sup>3</sup> | 2.2×10 <sup>3</sup> | 2.9×10 <sup>2</sup> | 2.3×10 <sup>3</sup> | 2.3×10 <sup>3</sup> | 2.9×10 <sup>3</sup> | 1.1×10 <sup>4</sup> | 3.3×10 <sup>3</sup> | 7.9×10 <sup>3</sup> | 4.9×10 <sup>3</sup> | 1.3×10 <sup>3</sup> | 2.8×10 <sup>3</sup> |      |      |      |   |   |   |   |
|        | 総窒素        | mg/l                | B08 | 1.21                |                     | 1.29                |                     | 1.21                |                     | 1.41                |                     | 1.15                |                     | 1.32                |                     |      |      |      |   |   |   |   |
|        | 総リン        | mg/l                | B09 | 0.056               |                     | 0.041               |                     | 0.064               |                     | 0.101               |                     | 0.070               |                     | 0.081               |                     |      |      |      |   |   |   |   |
| 健康項目   | カドミウム      | mg/l                | C01 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | 全シアン       | mg/l                | C02 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | 有機リン       | mg/l                | C03 | N.D                 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
|        | 鉛          | mg/l                | C04 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | クロム(6価)    | mg/l                | C05 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | ヒ素         | mg/l                | C06 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | 総水銀        | mg/l                | C07 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | アルキル水銀     | mg/l                | C08 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |      |      |   |   |   |   |
|        | PCB        | mg/l                | C09 | N.D                 |                     |                     |                     |                     |                     | N.D                 |                     |                     |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | トリクロロエチレン  | mg/l                | C10 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |
|        | テトラクロロエチレン | mg/l                | C11 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |      |      |   |   |   |   |





観測所番号  
30104

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 新落合橋                | 水系名 | 久慈川                 | 河川名                 | 里川                  | 流量観測所名              |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|--------|------------|---------------------|-----|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------|---|---|---|
| 項 目    |            | 月日                  | 単位  | 番号                  | 1.12                | 2.2                 | 3.2                 | 4.28                | 5.18                | 6.28                | 7.30                | 8.10                | 9.21                | 10.6                | 11.9                | 12.7 | . | . | . |
| 一般項目   | 採水位置       |                     | A01 | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水                  | 流水   |   |   |   |
|        | 天候         |                     | A02 | 晴                   | 晴                   | 晴                   | 晴                   | 雨                   | 晴                   | 曇                   | 曇                   | 曇                   | 曇                   | 晴                   | 晴                   | 晴    |   |   |   |
|        | 採水時刻       | 時分                  | A03 | 12:12               | 11:00               | 10:10               | 8:00                | 10:50               | 11:10               | 11:05               | 10:40               | 11:05               | 11:26               | 10:45               | 11:45               |      |   |   |   |
|        | 水位         | m                   | A04 | 0.82                | 0.83                | 0.83                | 0.65                | 0.78                | 0.74                | 0.78                | 0.78                | 0.84                | 0.89                | 0.78                | 0.71                |      |   |   |   |
|        | 流量         | m <sup>3</sup> /sec | A05 | 2.91                | 3.28                | 4.08                | 0.60                | 2.52                | 1.53                | 2.48                | 3.07                | 2.04                | 2.15                | 4.26                | 4.30                |      |   |   |   |
|        | 全水深        | m                   | A06 | 0.62                | 0.68                | 0.76                | 0.47                | 0.65                | 0.57                | 0.66                | 0.64                | 0.75                | 0.88                | 0.70                | 0.71                |      |   |   |   |
|        | 採水水深       | m                   | A07 | 0.12                | 0.13                | 0.15                | 0.09                | 0.13                | 0.11                | 0.13                | 0.13                | 0.15                | 0.18                | 0.14                | 0.14                |      |   |   |   |
|        | 気温         | ℃                   | A08 | 9.8                 | 6.3                 | 4.5                 | 16.2                | 18.1                | 22.6                | 27.2                | 20.6                | 21.6                | 17.3                | 9.7                 | 8.5                 |      |   |   |   |
|        | 水温         | ℃                   | A09 | 7.3                 | 5.1                 | 6.7                 | 15.2                | 16.9                | 23.5                | 23.8                | 20.5                | 17.2                | 16.2                | 12.5                | 11.4                |      |   |   |   |
|        | 干潮時刻       | 時分                  | A1A |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|        | 満潮時刻       | 時分                  | A1B |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|        | 外観         |                     | A11 | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                | 茶白色濁                |      |   |   |   |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  | 無臭                  |      |   |   |   |
|        | 透視度        | cm                  | A13 | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               | 30.0<               |      |   |   |   |
|        | 透明度        | m                   | A14 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|        | 水色         |                     | A15 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
| 生活環境項目 | pH         |                     | B01 | 7.5                 | 7.3                 | 7.2                 | 7.2                 | 7.2                 | 7.3                 | 7.3                 | 7.3                 | 7.2                 | 7.2                 | 7.3                 | 7.2                 |      |   |   |   |
|        | DO         | mg/l                | B02 | 12                  | 14                  | 12                  | 8.5                 | 9.0                 | 8.9                 | 8.8                 | 8.7                 | 9.1                 | 10                  | 11                  | 12                  |      |   |   |   |
|        | BOD        | mg/l                | B03 | N.D                 | 2.0                 | 0.9                 | 1.2                 | 2.4                 | N.D                 | 1.0                 | 0.8                 | 0.8                 | N.D                 | 0.7                 | 0.5                 |      |   |   |   |
|        | COD        | mg/l                | B04 | 2.8                 | 1.5                 | 2.3                 | 4.8                 | 5.5                 | 5.6                 | 3.7                 | 4.0                 | 2.3                 | 2.4                 | 2.7                 | 2.4                 |      |   |   |   |
|        | SS         | mg/l                | B05 | N.D                 | 2                   | N.D                 | 6                   | 23                  | 14                  | 20                  | 11                  | 4                   | 3                   | 4                   | 7                   |      |   |   |   |
|        | 大腸菌群数      |                     | B06 | 2.3×10 <sup>3</sup> | 1.7×10 <sup>3</sup> | 2.3×10 <sup>3</sup> | 2.3×10 <sup>3</sup> | 2.3×10 <sup>4</sup> | 2.3×10 <sup>3</sup> | 1.7×10 <sup>4</sup> | 4.9×10 <sup>3</sup> | 2.9×10 <sup>3</sup> | 1.1×10 <sup>4</sup> | 1.7×10 <sup>3</sup> | 2.9×10 <sup>2</sup> |      |   |   |   |
|        | 総窒素        | mg/l                | B08 | 1.20                |                     | 0.95                |                     | 1.42                |                     | 1.34                |                     | 0.28                |                     | 1.07                |                     |      |   |   |   |
|        | 総リン        | mg/l                | B09 | 0.039               |                     | 0.044               |                     | 0.136               |                     | 0.109               |                     | 0.042               |                     | 0.047               |                     |      |   |   |   |
|        | カドミウム      | mg/l                | C01 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | 全シアン       | mg/l                | C02 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
| 健康項目   | 有機リン       | mg/l                | C03 | N.D                 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|        | 鉛          | mg/l                | C04 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | クロム(6価)    | mg/l                | C05 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | ヒ素         | mg/l                | C06 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | 総水銀        | mg/l                | C07 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | アルキル水銀     | mg/l                | C08 |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |                     |      |   |   |   |
|        | PCB        | mg/l                | C09 | N.D                 |                     |                     |                     |                     |                     | N.D                 |                     |                     |                     | N.D                 |                     |      |   |   |   |
|        | トリクロロエチレン  | mg/l                | C10 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |
|        | テトラクロロエチレン | mg/l                | C11 | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     | N.D                 |                     |      |   |   |   |



観測所番号  
30105

## 水 質 年 表 (その1)

平成5年 (1993年)

| 観測所名       |        |                     |      | 橋                   |       | 水系名                 |       | 久慈川   |       | 河川名                 |       | 久慈川                 |       | 流量観測所名              |       | 平成5年(1993年)         |       |                     |       |       |       |       |       |
|------------|--------|---------------------|------|---------------------|-------|---------------------|-------|-------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|-------|-------|-------|-------|
| 項目         |        | 月日                  |      | 単位                  |       | 番号                  |       | 1.12  | 1.12  | 2.2                 | 2.2   | 2.2                 | 2.3   | 3.2                 | 3.2   | 4.28                | 4.28  | 5.18                | 5.18  | 6.28  | 6.28  | 7.30  | 7.30  |
| 一般項目       | 採水位置   |                     | A01  | 流心                  | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心    | 流心    |
|            | 天候     |                     | A02  | 晴                   | 晴     | 晴                   | 晴     | 晴     | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴     | 晴     | 晴     | 晴     |
|            | 採水時刻   | 時分                  | A03  | 11:10               | 16:20 | 10:10               | 16:00 | 23:00 | 5:40  | 9:10                | 15:20 | 7:10                | 15:30 | 9:50                | 15:30 | 10:00               | 14:30 | 10:27               | 16:35 |       |       |       |       |
|            | 採水位置   | m                   | A04  | 0.78                | 0.77  | 0.99                | 0.82  | 0.82  | 0.86  | 1.04                | 0.94  | 0.80                | 0.50  | 0.81                | 0.86  | 1.00                | 0.98  | 1.18                | 1.21  |       |       |       |       |
|            | 流量     | m <sup>3</sup> /sec | A05  | 19.68               |       | 22.27               |       |       |       | 33.80               |       | 2.15                |       | 17.34               |       | 28.93               |       | 45.26               |       |       |       |       |       |
|            | 全水深    | m                   | A06  | 0.64                | 0.63  | 0.89                | 0.72  | 0.72  | 0.76  | 0.75                | 0.64  | 0.65                | 0.35  | 0.85                | 0.90  | 1.00                | 1.04  | 1.62                | 1.65  |       |       |       |       |
|            | 採水水深   | m                   | A07  | 0.13                | 0.13  | 0.18                | 0.14  | 0.14  | 0.15  | 0.15                | 0.13  | 0.13                | 0.07  | 0.17                | 0.18  | 0.21                | 0.21  | 0.32                | 0.33  |       |       |       |       |
|            | 気温     | ℃                   | A08  | 8.1                 | 7.6   | 6.6                 | 2.6   | -2.5  | -5.1  | 3.8                 | 8.9   | 12.2                | 3.0   | 16.3                | 19.4  | 20.5                | 21.3  | 25.0                | 21.2  |       |       |       |       |
|            | 水温     | ℃                   | A09  | 5.6                 | 6.8   | 4.1                 | 5.3   | 3.7   | 2.4   | 6.6                 | 8.8   | 15.2                | 5.5   | 16.5                | 17.6  | 22.1                | 19.4  | 22.2                | 23.2  |       |       |       |       |
|            | 干潮時刻   | 時分                  | A1A  | 13:20               | 13:20 | 18:55               | 18:55 | 18:55 | 19:58 | 1:02                | 16:28 | 0:58                | 14:10 | 8:13                | 8:13  | 4:37                | 15:42 | 7:52                | 19:40 |       |       |       |       |
|            | 満潮時刻   | 時分                  | A1B  | 7:21                | 18:57 | 9:46                | 9:46  | 9:46  | 11:21 | 7:43                | 7:43  | 6:15                | 21:43 | 14:49               | 14:49 | 11:00               | 11:00 | 15:39               | 15:39 |       |       |       |       |
|            | 外観     |                     | A11  | 非観測                 | 非観測   | 非観測                 | 非観測   | 非観測   | 非観測   | 非観測                 | 非観測   | 非観測                 | 非観測   | 非観測                 | 非観測   | 非観測                 | 非観測   | 非観測                 | 非観測   | 非観測   | 非観測   | 非観測   | 非観測   |
|            | 臭気(冷時) |                     | A12  | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    |
|            | 透視度    | cm                  | A13  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0< | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< |
|            | 透明度    | m                   | A14  |                     |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |
| 水色         |        | A15                 |      |                     |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |
| 生活環境項目     | pH     |                     | B01  | 7.4                 | 7.3   | 7.2                 | 7.3   | 7.2   | 7.0   | 7.2                 | 7.1   | 7.2                 | 7.4   | 7.2                 | 7.1   | 7.3                 | 7.4   | 7.2                 | 7.2   |       |       |       |       |
|            | D O    | mg/l                | B02  | 12                  | 12    | 13                  | 14    | 14    | 13    | 12                  | 12    | 8.7                 | 10    | 9.0                 | 8.7   | 9.2                 | 8.6   | 8.9                 | 8.2   |       |       |       |       |
|            | B O D  | mg/l                | B03  | N.D                 | N.D   | 1.2                 | 1.8   | 0.5   | 0.9   | 0.6                 | 1.3   | 1.8                 | 1.6   | 1.7                 | 1.8   | N.D                 | N.D   | N.D                 | 1.0   |       |       |       |       |
|            | C O D  | mg/l                | B04  | 2.2                 | 2.8   | 1.6                 | 2.2   | 1.7   | 3.8   | 2.3                 | 2.6   | 3.7                 | 2.0   | 4.0                 | 4.3   | 3.2                 | 5.0   | 2.9                 | 4.6   |       |       |       |       |
|            | S S    | mg/l                | B05  | 4                   | 4     | 1                   | 4     | 3     | 1     | 2                   | 1     | 3                   | 4     | 12                  | 7     | 15                  | 14    | 16                  | 5     |       |       |       |       |
|            | 大腸菌群数  |                     | B06  | 1.3×10 <sup>3</sup> |       | 2.2×10 <sup>3</sup> |       |       |       | 2.3×10 <sup>3</sup> |       | 2.3×10 <sup>3</sup> |       | 1.3×10 <sup>3</sup> |       | 2.3×10 <sup>3</sup> |       | 1.7×10 <sup>3</sup> |       |       |       |       |       |
|            | 総窒素    | mg/l                | B08  | 1.14                |       |                     |       |       |       | 1.07                |       |                     |       | 1.33                |       |                     |       | 1.55                |       |       |       |       |       |
|            | 総リン    | mg/l                | B09  | 0.024               |       |                     |       |       |       | 0.028               |       |                     |       | 0.020               |       |                     |       | 0.056               |       |       |       |       |       |
|            | 健康項目   | カドミウム               | mg/l | C01                 | N.D   |                     |       |       |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       |       |       |
| 全シアン       |        | mg/l                | C02  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |
| 有機リン       |        | mg/l                | C03  | N.D                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |
| 鉛          |        | mg/l                | C04  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |
| クロム(6価)    |        | mg/l                | C05  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |
| ヒ素         |        | mg/l                | C06  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |
| 総水銀        |        | mg/l                | C07  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |
| アルキル水銀     |        | mg/l                | C08  |                     |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |
| P C B      |        | mg/l                | C09  | N.D                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       | N.D   |       |
| トリクロロエチレン  |        | mg/l                | C10  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       | N.D   |       |
| テトラクロロエチレン |        | mg/l                | C11  | N.D                 |       |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       | N.D   |       |



観測所番号  
30105

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 橋                   | 水系名 | 久慈川                 | 河川名   | 久慈川   | 流量観測所名 |                     |       |                     |       |                     |       |                     |       |   |   |   |
|--------|------------|---------------------|-----|---------------------|-------|-------|--------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---|---|---|
| 項 目    |            | 単位                  | 番号  | 8.10                | 8.10  | 8.10  | 8.11   | 9.21                | 9.21  | 10.6                | 10.6  | 11.9                | 11.9  | 12.7                | 12.7  | . | . | . |
| 一般項目   | 採水位置       |                     | A01 | 流心                  | 流心    | 流心    | 流心     | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    |   |   |   |
|        | 天候         |                     | A02 | 曇                   | 曇     | 曇     | 曇      | 曇                   | 曇     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     |   |   |   |
|        | 採水時刻       | 時分                  | A03 | 9:50                | 15:00 | 23:00 | 5:30   | 10:10               | 15:37 | 10:23               | 15:50 | 9:50                | 15:20 | 10:55               | 15:16 |   |   |   |
|        | 水位         | m                   | A04 | 1.00                | 0.99  | 1.08  | 1.00   | 1.16                | 1.15  | 1.30                | 1.28  | 0.88                | 0.91  | -0.89               | -0.90 |   |   |   |
|        | 流量         | m <sup>3</sup> /sec | A05 | 27.33               |       |       |        | 43.21               |       | 50.54               |       | 20.98               |       | 24.61               |       |   |   |   |
|        | 全水深        | m                   | A06 | 0.90                | 0.89  | 0.98  | 0.90   | 1.80                | 1.79  | 1.66                | 1.64  | 2.00                | 2.03  | 2.20                | 2.19  |   |   |   |
|        | 採水水深       | m                   | A07 | 0.18                | 0.18  | 0.20  | 0.18   | 0.36                | 0.36  | 0.33                | 0.33  | 0.40                | 0.41  | 0.44                | 0.44  |   |   |   |
|        | 気温         | ℃                   | A08 | 22.1                | 22.0  | 21.1  | 21.3   | 20.2                | 18.5  | 18.5                | 17.2  | 16.0                | 11.7  | 7.2                 | 7.9   |   |   |   |
|        | 水温         | ℃                   | A09 | 20.5                | 21.0  | 20.6  | 20.1   | 18.9                | 19.4  | 16.7                | 16.9  | 12.2                | 13.5  | 7.7                 | 8.1   |   |   |   |
|        | 干潮時刻       | 時分                  | A1A | 13:24               | 13:24 | 13:24 | 3:27   | 12:34               | 12:34 | 12:09               | 12:09 | 5:05                | 18:36 | 16:35               | 16:35 |   |   |   |
|        | 満潮時刻       | 時分                  | A1B | 8:38                | 19:43 | 19:43 | 10:23  | 7:48                | 18:10 | 7:15                | 17:40 | 12:02               | 12:05 | 9:54                | 9:54  |   |   |   |
|        | 外観         |                     | A11 | 透明度                 | 透明度   | 透明度   | 透明度    | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   |   |   |   |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭    | 無臭    | 無臭     | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    |   |   |   |
|        | 透視度        | cm                  | A13 | 30.0<               | 30.0< | 30.0< | 30.0<  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |   |   |   |
|        | 透明度        | m                   | A14 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 水色         |                     | A15 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |   |   |   |
| 生活環境項目 | pH         |                     | B01 | 7.3                 | 7.3   | 7.2   | 7.2    | 7.2                 | 7.2   | 7.1                 | 7.2   | 7.1                 | 7.2   | 7.1                 | 7.1   |   |   |   |
|        | D O        | mg/l                | B02 | 9.1                 | 8.7   | 8.1   | 8.0    | 9.1                 | 9.1   | 9.2                 | 10    | 10                  | 10    | 12                  | 11    |   |   |   |
|        | B O D      | mg/l                | B03 | 0.8                 | 0.6   | 1.3   | 0.9    | N.D                 | N.D   | N.D                 | 0.5   | N.D                 | 0.6   | 1.8                 | 0.7   |   |   |   |
|        | C O D      | mg/l                | B04 | 3.8                 | 4.0   | 4.6   | 4.6    | 2.4                 | 2.1   | 2.6                 | 3.1   | 1.9                 | 2.2   | 3.4                 | 1.7   |   |   |   |
|        | S S        | mg/l                | B05 | 10                  | 7     | 8     | 11     | 4                   | 3     | 6                   | 10    | 4                   | 8     | 4                   | 5     |   |   |   |
|        | 大腸菌群数      |                     | B06 | 4.9×10 <sup>2</sup> |       |       |        | 1.1×10 <sup>4</sup> |       | 4.9×10 <sup>2</sup> |       | 1.3×10 <sup>3</sup> |       | 1.7×10 <sup>3</sup> |       |   |   |   |
|        | 総窒素        | mg/l                | B08 |                     |       |       |        | 1.06                |       |                     |       | 1.08                |       |                     |       |   |   |   |
|        | 総リン        | mg/l                | B09 |                     |       |       |        | 0.041               |       |                     |       | 0.040               |       |                     |       |   |   |   |
|        | カドミウム      | mg/l                | C01 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
| 健康項目   | 全シアン       | mg/l                | C02 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | 有機リン       | mg/l                | C03 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | 鉛          | mg/l                | C04 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | クロム(6価)    | mg/l                | C05 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | ヒ素         | mg/l                | C06 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | 総水銀        | mg/l                | C07 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | アルキル水銀     | mg/l                | C08 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |   |   |   |
|        | P C B      | mg/l                | C09 |                     |       |       |        |                     |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | トリクロロエチレン  | mg/l                | C10 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |
|        | テトラクロロエチレン | mg/l                | C11 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |   |   |   |



観測所番号  
30201

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            |                     |     | 新那珂橋  | 水系名                 | 那珂川   | 河川名                 | 那珂川   | 流量観測所名 |       |                     |       |                     |       |                     |       |                     |       |                     | 平成5年(1993年) |  |  |  |
|--------|------------|---------------------|-----|-------|---------------------|-------|---------------------|-------|--------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------------|--|--|--|
| 項目     |            | 月日                  | 単位  | 番号    | 1.12                | 1.12  | 2.2                 | 2.2   | 2.2    | 2.3   | 3.2                 | 3.2   | 4.28                | 4.28  | 5.28                | 5.18  | 6.28                | 6.28  | 7.30                | 7.30        |  |  |  |
| 一般項目   | 採水位置       |                     |     | A01   | 流水                  | 流水    | 流水                  | 流水    | 流水     | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水          |  |  |  |
|        | 天候         |                     |     | A02   | 晴                   | 晴     | 晴                   | 晴     | 晴      | 晴     | 晴                   | 晴     | 晴                   | 曇     | 雨                   | 曇     | 晴                   | 曇     | 曇                   | 曇           |  |  |  |
|        | 採水時刻       | 時分                  |     | A03   | 8:35                | 13:30 | 8:00                | 14:30 | 22:00  | 4:00  | 8:40                | 14:30 | 9:05                | 15:20 | 8:20                | 14:20 | 8:30                | 14:00 | 7:45                | 14:30       |  |  |  |
|        | 水位         | m                   |     | A04   | 1.00                | 1.00  | 1.02                | 1.01  | 1.02   | 1.01  | 1.07                | 1.07  | 0.64                | 0.64  | 0.96                | 1.02  | 1.24                | 1.24  | 1.46                | 1.46        |  |  |  |
|        | 流量         | m <sup>3</sup> /sec |     | A05   | 26.96               |       | 21.91               |       |        |       | 22.06               |       | 5.30                |       | 19.37               |       | 41.00               |       | 87.31               |             |  |  |  |
|        | 全水深        | m                   |     | A06   | 0.73                | 0.73  | 0.94                | 0.93  | 0.94   | 0.93  | 0.83                | 0.83  | 0.60                | 0.60  | 0.77                | 0.83  | 0.89                | 0.89  | 1.05                | 1.05        |  |  |  |
|        | 採水水深       | m                   |     | A07   | 0.15                | 0.15  | 0.19                | 0.19  | 0.19   | 0.19  | 0.17                | 0.17  | 0.12                | 0.12  | 0.15                | 0.17  | 0.18                | 0.18  | 0.21                | 0.21        |  |  |  |
|        | 気温         | ℃                   |     | A08   | 4.6                 | 8.5   | 4.2                 | 4.6   | 1.5    | -1.8  | 3.0                 | 8.3   | 20.7                | 12.4  | 13.5                | 18.1  | 25.5                | 25.6  | 22.0                | 22.2        |  |  |  |
|        | 水温         | ℃                   |     | A09   | 5.4                 | 8.3   | 3.9                 | 4.6   | 4.5    | 3.8   | 6.2                 | 9.8   | 13.7                | 14.5  | 14.5                | 16.0  | 18.1                | 21.0  | 18.5                | 19.2        |  |  |  |
|        | 干潮時刻       | 時分                  |     | A1A   |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
|        | 満潮時刻       | 時分                  |     | A1B   |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
|        | 外観         |                     |     | A11   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度    | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度         |  |  |  |
|        | 臭気(冷時)     |                     |     | A12   | 臭気                  | 臭気    | 臭気                  | 臭気    | 臭気     | 臭気    | 臭気                  | 臭気    | 臭気                  | 臭気    | 臭気                  | 臭気    | 臭気                  | 臭気    | 臭気                  | 臭気          |  |  |  |
|        | 透視度        | cm                  |     | A13   | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<  | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0<       |  |  |  |
|        | 透明度        | m                   |     | A14   |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
| 水色     |            |                     | A15 |       |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
| 生活環境項目 | P H        |                     |     | B01   | 7.6                 | 8.0   | 7.3                 | 8.2   | 7.6    | 7.5   | 7.2                 | 7.8   | 7.9                 | 8.0   | 7.3                 | 8.1   | 7.4                 | 7.5   | 7.3                 | 7.5         |  |  |  |
|        | D O        | mg/l                |     | B02   | 12                  | 13    | 13                  | 15    | 12     | 11    | 13                  | 13    | 12                  | 12    | 10                  | 11    | 11                  | 9.8   | 8.9                 | 8.9         |  |  |  |
|        | B O D      | mg/l                |     | B03   | N.D                 | N.D   | 0.7                 | 1.5   | 1.4    | 1.0   | 1.2                 | 0.7   | 1.0                 | 1.8   | N.D                 | 1.1   | 0.5                 | N.D   | N.D                 | N.D         |  |  |  |
|        | C O D      | mg/l                |     | B04   | 1.9                 | 2.2   | 1.7                 | 1.2   | 1.8    | 2.1   | 2.2                 | 2.9   | 3.6                 | 4.2   | 1.6                 | 2.3   | 2.0                 | 1.9   | 2.1                 | 2.4         |  |  |  |
|        | S S        | mg/l                |     | B05   | 2                   | 3     | 3                   | 7     | 5      | 3     | 4                   | 4     | 1                   | 3     | 3                   | 5     | 5                   | 4     | 13                  | 4           |  |  |  |
|        | 大腸菌群数      |                     |     | B06   | 7.9×10 <sup>2</sup> |       | 2.3×10 <sup>3</sup> |       |        |       | 7.9×10 <sup>2</sup> |       | 1.3×10 <sup>3</sup> |       | 2.3×10 <sup>2</sup> |       | 7.9×10 <sup>2</sup> |       | 7.9×10 <sup>2</sup> |             |  |  |  |
|        | 総窒素        | mg/l                |     | B08   | 1.68                |       |                     |       |        |       | 1.24                |       |                     |       | 1.60                |       |                     |       | 1.88                |             |  |  |  |
| 総リン    | mg/l       |                     | B09 | 0.022 |                     |       |                     |       |        | 0.028 |                     |       |                     | 0.032 |                     |       |                     | 0.042 |                     |             |  |  |  |
| 健康項目   | カドミウム      | mg/l                |     | C01   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | 全シアン       | mg/l                |     | C02   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | 有機リン       | mg/l                |     | C03   | N.D                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
|        | 鉛          | mg/l                |     | C04   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | クロム(6価)    | mg/l                |     | C05   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | ヒ素         | mg/l                |     | C06   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | 総水銀        | mg/l                |     | C07   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | アルキル水銀     | mg/l                |     | C08   |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |  |  |  |
|        | P C B      | mg/l                |     | C09   | N.D                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       | N.D                 |             |  |  |  |
|        | トリクロロエチレン  | mg/l                |     | C10   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |
|        | テトラクロロエチレン | mg/l                |     | C11   | N.D                 |       |                     |       |        |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |  |  |  |

|       |       |
|-------|-------|
| 観測所番号 | 30201 |
|-------|-------|

## 水 質 年 表 ( そ の 2 )

| 観測所名     |           |  |  | 新那珂橋  |     | 水系名   |  | 那珂川 |  | 河川名  |      | 那珂川 |     | 流量観測所名 |     | 平成5年(1993年) |     |      |      |      |      |      |      |      |      |  |  |
|----------|-----------|--|--|-------|-----|-------|--|-----|--|------|------|-----|-----|--------|-----|-------------|-----|------|------|------|------|------|------|------|------|--|--|
| 項目       |           |  |  | 月日    |     | 単位    |  | 番号  |  | 1.12 | 1.12 | 2.2 | 2.2 | 2.2    | 2.3 | 3.2         | 3.2 | 4.28 | 4.28 | 5.18 | 5.18 | 6.28 | 6.28 | 7.30 | 7.30 |  |  |
| 排水基準項目   | フェノール類    |  |  | mg/l  | D01 | N.D.  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | 銅         |  |  | mg/l  | D02 | N.D.  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | 亜鉛        |  |  | mg/l  | D03 | N.D.  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | 溶解性鉄      |  |  | mg/l  | D04 | 0.13  |  |     |  |      |      |     |     |        |     | 0.03        |     |      |      |      |      |      |      | 0.05 |      |  |  |
|          | 溶解性マンガン   |  |  | mg/l  | D05 | 0.01  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | クロム       |  |  | mg/l  | D06 | N.D.  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | フッ素       |  |  | mg/l  | D07 | 0.06  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
| 富栄養化関連項目 | アンモニウム態窒素 |  |  | mg/l  | E01 | 0.03  |  |     |  |      |      |     |     |        |     | 0.04        |     |      |      |      |      |      |      | 0.02 |      |  |  |
|          | 亜硝酸態窒素    |  |  | mg/l  | E02 | 0.017 |  |     |  |      |      |     |     |        |     | 0.020       |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | 硝酸態窒素     |  |  | mg/l  | E03 | 1.45  |  |     |  |      |      |     |     |        |     | 0.99        |     |      |      |      |      |      |      | 1.63 |      |  |  |
|          | 有機態窒素     |  |  | mg/l  | E04 | 0.15  |  |     |  |      |      |     |     |        |     | 0.18        |     |      |      |      |      |      |      | 0.20 |      |  |  |
|          | 総窒素       |  |  | mg/l  | E08 |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          | 総リン       |  |  | mg/l  | E13 |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          | ケルダール窒素   |  |  | mg/l  | E30 | 0.18  |  |     |  |      |      |     |     |        |     | 0.22        |     |      |      |      |      |      |      | 0.22 |      |  |  |
| 地の質他環境項目 | 濁度        |  |  | 度     | F02 | 1.2   |  |     |  |      |      |     |     |        |     | 3.7         |     |      |      |      |      |      |      | N.D. |      |  |  |
|          | 導電率       |  |  | μs/cm | F03 | 159   |  |     |  |      |      |     |     |        |     | 174         |     |      |      |      |      |      |      | 148  |      |  |  |
|          | 総硬度       |  |  | mg/l  | F09 | 57.9  |  |     |  |      |      |     |     |        |     | 51.7        |     |      |      |      |      |      |      | 45.1 |      |  |  |
|          | 塩化物イオン    |  |  | mg/l  | F23 | 11    |  |     |  |      |      |     |     |        |     | 10          |     |      |      |      |      |      |      | 10   |      |  |  |
|          | 陰イオン界面活性剤 |  |  | mg/l  | F34 | 0.01  |  |     |  |      |      |     |     |        |     | N.D.        |     |      |      |      |      |      |      | N.D. |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      |      |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |
|          |           |  |  |       |     |       |  |     |  |      | </   |     |     |        |     |             |     |      |      |      |      |      |      |      |      |  |  |



観測所番号  
30201

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 新那珂橋                | 水系名 | 那珂川                 | 河川名   | 那珂川   | 流量観測所名 |                     |       |                     |       |                     |       |                     |       |  |  |  |
|--------|------------|---------------------|-----|---------------------|-------|-------|--------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|--|--|--|
| 項 目    |            | 単位                  | 番号  | 8.10                | 8.10  | 8.10  | 8.11   | 9.21                | 9.21  | 10.6                | 10.6  | 11.9                | 11.9  | 12.7                | 12.7  |  |  |  |
| 一般項目   | 採水位置       |                     | A01 | 流心                  | 流心    | 流心    | 流心     | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    |  |  |  |
|        | 天候         |                     | A02 | 雨                   | 雨     | 曇     | 雨      | 曇                   | 曇     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     |  |  |  |
|        | 採水時刻       | 時分                  | A03 | 8:40                | 15:00 | 22:00 | 5:00   | 8:40                | 15:00 | 9:05                | 15:35 | 9:15                | 14:45 | 9:00                | 14:50 |  |  |  |
|        | 水位         | m                   | A04 | 1.36                | 1.38  | 1.45  | 1.60   | 1.42                | 1.42  | 1.38                | 1.37  | 1.08                | 1.09  | 1.10                | 1.11  |  |  |  |
|        | 流量         | m <sup>3</sup> /sec | A05 | 71.93               |       |       |        | 96.59               |       | 65.28               |       | 58.79               |       | 39.99               |       |  |  |  |
|        | 全水深        | m                   | A06 | 1.15                | 1.17  | 1.24  | 1.39   | 1.31                | 1.31  | 1.20                | 1.19  | 2.01                | 2.00  | 1.00                | 1.01  |  |  |  |
|        | 採水水深       | m                   | A07 | 0.23                | 0.23  | 0.25  | 0.28   | 0.26                | 0.26  | 0.24                | 0.24  | 0.40                | 0.40  | 0.20                | 0.20  |  |  |  |
|        | 気温         | ℃                   | A08 | 18.1                | 21.3  | 20.3  | 21.5   | 18.2                | 20.6  | 11.8                | 18.8  | 14.5                | 19.5  | 6.0                 | 13.0  |  |  |  |
|        | 水温         | ℃                   | A09 | 17.0                | 18.8  | 19.2  | 18.9   | 16.3                | 17.5  | 12.5                | 16.4  | 11.5                | 15.0  | 9.0                 | 11.2  |  |  |  |
|        | 干潮時刻       | 時分                  | A1A |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
|        | 満潮時刻       | 時分                  | A1B |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
|        | 外観         |                     | A11 | 茶色濁                 | 茶色濁   | 茶色濁   | 茶色濁    | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   |  |  |  |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭    | 無臭    | 無臭     | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    |  |  |  |
|        | 透視度        | cm                  | A13 | 30.0<               | 30.0< | 30.0< | 30.0<  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |  |  |  |
|        | 透明度        | m                   | A14 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
|        | 水色         |                     | A15 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
| 生活環境項目 | pH         |                     | B01 | 7.4                 | 7.7   | 7.4   | 7.4    | 7.3                 | 7.4   | 7.4                 | 7.9   | 7.2                 | 7.9   | 7.3                 | 8.0   |  |  |  |
|        | DO         | mg/l                | B02 | 8.0                 | 9.9   | 9.1   | 8.8    | 9.7                 | 9.9   | 10                  | 10    | 10                  | 10    | 12                  | 12    |  |  |  |
|        | BOD        | mg/l                | B03 | 0.5                 | N.D   | N.D   | 0.7    | 0.5                 | 0.6   | N.D                 | N.D   | N.D                 | 0.9   | 0.6                 | 0.6   |  |  |  |
|        | COD        | mg/l                | B04 | 2.9                 | 2.8   | 2.5   | 4.0    | 2.0                 | 1.7   | 1.6                 | 1.8   | 1.4                 | 1.7   | 1.5                 | 1.1   |  |  |  |
|        | SS         | mg/l                | B05 | 4                   | 2     | 7     | 15     | N.D                 | 2     | 1                   | 1     | 2                   | 2     | 1                   | 1     |  |  |  |
|        | 大腸菌群数      |                     | B06 | 2.9×10 <sup>3</sup> |       |       |        | 4.9×10 <sup>3</sup> |       | 2.7×10 <sup>2</sup> |       | 2.3×10 <sup>2</sup> |       | 2.3×10 <sup>3</sup> |       |  |  |  |
|        | 総窒素        | mg/l                | B08 |                     |       |       |        | 1.27                |       |                     |       | 1.51                |       |                     |       |  |  |  |
|        | 総リン        | mg/l                | B09 |                     |       |       |        | 0.027               |       |                     |       | 0.042               |       |                     |       |  |  |  |
|        | カドミウム      | mg/l                | C01 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | 全シアン       | mg/l                | C02 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
| 健康項目   | 有機リン       | mg/l                | C03 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
|        | 鉛          | mg/l                | C04 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | クロム(6価)    | mg/l                | C05 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | ヒ素         | mg/l                | C06 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | 総水銀        | mg/l                | C07 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | アルキル水銀     | mg/l                | C08 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |  |  |  |
|        | PCB        | mg/l                | C09 |                     |       |       |        |                     |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | トリクロロエチレン  | mg/l                | C10 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |
|        | テトラクロロエチレン | mg/l                | C11 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |  |  |  |



観測所番号  
30202

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            |                     |  |     |                     |       |                     |       |                     | 川     |                     |       |                     |       |                     |       |                     |       |                     | 堀     |       |       |       |       |       |       |       |       |       | 水系名   |       |       |       |       |       |       |       |       |       | 那珂川   |       |       |       |       |  |  |  |  |  | 河川名 |  |  |  |  |  |  |  |  |  | 那珂川 |  |  |  |  |  |  |  |  |  | 流量観測所名 |  |  |  |  |  |  |  |  |  | 平成5年(1993年) |  |  |  |  |  |  |  |  |  |
|--------|------------|---------------------|--|-----|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|--|--------|--|--|--|--|--|--|--|--|--|-------------|--|--|--|--|--|--|--|--|--|
| 項      |            | 目                   |  | 単位  |                     | 月日    |                     | 番号    |                     | 1.12  |                     | 1.12  |                     | 2.2   |                     | 2.2   |                     | 3.2   |                     | 3.2   |       | 4.28  |       | 4.28  |       | 5.18  |       | 5.18  |       | 6.28  |       | 6.28  |       | 7.30  |       | 7.30  |       | 8.10  |       | 8.10  |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 一般項目   | 採水位置       |                     |  |     | A01                 | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心                  | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    | 赤心    |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 天候         |                     |  |     | A02                 | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 曇     | 曇                   | 曇     | 曇                   | 曇     | 曇                   | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     | 曇     |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 採水時刻       | 時分                  |  |     | A03                 | 10:10 | 14:17               | 10:00 | 15:30               | 10:00 | 15:20               | 15:20 | 16:00               | 10:00 | 15:00               | 10:15 | 15:19               | 9:50  | 15:30               | 11:05 | 15:40 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 水位         | m                   |  |     | A04                 | 1.10  | 1.09                | 1.10  | 1.10                | 1.16  | 1.15                | 2.56  | 2.36                | 1.05  | 1.10                | 1.05  | 1.08                | 1.58  | 1.58                | 1.46  | 1.45  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 流量         | m <sup>3</sup> /sec |  |     | A05                 | 29.73 |                     |       | 33.96               |       | 40.56               |       | 5.67                |       | 28.48               |       | 64.61               |       | 110.27              |       | 98.86 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 全水深        | m                   |  |     | A06                 | 3.38  | 3.37                | 3.60  | 3.60                | 3.00  | 2.99                | 2.70  | 2.50                | 2.50  | 2.55                | 2.65  | 2.68                | 4.30  | 4.30                | 3.05  | 3.04  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 採水水深       | m                   |  |     | A07                 | 0.68  | 0.67                | 0.72  | 0.72                | 0.60  | 0.60                | 0.54  | 0.50                | 0.70  | 0.71                | 0.73  | 0.74                | 0.86  | 0.86                | 0.61  | 0.61  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 気温         | ℃                   |  |     | A08                 | 4.6   | 8.0                 | 5.8   | 4.4                 | 6.2   | 7.6                 | 19.6  | 12.7                | 17.4  | 17.7                | 24.8  | 18.8                | 23.5  | 22.7                | 20.1  | 20.6  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 水温         | ℃                   |  |     | A09                 | 7.5   | 7.4                 | 3.6   | 5.0                 | 8.4   | 8.4                 | 15.6  | 14.6                | 16.5  | 16.5                | 20.2  | 19.7                | 19.9  | 20.5                | 18.0  | 19.4  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 干潮時刻       | 時分                  |  |     | A1A                 |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 満潮時刻       | 時分                  |  |     | A1B                 |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 外観         |                     |  |     | A11                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色                 | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   | 赤褐色   |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 臭気(冷時)     |                     |  |     | A12                 | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 透視度        | cm                  |  |     | A13                 | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< | 30.0< |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 透明度        | m                   |  |     | A14                 |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 水色     |            |                     |  | A15 |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 生活環境項目 | pH         |                     |  | B01 | 7.8                 | 7.9   | 7.6                 | 8.2   | 7.5                 | 7.6   | 7.8                 | 8.3   | 7.6                 | 7.7   | 7.5                 | 7.6   | 7.4                 | 7.4   | 7.5                 | 7.6   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | DO         | mg/l                |  | B02 | 1.2                 | 1.4   | 1.4                 | 1.2   | 1.2                 | 1.3   | 1.1                 | 1.0   | 1.0                 | 1.1   | 1.7                 | 1.2   | 1.4                 | 1.9   | 1.3                 | 1.2   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | BOD        | mg/l                |  | B03 | N.D                 | N.D   | 1.7                 | 1.2   | 1.3                 | 1.3   | 0.9                 | 1.3   | 0.5                 | 0.7   | N.D                 | 0.5   | N.D                 | N.D   | 0.6                 | 0.5   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | COD        | mg/l                |  | B04 | 2.7                 | 2.7   | 1.7                 | 1.8   | 2.7                 | 2.3   | 2.2                 | 2.3   | 1.6                 | 1.7   | 2.1                 | 1.7   | 1.9                 | 1.8   | 2.6                 | 2.7   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | SS         | mg/l                |  | B05 | 2                   | 2     | 3                   | 3     | N.D                 | N.D   | 2                   | 1     | 9                   | 3     | 4                   | 6     | 3                   | 2     | 3                   | 2     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 生活環境項目 | 大腸菌群数      |                     |  | B06 | 7.9×10 <sup>2</sup> |       | 4.9×10 <sup>2</sup> |       | 7.9×10 <sup>2</sup> |       | 2.3×10 <sup>2</sup> |       | 2.3×10 <sup>2</sup> |       | 4.9×10 <sup>3</sup> |       | 4.9×10 <sup>3</sup> |       | 4.9×10 <sup>3</sup> |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 総窒素        | mg/l                |  | B08 | 1.44                |       |                     |       | 1.25                |       |                     |       | 1.45                |       |                     |       | 1.85                |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 総リン        | mg/l                |  | B09 | 0.026               |       |                     |       | 0.026               |       |                     |       | 0.033               |       |                     |       | 0.037               |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 健康項目   | カドミウム      | mg/l                |  | C01 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 全シアン       | mg/l                |  | C02 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 有機リン       | mg/l                |  | C03 |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 鉛          | mg/l                |  | C04 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | クロム(6価)    | mg/l                |  | C05 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | ヒ素         | mg/l                |  | C06 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 総水銀        | mg/l                |  | C07 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | アルキル水銀     | mg/l                |  | C08 |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | P C B      | mg/l                |  | C09 |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | トリクロロエチレン  | mg/l                |  | C10 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | テトラクロロエチレン | mg/l                |  | C11 | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | </    |       |       |       |       |       |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |







観測所番号  
30203

## 水 質 年 表 ( そ の 1 )

| 観測所名   |        |      |      | 野    | 口                   | 水系名                 | 那珂川   | 河川名                 | 那珂川   | 流量観測所名 |       |                     |       |                     |       |                     |       |                     |       |                     | 平成5年(1993年) |       |       |  |
|--------|--------|------|------|------|---------------------|---------------------|-------|---------------------|-------|--------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------------|-------|-------|--|
| 項      |        | 目    |      | 月日   | 単位                  |                     | 番号    | 1.12                | 1.12  | 2.2    | 2.2   | 2.2                 | 2.3   | 3.2                 | 3.2   | 4.28                | 4.28  | 5.18                | 5.18  | 6.28                | 6.28        | 7.30  | 7.30  |  |
| 一般項目   | 採      | 水    | 位    | 置    |                     | A01                 | 流水    | 流水                  | 流水    | 流水     | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水    | 流水                  | 流水          | 流水    | 流水    |  |
|        | 天      |      | 候    |      |                     | A02                 | 晴     | 晴                   | 晴     | 晴      | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 曇     | 曇                   | 曇     | 晴                   | 雨           | 曇     | 雨     |  |
|        | 採      | 水    | 時    | 刻    | 時分                  | A03                 | 11:15 | 15:20               | 12:05 | 16:30  | 23:16 | 5:30                | 11:30 | 16:15               | 7:20  | 12:40               | 11:40 | 16:10               | 11:30 | 16:11               | 11:35       | 16:30 |       |  |
|        | 水      |      | 位    |      | m                   | A04                 | -1.58 | -1.58               | -1.56 | -1.58  | -1.58 | -1.58               | -1.52 | -1.53               | -2.07 | -2.07               | -1.65 | -1.61               | -1.35 | -1.25               | -1.08       | -1.10 |       |  |
|        | 流      |      | 量    |      | m <sup>3</sup> /sec | A05                 | 25.59 |                     | 26.38 |        |       |                     | 45.82 |                     | 6.61  |                     | 27.23 |                     | 72.45 |                     | 142.83      |       |       |  |
|        | 全      | 水    | 深    |      | m                   | A06                 | 1.45  | 1.45                | 1.52  | 1.50   | 1.50  | 1.50                | 1.04  | 1.03                | 0.62  | 0.62                | 1.63  | 1.67                | 1.38  | 1.48                | 2.10        | 2.08  |       |  |
|        | 採      | 水    | 水    | 深    |                     | m                   | A07   | 0.29                | 0.29  | 0.30   | 0.30  | 0.30                | 0.21  | 0.21                | 0.12  | 0.12                | 0.33  | 0.33                | 0.28  | 0.30                | 0.42        | 0.42  |       |  |
|        | 気      |      | 温    |      | ℃                   | A08                 | 9.0   | 7.4                 | 6.0   | 7.8    | -3.0  | -4.0                | 7.5   | 6.3                 | 13.6  | 14.3                | 19.3  | 17.8                | 24.5  | 19.8                | 24.6        | 22.2  |       |  |
|        | 水      |      | 温    |      | ℃                   | A09                 | 7.9   | 7.6                 | 6.5   | 5.4    | 3.8   | 3.0                 | 4.0   | 8.7                 | 13.5  | 14.2                | 18.0  | 16.8                | 22.8  | 20.4                | 22.2        | 20.7  |       |  |
|        | 干      | 潮    | 時    | 刻    | 時分                  | A1A                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
|        | 満      | 潮    | 時    | 刻    | 時分                  | A1B                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
|        | 外      |      | 観    |      |                     | A11                 | 透明度   | 透明度                 | 透明度   | 透明度    | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度         | 透明度   |       |  |
|        | 臭      | 気    | (冷時) |      |                     | A12                 | 無臭    | 無臭                  | 無臭    | 無臭     | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭          | 無臭    | 無臭    |  |
|        | 透      | 視    | 度    |      | cm                  | A13                 | 30.0< | 30.0<               | 30.0< | 30.0<  | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0<       | 30.0< | 30.0< |  |
|        | 透      | 明    | 度    |      | m                   | A14                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
| 水      |        | 色    |      |      | A15                 |                     |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
| 生活環境項目 | P      | H    |      |      | B01                 | 7.9                 | 8.0   | 8.0                 | 8.1   | 7.8    | 7.7   | 7.6                 | 7.8   | 7.6                 | 7.7   | 7.6                 | 7.8   | 7.6                 | 7.5   | 7.5                 | 7.1         |       |       |  |
|        | D      | O    |      | mg/l | B02                 | 13                  | 14    | 14                  | 12    | 13     | 12    | 12                  | 12    | 8.9                 | 10    | 9.7                 | 10    | 9.3                 | 9.4   | 8.8                 | 7.8         |       |       |  |
|        | B      | O    | D    |      | mg/l                | B03                 | 0.6   | 0.8                 | 0.8   | 0.7    | 1.3   | 1.3                 | 1.2   | 1.2                 | 0.8   | 1.0                 | 0.6   | N.D                 | 0.6   | 0.6                 | N.D         | N.D   |       |  |
|        | C      | O    | D    |      | mg/l                | B04                 | 2.8   | 2.1                 | 1.8   | 1.5    | 1.6   | 1.3                 | 2.3   | 2.1                 | 1.9   | 2.0                 | 1.9   | 1.5                 | 1.9   | 1.7                 | 2.3         | 1.7   |       |  |
|        | S      | S    |      | mg/l | B05                 | 2                   | 2     | 1                   | 4     | 1      | 4     | N.D                 | 1     | 1                   | 1     | 3                   | 4     | 4                   | 7     | N.D                 | 2           |       |       |  |
|        | 大腸菌    | 群数   |      |      | B06                 | 7.9×10 <sup>2</sup> |       | 4.9×10 <sup>2</sup> |       |        |       | 4.9×10 <sup>2</sup> |       | 2.0×10 <sup>1</sup> |       | 2.3×10 <sup>3</sup> |       | 2.3×10 <sup>3</sup> |       | 4.9×10 <sup>3</sup> |             |       |       |  |
|        | 総窒     | 素    |      | mg/l | B08                 | 140                 |       |                     |       |        |       | 117                 |       |                     |       | 140                 |       |                     |       | 173                 |             |       |       |  |
|        | 総リ     | ン    |      | mg/l | B09                 | 0.024               |       |                     |       |        |       | 0.028               |       |                     |       | 0.044               |       |                     |       | 0.037               |             |       |       |  |
| 健康項目   | カ      | ド    | ミ    | ウ    | ム                   | mg/l                | C01   | N.D                 |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | 全シ     | ア    | ン    |      | mg/l                | C02                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | 有機     | リ    | ン    |      | mg/l                | C03                 | N.D   |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
|        | 鉛      |      |      |      | mg/l                | C04                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | クロム    | (6価) |      |      | mg/l                | C05                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | ヒ      | 素    |      |      | mg/l                | C06                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | 総水     | 銀    |      |      | mg/l                | C07                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | アルキル   | 水銀   |      |      | mg/l                | C08                 |       |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     |             |       |       |  |
|        | P      | C    | B    |      | mg/l                | C09                 | N.D   |                     |       |        |       |                     |       |                     |       |                     |       |                     |       |                     | N.D         |       |       |  |
|        | トリクロロ  | エチレン |      |      | mg/l                | C10                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |
|        | テトラクロロ | エチレン |      |      | mg/l                | C11                 | N.D   |                     |       |        |       |                     | N.D   |                     |       |                     | N.D   |                     |       |                     | N.D         |       |       |  |





観測所番号  
30203

## 水 質 年 表 ( そ の 1 )

| 観測所名   |             | 野 口                 | 水 系 名 | 那 珂 川               | 河 川 名 | 那 珂 川 | 流 量 観 測 所 名 | 平成5年 (1993年)        |       |                     |       |                     |       |                     |       |      |  |
|--------|-------------|---------------------|-------|---------------------|-------|-------|-------------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|------|--|
| 項 目    |             | 月 日                 | 単位    | 番号                  | 8.10  | 8.10  | 8.10        | 8.11                | 9.21  | 9.21                | 10.6  | 10.6                | 11.9  | 11.9                | 12.7  | 12.7 |  |
| 一般項目   | 採 水 位 置     |                     | A01   | 流心                  | 流心    | 流心    | 流心          | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心   |  |
|        | 天 候         |                     | A02   | 雨                   | 雨     | 曇     | 雨           | 曇                   | 曇     | 曇                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴    |  |
|        | 採 水 時 刻     | 時分                  | A03   | 12:42               | 16:30 | 22:20 | 6:00        | 12:00               | 16:40 | 12:40               | 16:55 | 12:40               | 16:27 | 11:20               | 16:30 |      |  |
|        | 水 位         | m                   | A04   | -1.21               | -1.22 | -1.18 | -1.11       | -1.12               | -1.14 | -1.20               | -1.22 | -1.64               | -1.63 | -1.45               | -1.45 |      |  |
|        | 流 量         | m <sup>3</sup> /sec | A05   | 99.26               |       |       |             | 140.18              |       | 122.24              |       | 56.67               |       | 55.75               |       |      |  |
|        | 全 水 深       | m                   | A06   | 1.48                | 1.47  | 1.51  | 1.58        | 2.05                | 2.03  | 2.20                | 2.18  | 1.50                | 1.49  | 1.37                | 1.37  |      |  |
|        | 採 水 水 深     | m                   | A07   | 0.30                | 0.29  | 0.30  | 0.32        | 0.41                | 0.41  | 0.44                | 0.44  | 0.30                | 0.30  | 0.27                | 0.27  |      |  |
|        | 気 温         | ℃                   | A08   | 20.8                | 20.4  | 20.3  | 21.5        | 18.8                | 16.7  | 20.6                | 16.4  | 19.3                | 14.0  | 13.0                | 7.2   |      |  |
|        | 水 温         | ℃                   | A09   | 19.8                | 19.5  | 19.6  | 19.7        | 19.0                | 18.5  | 17.7                | 16.7  | 15.0                | 14.5  | 10.5                | 13.5  |      |  |
|        | 干 潮 時 刻     | 時分                  | A1A   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
|        | 満 潮 時 刻     | 時分                  | A1B   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
|        | 外 観         |                     | A11   | 未観測                 | 未観測   | 未観測   | 未観測         | 未観測                 | 未観測   | 未観測                 | 未観測   | 未観測                 | 未観測   | 未観測                 | 未観測   | 未観測  |  |
|        | 臭 気 (冷 時)   |                     | A12   | 無臭                  | 無臭    | 無臭    | 無臭          | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭   |  |
|        | 透 視 度       | cm                  | A13   | 30.0<               | 30.0< | 30.0< | 30.0<       | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |      |  |
|        | 透 明 度       | m                   | A14   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
|        | 水 色         |                     | A15   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
| 生活環境項目 | p H         |                     | B01   | 7.7                 | 7.8   | 7.6   | 7.6         | 7.6                 | 7.5   | 7.3                 | 7.5   | 7.7                 | 7.2   | 7.8                 | 7.2   |      |  |
|        | D O         | mg/l                | B02   | 9.1                 | 9.3   | 8.7   | 8.3         | 8.4                 | 9.2   | 9.9                 | 10    | 11                  | 9.0   | 12                  | 8.8   |      |  |
|        | B O D       | mg/l                | B03   | N.D                 | 0.6   | N.D   | 0.7         | N.D                 | 0.7   | N.D                 | 0.6   | 0.6                 | 0.5   | 0.5                 | N.D   |      |  |
|        | C O D       | mg/l                | B04   | 2.3                 | 2.6   | 2.2   | 2.4         | 1.4                 | 1.6   | 1.6                 | 2.0   | 1.7                 | 1.4   | 1.1                 | 1.6   |      |  |
|        | S S         | mg/l                | B05   | 1                   | 6     | 6     | 11          | N.D                 | 2     | 2                   | 2     | 4                   | N.D   | 1                   | 1     |      |  |
|        | 大 腸 菌 群 数   |                     | B06   | 2.3×10 <sup>3</sup> |       |       |             | 4.9×10 <sup>2</sup> |       | 4.9×10 <sup>2</sup> |       | 4.9×10 <sup>2</sup> |       | 4.9×10 <sup>2</sup> |       |      |  |
|        | 総 窒 素       | mg/l                | B08   |                     |       |       |             | 1.25                |       |                     |       | 1.54                |       |                     |       |      |  |
|        | 総 リ ン       | mg/l                | B09   |                     |       |       |             | 0.025               |       |                     |       | 0.039               |       |                     |       |      |  |
| 健康項目   | カ ド ミ ウ ム   | mg/l                | C01   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | 全 シ ア ン     | mg/l                | C02   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | 有 機 リ ン     | mg/l                | C03   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
|        | 鉛           | mg/l                | C04   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | ク ロ ム (6 価) | mg/l                | C05   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | ヒ 素         | mg/l                | C06   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | 総 水 銀       | mg/l                | C07   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | アルキル水銀      | mg/l                | C08   |                     |       |       |             |                     |       |                     |       |                     |       |                     |       |      |  |
|        | P C B       | mg/l                | C09   |                     |       |       |             |                     |       |                     |       | N.D                 |       |                     |       |      |  |
|        | トリクロロエチレン   | mg/l                | C10   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |
|        | テトラクロロエチレン  | mg/l                | C11   |                     |       |       |             | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |



水 質 年 表 ( そ の 1 )

| 観測所名   |            | 上合橋    | 水系名 | 那珂川     | 河川名     | 藤井川     | 流量観測所名  |         | 平成5年(1993年) |         |         |         |         |         |         |     |   |   |   |  |
|--------|------------|--------|-----|---------|---------|---------|---------|---------|-------------|---------|---------|---------|---------|---------|---------|-----|---|---|---|--|
| 項目     |            | 単位     | 番号  | 1.12    | 2.2     | 3.2     | 4.28    | 5.18    | 6.28        | 7.30    | 8.10    | 9.21    | 10.6    | 11.9    | 12.7    | .   | . | . | . |  |
| 一般項目   | 採水位        |        | A01 | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      | 赤心          | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      | 赤心      |     |   |   |   |  |
|        | 天候         |        | A02 | 晴       | 晴       | 晴       | 晴       | 雨       | 曇           | 曇       | 曇       | 曇       | 晴       | 晴       | 晴       |     |   |   |   |  |
|        | 採水時刻       | 時分     | A03 | 7:00    | 6:50    | 6:35    | 6:30    | 7:00    | 7:00        | 7:30    | 6:40    | 6:30    | 7:00    | 6:50    | 6:42    |     |   |   |   |  |
|        | 水位         | m      | A04 | 1.80    | 1.85    | 1.95    | 1.72    | 1.92    | 1.95        | 2.07    | 2.00    | 1.98    | 1.99    | 1.86    | 1.84    |     |   |   |   |  |
|        | 流量         | m³/sec | A05 | 1.21    | 1.61    | 2.23    | 2.50    | 2.08    | 1.47        | 3.40    | 2.28    | 2.28    | 2.55    | 1.77    | 1.57    |     |   |   |   |  |
|        | 全水深        | m      | A06 | 0.68    | 0.47    | 0.85    | 0.58    | 0.80    | 0.81        | 0.90    | 0.77    | 0.69    | 0.66    | 0.59    | 0.60    |     |   |   |   |  |
|        | 採水水深       | m      | A07 | 0.14    | 0.09    | 0.17    | 0.12    | 0.16    | 0.16        | 0.18    | 0.15    | 0.14    | 0.20    | 0.12    | 0.12    |     |   |   |   |  |
|        | 気温         | ℃      | A08 | -1.8    | -1.8    | 0.5     | 13.4    | 15.8    | 22.5        | 24.3    | 19.5    | 17.5    | 12.0    | 5.5     | 1.0     |     |   |   |   |  |
|        | 水温         | ℃      | A09 | 3.2     | 3.2     | 5.0     | 12.7    | 14.9    | 20.0        | 20.0    | 18.5    | 18.7    | 15.2    | 11.6    | 8.0     |     |   |   |   |  |
|        | 干潮時刻       | 時分     | A1A |         |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
|        | 満潮時刻       | 時分     | A1B |         |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
|        | 外観         |        | A11 | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色         | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色     | 赤褐色 |   |   |   |  |
|        | 臭気(冷時)     |        | A12 | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭          | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭  |   |   |   |  |
|        | 透明度        | cm     | A13 | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<       | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   |     |   |   |   |  |
|        | 透明度        | m      | A14 |         |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
| 水色     |            | A15    |     |         |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
| 生活環境項目 | pH         |        | B01 | 7.5     | 7.4     | 7.3     | 7.6     | 7.2     | 7.3         | 7.1     | 7.2     | 7.3     | 7.2     | 7.4     | 7.4     |     |   |   |   |  |
|        | DO         | mg/l   | B02 | 11      | 13      | 12      | 9.6     | 8.6     | 9.0         | 8.9     | 8.3     | 8.7     | 8.6     | 10      | 11      |     |   |   |   |  |
|        | BOD        | mg/l   | B03 | 0.9     | 0.9     | 1.6     | 0.8     | 0.8     | 0.5         | 1.0     | N.D     | 0.8     | 0.7     | 0.9     | 1.0     |     |   |   |   |  |
|        | COD        | mg/l   | B04 | 2.1     | 1.7     | 2.8     | 2.0     | 2.2     | 2.5         | 2.9     | 2.5     | 3.2     | 3.2     | 2.5     | 1.5     |     |   |   |   |  |
|        | SS         | mg/l   | B05 | 1       | 3       | 1       | 1       | 8       | 10          | 6       | 6       | 1       | 2       | 5       | 2       |     |   |   |   |  |
|        | 大腸菌群数      |        | B06 | 7.9×10³ | 2.3×10³ | 1.3×10³ | 1.3×10³ | 2.3×10³ | 1.7×10⁴     | 4.9×10⁵ | 2.3×10⁴ | 1.1×10⁴ | 4.9×10⁴ | 7.9×10² | 2.3×10³ |     |   |   |   |  |
|        | 総窒素        | mg/l   | B08 | 2.03    |         | 2.24    |         | 1.99    |             | 2.18    |         | 2.08    |         | 2.35    |         |     |   |   |   |  |
|        | 総リン        | mg/l   | B09 | 0.024   |         | 0.023   |         | 0.045   |             | 0.030   |         | 0.025   |         | 0.024   |         |     |   |   |   |  |
| 健康項目   | カドミウム      | mg/l   | C01 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | 全シアン       | mg/l   | C02 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | 有機リン       | mg/l   | C03 | N.D     |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
|        | 鉛          | mg/l   | C04 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | クロム(6価)    | mg/l   | C05 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | ヒ素         | mg/l   | C06 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | 総水銀        | mg/l   | C07 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | アルキル水銀     | mg/l   | C08 |         |         |         |         |         |             |         |         |         |         |         |         |     |   |   |   |  |
|        | PCB        | mg/l   | C09 | N.D     |         |         |         |         |             | N.D     |         |         |         | N.D     |         |     |   |   |   |  |
|        | トリクロロエチレン  | mg/l   | C10 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |
|        | テトラクロロエチレン | mg/l   | C11 | N.D     |         | N.D     |         | N.D     |             | N.D     |         | N.D     |         | N.D     |         |     |   |   |   |  |



観測所番号  
30205

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 下国井    | 水系名 | 那珂川     | 河川名   | 那珂川     | 流量観測所名 |       |       |         |       |         |       |         |       |         |       |         |
|--------|------------|--------|-----|---------|-------|---------|--------|-------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|
| 項 目    |            | 単位     | 月日  | 1.12    | 1.12  | 2.2     | 2.2    | 2.2   | 2.2   | 2.2     | 2.2   | 2.2     | 2.2   | 2.2     | 2.2   | 2.2     | 2.2   | 2.2     |
| 一般項目   | 採水位置       |        | A01 | 赤心      | 赤心    | 赤心      | 赤心     | 赤心    | 赤心    | 赤心      | 赤心    | 赤心      | 赤心    | 赤心      | 赤心    | 赤心      | 赤心    | 赤心      |
|        | 天候         |        | A02 | 晴       | 晴     | 晴       | 晴      | 晴     | 晴     | 晴       | 晴     | 晴       | 晴     | 晴       | 晴     | 晴       | 晴     | 晴       |
|        | 採水時刻       | 時分     | A03 | 8:00    | 15:00 | 9:45    | 15:05  | 22:10 | 4:04  | 7:30    | 14:10 | 8:40    | 14:00 | 8:30    | 14:40 | 8:20    | 14:30 | 9:50    |
|        | 水位         | m      | A04 | 0.50    | -0.15 | 0.46    | 0.06   | -0.15 | 0.21  | 0.54    | 0.18  | 0.30    | -0.56 | -0.18   | 0.31  | 0.34    | 0.34  | 0.58    |
|        | 流量         | m³/sec | A05 | 44.33   |       | 41.88   |        |       |       | 55.29   |       | 26.80   |       | 35.98   |       | 88.53   |       | 154.65  |
|        | 全水深        | m      | A06 | 2.20    | 1.55  | 1.97    | 1.57   | 1.36  | 1.72  | 2.35    | 1.99  | 2.00    | 1.14  | 1.51    | 2.00  | 2.14    | 2.14  | 2.40    |
|        | 採水水深       | m      | A07 | 0.44    | 0.31  | 0.39    | 0.31   | 0.27  | 0.34  | 0.47    | 0.40  | 0.40    | 0.22  | 0.30    | 0.40  | 0.43    | 0.43  | 0.48    |
|        | 気温         | ℃      | A08 | 1.6     | 11.0  | 4.1     | 6.7    | 1.0   | -0.2  | 1.0     | 8.5   | 15.2    | 15.0  | 17.6    | 18.8  | 23.7    | 22.7  | 24.0    |
|        | 水温         | ℃      | A09 | 5.4     | 8.2   | 4.4     | 5.8    | 4.7   | 4.4   | 7.3     | 8.5   | 15.0    | 16.0  | 16.5    | 17.3  | 22.1    | 23.3  | 22.0    |
|        | 干潮時刻       | 時分     | A1A | 12:20   | 12:20 | 12:55   | 12:55  | 12:55 | 12:58 | 1:02    | 16:28 | 14:10   | 14:10 | 8:13    | 8:13  | 4:37    | 15:43 | 7:52    |
|        | 満潮時刻       | 時分     | A1B | 7:21    | 18:57 | 9:46    | 9:46   | 9:46  | 11:31 | 7:43    | 7:43  | 6:15    | 21:43 | 14:49   | 14:49 | 11:00   | 11:00 | 15:39   |
|        | 外観         |        | A11 | 汚濁      | 汚濁    | 汚濁      | 汚濁     | 汚濁    | 汚濁    | 汚濁      | 汚濁    | 汚濁      | 汚濁    | 汚濁      | 汚濁    | 汚濁      | 汚濁    | 汚濁      |
|        | 臭気(冷時)     |        | A12 | 悪臭      | 悪臭    | 悪臭      | 悪臭     | 悪臭    | 悪臭    | 悪臭      | 悪臭    | 悪臭      | 悪臭    | 悪臭      | 悪臭    | 悪臭      | 悪臭    | 悪臭      |
|        | 透視度        | cm     | A13 | 30.0<   | 30.0< | 30.0<   | 30.0<  | 30.0< | 30.0< | 30.0<   | 30.0< | 30.0<   | 30.0< | 30.0<   | 30.0< | 30.0<   | 30.0< | 30.0<   |
|        | 透明度        | m      | A14 |         |       |         |        |       |       |         |       |         |       |         |       |         |       |         |
|        | 水色         |        | A15 |         |       |         |        |       |       |         |       |         |       |         |       |         |       |         |
| 生活環境項目 | pH         |        | B01 | 7.7     | 7.8   | 7.6     | 7.6    | 7.5   | 7.5   | 7.4     | 7.4   | 7.5     | 7.6   | 7.4     | 7.2   | 7.5     | 7.5   | 7.3     |
|        | DO         | mg/l   | B02 | 11      | 13    | 14      | 14     | 12    | 13    | 11      | 12    | 7.9     | 10    | 9.3     | 9.9   | 9.5     | 9.0   | 8.7     |
|        | BOD        | mg/l   | B03 | 0.7     | 1.7   | 1.1     | 1.2    | 1.2   | 1.1   | 1.4     | 1.6   | 1.5     | 1.5   | 1.4     | 1.3   | 0.6     | 0.9   | 0.8     |
|        | COD        | mg/l   | B04 | 2.8     | 3.9   | 1.7     | 1.4    | 2.0   | 1.9   | 2.7     | 2.9   | 4.2     | 3.8   | 2.6     | 2.1   | 2.1     | 2.2   | 2.9     |
|        | SS         | mg/l   | B05 | 2       | 2     | 3       | 3      | 4     | 3     | 3       | N.D   | 3       | 3     | 8       | 3     | 10      | 10    | 8       |
|        | 大腸菌群数      |        | B06 | 3.3×10² |       | 2.3×10² |        |       |       | 2.9×10² |       | 3.3×10³ |       | 1.7×10³ |       | 1.1×10³ |       | 1.3×10⁴ |
|        | 総窒素        | mg/l   | B08 | 1.40    |       |         |        |       |       | 1.35    |       |         |       | 1.59    |       |         |       | 1.90    |
|        | 総リン        | mg/l   | B09 | 0.014   |       |         |        |       |       | 0.045   |       |         |       | 0.048   |       |         |       | 0.054   |
|        | カドミウム      | mg/l   | C01 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | 全シアン       | mg/l   | C02 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
| 健康項目   | 有機リン       | mg/l   | C03 | N.D     |       |         |        |       |       |         |       |         |       |         |       |         |       |         |
|        | 鉛          | mg/l   | C04 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | クロム(6価)    | mg/l   | C05 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | ヒ素         | mg/l   | C06 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | 総水銀        | mg/l   | C07 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | アルキル水銀     | mg/l   | C08 |         |       |         |        |       |       |         |       |         |       |         |       |         |       |         |
|        | PCB        | mg/l   | C09 | N.D     |       |         |        |       |       |         |       |         |       |         |       |         |       | N.D     |
|        | トリクロロエチレン  | mg/l   | C10 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |
|        | テトラクロロエチレン | mg/l   | C11 | N.D     |       |         |        |       |       | N.D     |       |         |       | N.D     |       |         |       | N.D     |



観測所番号  
30205

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名       |        |                     |      | 下国井                 | 水系名   | 那珂川   | 河川名   | 那珂川                 | 流量観測所名 |                     |       |                     |       |                     |       |       |   |   |   | 平成5年(1993年) |  |  |  |
|------------|--------|---------------------|------|---------------------|-------|-------|-------|---------------------|--------|---------------------|-------|---------------------|-------|---------------------|-------|-------|---|---|---|-------------|--|--|--|
| 項 目        |        | 月日                  | 単位   | 番号                  | 8.10  | 8.10  | 8.10  | 8.11                | 9.21   | 9.21                | 10.6  | 10.6                | 11.9  | 11.9                | 12.7  | 12.7  | . | . | . | .           |  |  |  |
| 一般項目       | 採水位置   |                     | A01  | 系心                  | 系心    | 系心    | 系心    | 系心                  | 系心     | 系心                  | 系心    | 系心                  | 系心    | 系心                  | 系心    | 系心    |   |   |   |             |  |  |  |
|            | 天候     |                     | A02  | 曇                   | 雨     | 晴     | 曇・雨   | 曇                   | 曇      | 曇                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴     |   |   |   |             |  |  |  |
|            | 採水時刻   | 時分                  | A03  | 8:50                | 15:00 | 22:00 | 4:00  | 8:00                | 14:20  | 9:23                | 14:20 | 10:15               | 14:20 | 8:05                | 14:00 |       |   |   |   |             |  |  |  |
|            | 水位     | m                   | A04  | 0.58                | 0.51  | 0.84  | 0.54  | 0.75                | 0.65   | 0.83                | 0.68  | 0.25                | 0.45  | 0.33                | 0.33  |       |   |   |   |             |  |  |  |
|            | 流量     | m <sup>3</sup> /sec | A05  | 104.40              |       |       |       | 147.46              |        | 119.64              |       | 58.80               |       | 60.65               |       |       |   |   |   |             |  |  |  |
|            | 全水深    | m                   | A06  | 2.20                | 2.13  | 2.46  | 2.16  | 2.37                | 2.27   | 2.60                | 2.45  | 2.00                | 1.80  | 2.25                | 2.25  |       |   |   |   |             |  |  |  |
|            | 採水水深   | m                   | A07  | 0.44                | 0.43  | 0.49  | 0.43  | 0.47                | 0.45   | 0.52                | 0.49  | 0.40                | 0.36  | 0.45                | 0.45  |       |   |   |   |             |  |  |  |
|            | 気温     | ℃                   | A08  | 21.0                | 20.0  | 20.5  | 21.8  | 17.3                | 20.7   | 14.2                | 19.2  | 14.8                | 14.3  | 5.5                 | 13.0  |       |   |   |   |             |  |  |  |
|            | 水温     | ℃                   | A09  | 19.6                | 19.8  | 19.5  | 20.8  | 19.6                | 19.5   | 14.4                | 17.3  | 12.5                | 12.5  | 8.0                 | 10.0  |       |   |   |   |             |  |  |  |
|            | 干潮時刻   | 時分                  | A1A  | 13:24               | 13:24 | 13:24 | 3:27  | 12:34               | 12:34  | 12:09               | 12:09 | 5:05                | 18:36 | 16:35               | 16:35 |       |   |   |   |             |  |  |  |
|            | 満潮時刻   | 時分                  | A1B  | 8:38                | 19:43 | 19:43 | 10:23 | 7:48                | 18:10  | 9:15                | 17:40 | 12:02               | 12:02 | 9:54                | 9:54  |       |   |   |   |             |  |  |  |
|            | 外観     |                     | A11  | 透明度                 | 透明度   | 透明度   | 透明度   | 透明度                 | 透明度    | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度                 | 透明度   | 透明度   |   |   |   |             |  |  |  |
|            | 臭気(冷時) |                     | A12  | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭                  | 無臭     | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    |   |   |   |             |  |  |  |
|            | 透視度    | cm                  | A13  | 30.0<               | 30.0< | 30.0< | 30.0< | 30.0<               | 30.0<  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0< |   |   |   |             |  |  |  |
|            | 透明度    | m                   | A14  |                     |       |       |       |                     |        |                     |       |                     |       |                     |       |       |   |   |   |             |  |  |  |
| 水色         |        | A15                 |      |                     |       |       |       |                     |        |                     |       |                     |       |                     |       |       |   |   |   |             |  |  |  |
| 生活環境項目     | P H    |                     | B01  | 7.4                 | 7.5   | 7.6   | 7.4   | 7.4                 | 7.4    | 7.3                 | 7.3   | 7.4                 | 7.5   | 7.4                 | 7.6   |       |   |   |   |             |  |  |  |
|            | D O    | mg/l                | B02  | 8.5                 | 9.4   | 8.9   | 8.4   | 8.6                 | 8.9    | 9.2                 | 10    | 10                  | 11    | 11                  | 12    |       |   |   |   |             |  |  |  |
|            | B O D  | mg/l                | B03  | 0.6                 | 1.0   | N.D   | 1.0   | 1.0                 | 0.5    | 1.1                 | 1.6   | 1.1                 | 1.7   | 0.6                 | 1.5   |       |   |   |   |             |  |  |  |
|            | C O D  | mg/l                | B04  | 2.3                 | 2.7   | 2.3   | 2.6   | 2.2                 | 1.6    | 2.2                 | 2.1   | 2.3                 | 2.6   | 1.5                 | 1.5   |       |   |   |   |             |  |  |  |
|            | S S    | mg/l                | B05  | 4                   | 6     | 6     | 9     | 1                   | 1      | 3                   | 2     | 4                   | 2     | 2                   | 1     |       |   |   |   |             |  |  |  |
|            | 大腸菌群数  |                     | B06  | 1.7×10 <sup>2</sup> |       |       |       | 2.3×10 <sup>3</sup> |        | 1.3×10 <sup>3</sup> |       | 2.9×10 <sup>3</sup> |       | 1.1×10 <sup>3</sup> |       |       |   |   |   |             |  |  |  |
|            | 総窒素    | mg/l                | B08  |                     |       |       |       | 1.27                |        |                     |       | 1.60                |       |                     |       |       |   |   |   |             |  |  |  |
|            | 総リン    | mg/l                | B09  |                     |       |       |       | 0.027               |        |                     |       | 0.036               |       |                     |       |       |   |   |   |             |  |  |  |
|            | 健康項目   | カドミウム               | mg/l | C01                 |       |       |       |                     | N.D    |                     |       |                     | N.D   |                     |       |       |   |   |   |             |  |  |  |
| 全シアン       |        | mg/l                | C02  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| 有機リン       |        | mg/l                | C03  |                     |       |       |       |                     |        |                     |       |                     |       |                     |       |       |   |   |   |             |  |  |  |
| 鉛          |        | mg/l                | C04  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| クロム(6価)    |        | mg/l                | C05  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| ヒ素         |        | mg/l                | C06  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| 総水銀        |        | mg/l                | C07  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| アルキル水銀     |        | mg/l                | C08  |                     |       |       |       |                     |        |                     |       |                     |       |                     |       |       |   |   |   |             |  |  |  |
| P C B      |        | mg/l                | C09  |                     |       |       |       |                     |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| トリクロロエチレン  |        | mg/l                | C10  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |
| テトラクロロエチレン |        | mg/l                | C11  |                     |       |       |       | N.D                 |        |                     |       | N.D                 |       |                     |       |       |   |   |   |             |  |  |  |





観測所番号  
30206

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |     |    |      |      |        |      |                     |       |                     | 揚手橋   |       |       |                     |       |                     |       |                     |       |                     | 水系名   |                     |       |       |       |       |       |       |       |       | 那珂川   |       |       |       |       |       |       |       |       |       | 河川名   |    |  |  |  |  |  |  |  |  | 桜川 |  |  |  |  |  |  |  |  |  | 流量観測所名 |  |  |  |  |  |  |  |  |  | 平成5年(1993年) |  |  |  |  |  |  |  |  |  |
|--------|-----|----|------|------|--------|------|---------------------|-------|---------------------|-------|-------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|--|--|--|--|--|--|--|--|----|--|--|--|--|--|--|--|--|--|--------|--|--|--|--|--|--|--|--|--|-------------|--|--|--|--|--|--|--|--|--|
| 項      |     | 目  |      | 単位   |        | 月日   |                     | 番号    |                     | 1.12  |       | 1.12  |                     | 2.2   |                     | 2.2   |                     | 2.2   |                     | 2.3   |                     | 3.2   |       | 3.2   |       | 4.28  |       | 4.28  |       | 5.18  |       | 5.18  |       | 6.28  |       | 6.28  |       | 7.30  |       | 7.30  |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 一般項目   | 採   | 水  | 位    | 置    |        |      | A01                 | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心 |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 天   |    | 候    |      |        |      | A02                 | 晴     | 晴                   | 晴     | 晴     | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴     | 晴  |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 採   | 水  | 時    | 刻    | 時分     |      | A03                 | 10:00 | 15:30               | 11:30 | 16:00 | 22:59 | 4:49                | 9:30  | 15:30               | 9:45  | 14:40               | 9:40  | 15:15               | 9:15  | 15:40               | 11:00 | 15:40 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 水   |    | 位    |      | m      |      | A04                 | -0.09 | -0.03               | 0.15  | 0.16  | 0.14  | 0.15                | 0.20  | 0.20                | -0.26 | -0.16               | -0.16 | -0.18               | -0.28 | -0.21               | -0.18 | -0.14 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 流   |    | 量    |      | m³/sec |      | A05                 | 1.07  |                     | 2.03  |       |       |                     | 3.86  |                     | 0.26  |                     | 0.21  |                     | 0.22  |                     | 0.23  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 全   | 水  | 深    |      | m      |      | A06                 | 0.53  | 0.47                | 0.65  | 0.66  | 0.64  | 0.65                | 0.83  | 0.83                | 0.31  | 0.21                | 0.37  | 0.35                | 0.35  | 0.42                | 0.36  | 0.40  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 採   | 水  | 水    | 深    | m      |      | A07                 | 0.11  | 0.09                | 0.13  | 0.13  | 0.13  | 0.13                | 0.22  | 0.22                | 0.06  | 0.04                | 0.07  | 0.07                | 0.07  | 0.08                | 0.07  | 0.08  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 気   |    | 温    |      | ℃      |      | A08                 | 6.6   | 10.5                | 7.9   | 6.8   | 1.2   | -3.1                | 4.0   | 11.5                | 14.2  | 15.6                | 17.9  | 19.1                | 27.0  | 22.8                | 27.5  | 22.0  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 水   |    | 温    |      | ℃      |      | A09                 | 8.2   | 10.0                | 6.8   | 7.3   | 5.6   | 4.2                 | 7.5   | 10.2                | 15.2  | 16.4                | 17.4  | 17.9                | 24.3  | 22.5                | 24.0  | 22.4  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 干   | 潮  | 時    | 刻    | 時分     |      | A1A                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 満   | 潮  | 時    | 刻    | 時分     |      | A1B                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 外   |    | 観    |      |        |      | A11                 | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心    | 流心 |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 臭   | 気  | (冷時) |      |        |      | A12                 | 無臭    | 無臭                  | 弱臭    | 弱臭    | 弱臭    | 弱臭                  | 無臭    | 無臭                  | 弱臭    | 弱臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭    | 無臭 |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 透   | 視  | 度    |      | cm     |      | A13                 | 20.0< | 20.0<               | 10.2  | 16.1  | 25.4  | 27.3                | 20.0< | 20.0<               | 29.0  | 20.0<               | 20.0< | 20.0<               | 20.0< | 20.0<               | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< | 20.0< |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 透   | 明  | 度    |      | m      |      | A14                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 水      |     | 色  |      |      |        | A15  |                     |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 生活環境項目 | p   | H  |      |      |        | B01  | 7.2                 | 7.1   | 7.2                 | 7.2   | 7.1   | 7.1   | 7.2                 | 7.1   | 7.2                 | 7.3   | 7.1                 | 7.1   | 7.0                 | 7.0   | 7.0                 | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   | 7.0   |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | D   | O  |      | mg/l |        | B02  | 6.5                 | 6.3   | 9.7                 | 10    | 10    | 9.9   | 10                  | 8.9   | 2.6                 | 7.6   | 3.8                 | 4.2   | 3.7                 | 2.4   | 4.2                 | 2.8   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | B   | O  | D    |      | mg/l   |      | B03                 | 6.7   | 7.8                 | 5.4   | 4.5   | 8.4   | 6.4                 | 7.1   | 7.6                 | 14    | 12                  | 6.6   | 13                  | 4.0   | 16                  | 5.9   | 6.7   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | C   | O  | D    |      | mg/l   |      | B04                 | 8.8   | 9.9                 | 12    | 12    | 6.6   | 6.9                 | 7.4   | 7.6                 | 11    | 10                  | 6.7   | 8.6                 | 7.3   | 8.7                 | 7.6   | 7.8   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | S   | S  |      | mg/l |        | B05  | 8                   | 8     | 71                  | 17    | 4     | 6     | 11                  | 9     | 3                   | 3     | 5                   | 9     | 7                   | 7     | 12                  | 9     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 大      | 腸   | 菌  | 群    | 数    |        | B06  | 1.3×10 <sup>5</sup> |       | 1.7×10 <sup>5</sup> |       |       |       | 3.3×10 <sup>4</sup> |       | 1.7×10 <sup>6</sup> |       | 7.9×10 <sup>4</sup> |       | 1.3×10 <sup>5</sup> |       | 1.3×10 <sup>5</sup> |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 総      | 窒   | 素  |      | mg/l |        | B08  | 6.08                |       |                     |       |       |       | 3.23                |       |                     |       | 3.92                |       |                     |       | 3.83                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 総      | リ   | ン  |      | mg/l |        | B09  | 0.272               |       |                     |       |       |       | 0.261               |       |                     |       | 0.215               |       |                     |       | 0.294               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
| 健康項目   | カ   | ド  | ミ    | ウ    | ム      | mg/l | C01                 | N.D   |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 全   | シ  | ア    | ン    |        | mg/l | C02                 | N.D   |                     |       |       |       | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 有   | 機  | リ    | ン    |        | mg/l | C03                 | N.D   |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 鉛   |    |      |      |        | mg/l | C04                 | N.D   |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | ク   | ロ  | ム    | (6価) |        | mg/l | C05                 | N.D   |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | ヒ   |    | 素    |      |        | mg/l | C06                 | N.D   |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | 総   | 水  | 銀    |      |        | mg/l | C07                 | N.D   |                     |       |       |       | N.D                 |       |                     |       |                     | N.D   |                     |       |                     | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | アル  | キ  | ル    | 水    | 銀      |      | C08                 |       |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | P   | C  | B    |      |        | mg/l | C09                 | N.D   |                     |       |       |       |                     |       |                     |       |                     |       |                     |       |                     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | トリ  | クロ | ロ    | エチ   | レン     |      | C10                 | N.D   |                     |       |       |       |                     | N.D   |                     |       |                     |       | N.D                 |       |                     |       | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |
|        | テトラ | クロ | ロ    | エチ   | レン     |      | C11                 | N.D   |                     |       |       |       |                     | N.D   |                     |       |                     |       | N.D                 |       |                     |       | N.D   |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |  |  |  |  |  |  |  |    |  |  |  |  |  |  |  |  |  |        |  |  |  |  |  |  |  |  |  |             |  |  |  |  |  |  |  |  |  |





|       |
|-------|
| 観測所番号 |
| 30206 |

## 水 質 年 表 ( そ の 2 )

[illegible]

観測所番号  
30207

水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            |                     |     |     | 勝田橋                 | 水系名   | 那珂川                 | 河川名   | 那珂川   | 流量観測所名 |                     |       |                     |       |                     |       |                     |       |                     | 平成5年(1993年) |      |  |  |
|--------|------------|---------------------|-----|-----|---------------------|-------|---------------------|-------|-------|--------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------------|------|--|--|
| 項目     |            | 月日                  |     | 単位  | 番号                  | 1.12  | 1.12                | 2.2   | 2.2   | 2.2    | 2.3                 | 3.2   | 3.2                 | 4.28  | 4.28                | 5.18  | 5.18                | 6.28  | 6.28                | 7.30        | 7.30 |  |  |
| 一般項目   | 採水位置       |                     |     | A01 | 流心                  | 流心    | 流心                  | 流心    | 流心    | 流心     | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心    | 流心                  | 流心          | 流心   |  |  |
|        | 天候         |                     |     | A02 | 晴                   | 晴     | 晴                   | 晴     | 晴     | 晴      | 晴                   | 晴     | 晴                   | 晴     | 曇                   | 雨     | 曇                   | 曇     | 曇                   | 曇           | 曇・小雨 |  |  |
|        | 採水時刻       | 時分                  |     | A03 | 10:30               | 15:45 | 12:08               | 16:42 | 23:22 | 5:16   | 9:55                | 16:10 | 10:10               | 15:00 | 10:10               | 15:45 | 9:45                | 16:20 | 11:35               | 16:30       |      |  |  |
|        | 水位         | m                   |     | A04 | -0.60               | -0.53 | -0.30               | -0.93 | -0.75 | -0.48  | -0.28               | -0.98 | -0.68               | -1.29 | -0.99               | -0.37 | -0.52               | -0.57 | -0.82               | -0.20       |      |  |  |
|        | 流量         | m <sup>3</sup> /sec |     | A05 |                     |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
|        | 全水深        | m                   |     | A06 | 4.20                | 4.13  | 3.90                | 3.27  | 3.45  | 3.72   | 3.48                | 2.78  | 4.12                | 3.31  | 3.82                | 4.44  | 3.72                | 3.67  | 2.98                | 4.60        |      |  |  |
|        | 採水水深       | m                   |     | A07 | 0.84                | 0.83  | 0.78                | 0.65  | 0.69  | 0.74   | 0.70                | 0.56  | 0.82                | 0.66  | 0.56                | 0.89  | 0.74                | 0.73  | 0.80                | 0.92        |      |  |  |
|        | 気温         | ℃                   |     | A08 | 8.3                 | 9.7   | 6.9                 | 6.2   | 1.3   | -2.9   | 5.8                 | 10.2  | 16.0                | 14.2  | 12.0                | 18.6  | 26.7                | 21.0  | 28.0                | 22.2        |      |  |  |
|        | 水温         | ℃                   |     | A09 | 17.5                | 8.0   | 7.6                 | 6.1   | 5.1   | 3.9    | 8.5                 | 8.8   | 16.2                | 15.7  | 17.3                | 17.2  | 23.5                | 22.0  | 23.4                | 22.5        |      |  |  |
|        | 干潮時刻       | 時分                  |     | A1A | 13:20               | 13:20 | 18:55               | 18:55 | 18:55 | 19:52  | 16:28               | 16:28 | 14:10               | 14:10 | 8:13                | 8:13  | 4:37                | 15:43 | 7:52                | 19:40       |      |  |  |
|        | 満潮時刻       | 時分                  |     | A1B | 7:21                | 18:57 | 9:46                | 9:46  | 9:46  | 11:31  | 7:43                | 7:43  | 6:15                | 21:43 | 14:49               | 14:49 | 11:00               | 11:00 | 15:39               | 15:39       |      |  |  |
|        | 外観         |                     |     | A11 | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁   | 茶色濁    | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁         |      |  |  |
|        | 臭気(冷時)     |                     |     | A12 | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭    | 無臭     | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭          |      |  |  |
|        | 透視度        | cm                  |     | A13 | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0< | 30.0<  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0<       |      |  |  |
|        | 透明度        | m                   |     | A14 |                     |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
| 水色     |            |                     | A15 |     |                     |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
| 生活環境項目 | pH         |                     |     | B01 | 7.4                 | 7.7   | 7.5                 | 7.5   | 7.1   | 7.2    | 7.2                 | 7.3   | 7.4                 | 7.5   | 7.2                 | 7.2   | 7.3                 | 7.3   | 7.2                 | 7.3         |      |  |  |
|        | DO         | mg/l                |     | B02 | 10                  | 12    | 12                  | 11    | 11    | 12     | 11                  | 10    | 9.9                 | 9.2   | 9.9                 | 9.4   | 7.8                 | 8.0   | 8.6                 | 8.4         |      |  |  |
|        | BOD        | mg/l                |     | B03 | 1.1                 | 1.1   | 1.6                 | 1.3   | 1.2   | 1.4    | 1.7                 | 1.1   | 3.9                 | 2.8   | 1.0                 | 1.0   | 1.1                 | 1.8   | 1.0                 | 1.0         |      |  |  |
|        | COD        | mg/l                |     | B04 | 2.8                 | 2.6   | 2.9                 | 2.4   | 3.7   | 2.7    | 3.5                 | 3.3   | 5.9                 | 5.1   | 2.8                 | 2.5   | 2.5                 | 2.8   | 3.2                 | 3.0         |      |  |  |
|        | SS         | mg/l                |     | B05 | 2                   | 1     | 12                  | 5     | 14    | 2      | 1                   | N.D   | 5                   | 6     | 6                   | 5     | 4                   | 12    | 12                  | 8           |      |  |  |
|        | 大腸菌群数      |                     |     | B06 | 4.9×10 <sup>3</sup> |       | 2.9×10 <sup>2</sup> |       |       |        | 2.3×10 <sup>3</sup> |       | 2.3×10 <sup>3</sup> |       | 7.9×10 <sup>3</sup> |       | 4.9×10 <sup>4</sup> |       | 7.9×10 <sup>4</sup> |             |      |  |  |
|        | 総窒素        | mg/l                |     | B08 | 1.69                |       |                     |       |       |        | 1.55                |       |                     |       | 1.59                |       |                     |       | 1.91                |             |      |  |  |
|        | 総リン        | mg/l                |     | B09 | 0.068               |       |                     |       |       |        | 0.053               |       |                     |       | 0.092               |       |                     |       | 0.116               |             |      |  |  |
|        |            |                     |     |     |                     |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
| 健康項目   | カドミウム      | mg/l                |     | C01 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | 全シアン       | mg/l                |     | C02 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | 有機リン       | mg/l                |     | C03 | N.D                 |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
|        | 鉛          | mg/l                |     | C04 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | クロム(6価)    | mg/l                |     | C05 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | ヒ素         | mg/l                |     | C06 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | 総水銀        | mg/l                |     | C07 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | アルキル水銀     | mg/l                |     | C08 |                     |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |                     |             |      |  |  |
|        | PCB        | mg/l                |     | C09 | N.D                 |       |                     |       |       |        |                     |       |                     |       |                     |       |                     |       | N.D                 |             |      |  |  |
|        | トリクロロエチレン  | mg/l                |     | C10 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |
|        | テトラクロロエチレン | mg/l                |     | C11 | N.D                 |       |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       | N.D                 |             |      |  |  |



観測所番号  
30207

水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            | 勝田橋                 | 水系名 | 那珂川                 | 河川名   | 那珂川   | 流量観測所名 |                     |       |                     |       |                     |       |                     |       |      |  |  |  |
|--------|------------|---------------------|-----|---------------------|-------|-------|--------|---------------------|-------|---------------------|-------|---------------------|-------|---------------------|-------|------|--|--|--|
| 項 目    |            | 月日                  | 単位  | 番号                  | 8.10  | 8.10  | 8.10   | 8.11                | 9.21  | 9.21                | 10.6  | 10.6                | 11.9  | 11.9                | 12.7  | 12.7 |  |  |  |
| 一般項目   | 採水位置       |                     | A01 | 系心                  | 系心    | 系心    | 系心     | 系心                  | 系心    | 系心                  | 系心    | 系心                  | 系心    | 系心                  | 系心    | 系心   |  |  |  |
|        | 天候         |                     | A02 | 曇                   | 雨     | 曇     | 曇      | 雨                   | 曇     | 曇                   | 晴     | 晴                   | 晴     | 晴                   | 晴     | 晴    |  |  |  |
|        | 採水時刻       | 時分                  | A03 | 10:10               | 16:00 | 22:50 | 5:00   | 10:00               | 15:50 | 10:05               | 15:40 | 11:47               | 16:50 | 10:18               | 16:00 |      |  |  |  |
|        | 水位         | m                   | A04 | -0.36               | -0.40 | -0.22 | -0.68  | 0.65                | 0.63  | -0.36               | -0.19 | -0.27               | -0.52 | -0.20               | -0.75 |      |  |  |  |
|        | 流量         | m <sup>3</sup> /sec | A05 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |      |  |  |  |
|        | 全水深        | m                   | A06 | 4.44                | 4.40  | 4.58  | 4.12   | 5.45                | 5.43  | 4.44                | 4.61  | 5.20                | 4.95  | 4.60                | 4.05  |      |  |  |  |
|        | 採水水深       | m                   | A07 | 0.89                | 0.88  | 0.92  | 0.82   | 1.09                | 1.09  | 0.89                | 0.92  | 1.04                | 0.99  | 0.92                | 0.81  |      |  |  |  |
|        | 気温         | ℃                   | A08 | 22.0                | 20.8  | 21.5  | 21.9   | 19.3                | 21.0  | 22.2                | 19.0  | 16.5                | 14.8  | 13.1                | 13.3  |      |  |  |  |
|        | 水温         | ℃                   | A09 | 19.7                | 20.1  | 20.0  | 20.2   | 19.5                | 19.8  | 17.2                | 17.3  | 14.8                | 13.0  | 7.2                 | 9.5   |      |  |  |  |
|        | 干潮時刻       | 時分                  | A1A | 13:24               | 13:24 | 13:24 | 13:27  | 12:34               | 12:34 | 12:09               | 12:09 | 5:05                | 18:36 | 16:35               | 16:35 |      |  |  |  |
|        | 満潮時刻       | 時分                  | A1B | 8:38                | 19:43 | 19:43 | 10:23  | 7:48                | 18:10 | 7:15                | 17:40 | 12:02               | 12:02 | 9:54                | 9:54  |      |  |  |  |
|        | 外観         |                     | A11 | 茶色濁                 | 茶色濁   | 茶色濁   | 茶色濁    | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   | 茶色濁                 | 茶色濁   |      |  |  |  |
|        | 臭気(冷時)     |                     | A12 | 無臭                  | 無臭    | 無臭    | 無臭     | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    | 無臭                  | 無臭    |      |  |  |  |
|        | 透明度        | cm                  | A13 | 30.0<               | 30.0< | 30.0< | 30.0<  | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< | 30.0<               | 30.0< |      |  |  |  |
|        | 透視度        | m                   | A14 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |      |  |  |  |
|        | 水色         |                     | A15 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |      |  |  |  |
| 生活環境項目 | pH         |                     | B01 | 7.3                 | 7.3   | 7.2   | 7.4    | 7.3                 | 7.3   | 7.3                 | 7.0   | 7.3                 | 7.3   | 7.3                 | 7.4   |      |  |  |  |
|        | DO         | mg/l                | B02 | 8.3                 | 8.3   | 7.9   | 8.4    | 8.7                 | 8.9   | 9.1                 | 9.0   | 10                  | 9.8   | 11                  | 11    |      |  |  |  |
|        | BOD        | mg/l                | B03 | 0.8                 | N.D   | 0.7   | 1.6    | 1.9                 | 0.6   | 1.5                 | 1.3   | 0.6                 | 1.0   | 1.2                 | 1.3   |      |  |  |  |
|        | COD        | mg/l                | B04 | 3.7                 | 3.6   | 4.3   | 4.3    | 2.0                 | 2.0   | 2.7                 | 2.9   | 2.0                 | 2.4   | 2.3                 | 1.7   |      |  |  |  |
|        | SS         | mg/l                | B05 | 7                   | 5     | 10    | 24     | 2                   | 1     | 3                   | 4     | 1                   | 2     | 2                   | 2     |      |  |  |  |
|        | 大腸菌群数      |                     | B06 | 2.3×10 <sup>4</sup> |       |       |        | 2.3×10 <sup>4</sup> |       | 1.1×10 <sup>4</sup> |       | 1.7×10 <sup>4</sup> |       | 1.3×10 <sup>4</sup> |       |      |  |  |  |
|        | 総窒素        | mg/l                | B08 |                     |       |       |        | 1.45                |       |                     |       | 1.74                |       |                     |       |      |  |  |  |
| 健康項目   | 総リン        | mg/l                | B09 |                     |       |       |        | 2.109               |       |                     |       | 0.033               |       |                     |       |      |  |  |  |
|        | カドミウム      | mg/l                | C01 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | 全シアン       | mg/l                | C02 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | 有機リン       | mg/l                | C03 |                     |       |       |        |                     |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | 鉛          | mg/l                | C04 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | クロム(6価)    | mg/l                | C05 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | ヒ素         | mg/l                | C06 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | 総水銀        | mg/l                | C07 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | アルキル水銀     | mg/l                | C08 |                     |       |       |        |                     |       |                     |       |                     |       |                     |       |      |  |  |  |
|        | PCB        | mg/l                | C09 |                     |       |       |        |                     |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | トリクロロエチレン  | mg/l                | C10 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |
|        | テトラクロロエチレン | mg/l                | C11 |                     |       |       |        | N.D                 |       |                     |       | N.D                 |       |                     |       |      |  |  |  |





観測所番号  
30208

## 水 質 年 表 (その1)

平成5年(1993年)

| 観測所名   |            |        |     | 瀬沼橋 | 水系名     | 那珂川     | 河川名     | 瀬沼川     | 流量観測所名  |         |         |         |         |         |         |         |       |     |   | 平成5年(1993年) |  |  |  |
|--------|------------|--------|-----|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|-----|---|-------------|--|--|--|
| 項目     |            | 単位     | 月日  | 番号  | 1.12    | 2.2     | 3.2     | 4.28    | 5.18    | 6.28    | 7.30    | 8.10    | 9.21    | 10.6    | 11.9    | 12.7    | .     | .   | . | .           |  |  |  |
| 一般項目   | 採水位置       |        |     | A01 | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心      | 流心    |     |   |             |  |  |  |
|        | 天候         |        |     | A02 | 晴       | 晴       | 晴       | 晴       | 雨       | 晴       | 曇       | 曇       | 曇雨      | 雨       | 晴       | 晴       | 晴     |     |   |             |  |  |  |
|        | 採水時刻       | 時分     |     | A03 | 15:00   | 12:34   | 10:15   | 10:30   | 10:45   | 10:15   | 12:00   | 10:30   | 10:30   | 10:30   | 10:40   | 12:15   | 10:45 |     |   |             |  |  |  |
|        | 水位         | m      |     | A04 | 0.50    | 0.75    | 0.82    | 0.31    | 0.20    | 0.60    | 0.42    | 0.75    | 0.76    | 0.76    | 0.76    | 0.71    | 0.76  |     |   |             |  |  |  |
|        | 流量         | m³/sec |     | A05 |         |         |         |         |         |         |         |         |         |         |         |         |       |     |   |             |  |  |  |
|        | 全水深        | m      |     | A06 | 2.18    | 2.65    | 2.51    | 2.21    | 1.88    | 2.28    | 2.10    | 2.43    | 2.44    | 2.44    | 2.44    | 2.40    | 2.44  |     |   |             |  |  |  |
|        | 採水水深       | m      |     | A07 | 0.44    | 0.53    | 0.50    | 0.44    | 0.38    | 0.46    | 0.42    | 0.49    | 0.49    | 0.49    | 0.49    | 0.48    | 0.49  |     |   |             |  |  |  |
|        | 気温         | ℃      |     | A08 | 6.5     | 6.9     | 6.0     | 15.2    | 18.8    | 24.7    | 24.0    | 20.2    | 18.2    | 18.2    | 18.2    | 15.7    | 10.1  |     |   |             |  |  |  |
|        | 水温         | ℃      |     | A09 | 9.0     | 7.4     | 8.5     | 12.8    | 17.3    | 23.8    | 24.6    | 21.8    | 21.0    | 18.2    | 18.2    | 15.5    | 11.3  |     |   |             |  |  |  |
|        | 干潮時刻       | 時分     |     | A1A | 13:20   | 18:55   | 16:28   | 14:10   | 8:13    | 4:37    | 7:52    | 12:24   | 12:34   | 12:34   | 12:09   | 5:05    | 16:35 |     |   |             |  |  |  |
|        | 満潮時刻       | 時分     |     | A1B | 7:21    | 9:46    | 7:43    | 6:15    | 14:49   | 11:00   | 15:39   | 8:38    | 7:48    | 7:15    | 7:15    | 12:02   | 9:54  |     |   |             |  |  |  |
|        | 外観         |        |     | A11 | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定     | 未測定   | 未測定 |   |             |  |  |  |
|        | 臭気(冷時)     |        |     | A12 | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭      | 無臭    | 無臭  |   |             |  |  |  |
|        | 透視度        | cm     |     | A13 | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0<   | 30.0< |     |   |             |  |  |  |
|        | 透明度        | m      |     | A14 |         |         |         |         |         |         |         |         |         |         |         |         |       |     |   |             |  |  |  |
| 水色     |            |        | A15 |     |         |         |         |         |         |         |         |         |         |         |         |         |       |     |   |             |  |  |  |
| 生活環境項目 | P H        |        |     | B01 | 7.9     | 7.7     | 7.5     | 8.0     | 8.4     | 7.5     | 7.6     | 7.2     | 7.3     | 7.2     | 7.5     | 7.6     |       |     |   |             |  |  |  |
|        | D O        | mg/l   |     | B02 | 8.7     | 11      | 10      | 9.4     | 10      | 6.5     | 6.4     | 5.5     | 7.5     | 7.6     | 7.4     | 8.0     |       |     |   |             |  |  |  |
|        | B O D      | mg/l   |     | B03 | 1.3     | 1.3     | 1.3     | N.D     | 1.4     | 3.7     | 0.6     | 0.9     | 2.0     | 2.6     | 2.1     | 2.3     |       |     |   |             |  |  |  |
|        | C O D      | mg/l   |     | B04 | 6.5     | 2.6     | 2.8     | 11      | 3.9     | 5.1     | 6.1     | 7.6     | 3.3     | 4.9     | 3.3     | 4.8     |       |     |   |             |  |  |  |
|        | S S        | mg/l   |     | B05 | 3       | 1       | N.D     | 2       | 19      | 12      | 14      | 32      | 4       | 23      | 7       | 7       |       |     |   |             |  |  |  |
|        | 大腸菌群数      |        |     | B06 | 2.2×10³ | 1.1×10³ | 2.9×10² | 1.1×10³ | 2.9×10² | 2.9×10⁴ | 4.9×10⁴ | 2.3×10⁵ | 1.1×10⁶ | 2.3×10⁴ | 4.9×10³ | 3.3×10⁴ |       |     |   |             |  |  |  |
|        | 総窒素        | mg/l   |     | B08 | 1.26    |         | 1.74    |         | 1.78    |         | 1.66    |         | 2.20    |         | 2.73    |         |       |     |   |             |  |  |  |
|        | 総リン        | mg/l   |     | B09 | 0.047   |         | 0.045   |         | 0.148   |         | 0.138   |         | 0.105   |         | 0.068   |         |       |     |   |             |  |  |  |
| 健康項目   | カドミウム      | mg/l   |     | C01 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | 全シアン       | mg/l   |     | C02 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | 有機リン       | mg/l   |     | C03 | N.D     |         |         |         |         |         |         |         |         |         |         |         |       |     |   |             |  |  |  |
|        | 鉛          | mg/l   |     | C04 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | クロム(6価)    | mg/l   |     | C05 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | ヒ素         | mg/l   |     | C06 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | 総水銀        | mg/l   |     | C07 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         |       |     |   |             |  |  |  |
|        | アルキル水銀     | mg/l   |     | C08 |         |         |         |         |         |         |         |         |         |         |         |         |       |     |   |             |  |  |  |
|        | P C B      | mg/l   |     | C09 | N.D     |         |         |         |         |         | N.D     |         |         |         |         | N.D     |       |     |   |             |  |  |  |
|        | トリクロロエチレン  | mg/l   |     | C10 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D   |     |   |             |  |  |  |
|        | テトラクロロエチレン | mg/l   |     | C11 | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D     |         | N.D   |     |   |             |  |  |  |









