

霞ヶ浦 定期底泥調査 (昭和52年8月8日採泥)

地点	項目	含水率 (%)	Pb (mg/kg)	Cd (mg/kg)	As (mg/kg)	T-Hg (mg/kg)	Ar-Hg (mg/kg)	PCB (mg/kg)	PH (KCl)
湖心		81.8	31.2	0.97	5.6	0.16	ND	ND	4.95
馬場沖		76.6	32.8	0.27	6.2	0.11	ND	ND	5.05
麻生沖		50.0	16.5	0.00	4.9	0.06	ND	ND	4.72
高崎沖		80.1	35.5	0.34	4.2	0.10	ND	0.12	5.25
王造沖		81.3	31.7	0.37	5.4	0.14	ND	ND	4.75
釜谷沖		81.2	23.6	0.27	3.7	0.15	ND	ND	4.75
外浪地浦		33.2	11.1	0.00	5.0	0.04	ND	ND	4.58
潮来		45.2	13.5	0.10	5.3	0.04	ND	ND	4.32
神宮橋		31.1	5.8	0.00	3.6	0.03	ND	ND	4.72
息栖		24.5	5.5	0.00	3.8	0.02	ND	ND	5.98

注) TILFIL 2000
PCB

ND
ND

0.01 mg/kg 以下
0.01 mg/kg 乾土以下