

底質測定結果表

採泥採取日：昭和59年8月7日

項目	掛馬沖	高崎沖	玉造沖	湖心	麻生沖	釜谷沖	神宮橋	潮来	外浪逆浦	息栖
T O C (mg/g乾泥)	48.4	60.9	56.0	64.8	7.2	68.4	12.6	7.6	13.9	5.7
C O D (mg/g乾泥)	58.6	67.5	67.4	67.8	9.9	73.5	13.8	11.8	19.2	11.6
K - N (mg/g乾泥)	5.62	7.04	6.53	7.32	0.90	7.70	1.02	1.07	1.76	0.85
可溶性-N (mg/g乾泥)	0.42	0.49	0.36	0.54	0.21	0.32	0.28	0.12	0.15	0.05
T - P (mg/g乾泥)	1.48	2.40	1.96	1.23	0.22	1.24	0.36	0.29	0.47	0.26
可溶性-P (mg/g乾泥)	0.051	0.049	0.036	0.053	0.022	0.039	0.020	0.005	0.010	0.009
pH(KCℓ)	6.3	6.5	6.3	6.3	6.3	6.2	6.5	6.2	6.3	6.6
硫化物 (mg/g乾泥)	0.13	0.16	0.11	0.22	0.03	0.16	0.07	0.02	0.08	0.02
水分 (%)	80.5	78.3	80.1	81.0	82.6	81.9	40.7	82.9	50.0	29.2
強熱減量 (%)	17.7	18.9	16.3	18.8	3.3	18.9	4.2	4.5	8.7	3.6
Pb (mg/kg乾泥)	31.0	25.0	32.8	22.4	6.0	25.1	7.1	6.6	9.3	6.3
As (mg/kg乾泥)	9.9	10.6	11.0	13.1	6.8	7.1	7.7	6.0	6.9	6.2
T - Hg (mg/kg乾泥)	0.05	0.11	0.06	0.07	0.02	0.04	0.02	0.03	0.04	0.01
R - Hg (mg/kg乾泥)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
P C B (mg/kg乾泥)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cd (mg/kg乾泥)	0.30	0.31	0.42	0.37	0.10	0.38	0.10	0.09	0.12	0.06
C N P (mg/kg乾泥)	0.000	0.000		0.000	0.000	0.000				