

底 質 測 定 結 果 表

採泥採取日：昭和62年 8月 3日

項 目	地 点	掛馬沖	高崎沖	玉造沖	湖 心	麻生沖	釜谷沖	神宮橋	潮 来	外浪逆浦	息 栖
TOC	(mg/g 乾泥)	41.0	54.9	59.2	61.5	20.8	65.6	8.2	5.6	12.4	2.1
COD	(mg/g 乾泥)	50.1	60.5	68.7	68.0	24.8	69.6	9.7	7.4	13.8	2.6
KN	(mg/g 乾泥)	5.56	6.24	6.75	7.06	2.54	7.66	0.79	1.02	1.16	0.72
可溶性N	(mg/g 乾泥)	0.15	0.20	0.18	0.16	0.08	0.23	0.05	0.11	0.13	0.04
TP	(mg/g 乾泥)	1.29	2.10	2.04	1.44	0.65	1.09	0.33	0.50	0.38	0.56
可溶性P	(mg/g 乾泥)	0.023	0.042	0.020	0.018	0.010	0.018	0.010	0.005	0.005	0.007
PH(KCl)		5.4	5.6	5.3	5.1	4.7	5.2	5.0	5.8	6.0	5.9
硫化物	(mg/g 乾泥)	0.09	0.11	0.17	0.15	0.02	0.22	0.01	0.02	0.02	0.01
水分	(%)	70.3	69.9	71.7	75.7	46.5	75.3	32.9	29.0	27.1	27.9
強熱減量	(%)	14.5	17.6	16.5	18.1	7.4	17.4	3.2	2.7	8.3	1.6
Pb	(mg/kg 乾泥)	26.5	26.9	24.4	30.8	13.7	26.2	5.7	6.5	6.9	5.6
As	(mg/kg 乾泥)	7.6	10.7	11.2	13.2	10.5	10.2	6.1	6.2	5.4	7.1
T-Hg	(mg/kg 乾泥)	0.15	0.15	0.15	0.14	0.07	0.14	0.03	0.02	0.02	0.02
R-Hg	(mg/kg 乾泥)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB	(mg/kg 乾泥)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cd	(mg/kg 乾泥)	0.35	0.45	0.38	0.37	0.22	0.35	0.08	0.05	0.05	0.05

※NDは不検出