

底質測定結果表

採泥採取日：昭和63年 8月 2日

項目	地点	掛馬沖	高崎沖	玉造沖	湖心	麻生沖	釜谷沖	神宮橋	潮来	外浪逆浦	息 栖
TOC	(mg/g乾泥)	34.5	52.2	58.6	60.2	13.8	59.7	4.2	4.0	11.4	3.4
COD	(mg/g乾泥)	38.6	56.9	62.2	64.0	20.0	65.3	5.6	6.9	13.8	4.9
KN	(mg/g乾泥)	5.11	7.78	9.06	9.43	1.77	8.94	1.40	1.38	1.82	0.97
可溶性N	(mg/g乾泥)	0.22	0.22	0.25	0.31	0.09	0.30	0.07	0.08	0.09	0.05
TP	(mg/g乾泥)	1.16	2.35	2.19	1.29	0.62	1.10	0.22	0.32	0.47	0.30
可溶性P	(mg/g乾泥)	0.016	0.045	0.034	0.028	0.010	0.029	0.002	0.009	0.010	0.006
PH(KCl)		5.7	5.5	5.5	5.2	5.5	4.9	5.5	5.6	5.5	6.4
硫化物	(mg/g乾泥)	0.08	0.17	0.15	0.18	0.02	0.16	0.00	0.01	0.02	0.00
水分	(%)	67.1	72.4	75.9	77.9	54.1	77.0	23.4	31.2	37.1	28.3
強熱減量	(%)	13.6	18.9	18.5	17.8	6.9	17.2	1.8	2.5	5.2	1.7
Pb	(mg/kg乾泥)	24.0	25.1	28.0	31.2	11.8	23.9	5.4	6.3	12.0	6.1
As	(mg/kg乾泥)	11.8	9.6	11.2	10.6	9.6	11.6	3.6	6.9	9.8	3.5
T-Hg	(mg/kg乾泥)	0.06	0.15	0.19	0.13	0.06	0.14	0.01	0.02	0.05	0.01
R-Hg	(mg/kg乾泥)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB	(mg/kg乾泥)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cd	(mg/kg乾泥)	0.41	0.49	0.40	0.43	0.23	0.38	0.06	0.08	0.16	0.05

※NDは不検出