

H20鬼怒川上流域定期水質調査結果（五十里ダム：合流点下層）

ダ ム 名				五 十 里 ダ ム																
調 査 地 点 名				合 流 点 (下層)																
調 査 年 月 日				4/16	5/14	6/4	7/2	8/13	9/10	10/8	11/5	12/17	1/7	2/4	3/4	最大値	最小値	平均値		
現地観測項目	1001	A1	採水時刻	時分	10:55	12:10	10:40	9:20	8:10	9:35	9:40	9:40	9:45	10:35	結 水 の た め 欠 測	10:30				
			終了時刻	時分	11:40	12:40	11:05	9:40	8:40	9:55	10:00	10:00	10:15	11:05		10:55				
	1002	A2	採水位置		下層	下層	下層	下層	下層	下層	下層	下層	下層	下層		下層				
	1003	A3	天候		曇	曇	曇	晴	晴	晴	曇	晴	曇	晴		晴				
	1004	A4	水位	m	584.84	580.74	581.58	576.44	573.67	572.84	573.06	572.41	573.42	575.00		580.66	584.84	572.41	576.79	
	1005	A5	流量	m3/sec	—	—	—	—	—	—	—	—	—	—		—				
			流入量	m3/sec	15.45	7.65	11.63	6.69	6.89	17.02	11.57	2.66	4.96	5.82		13.77	17.02	2.66	9.46	
			放流量	m3/sec	36.34	13.76	18.02	6.69	6.89	17.02	7.96	12.10	8.85	5.82		13.77	36.34	5.82	13.38	
	1006	A6	全水深	m	25.0	15.0	22.0	17.8	11.0	13.9	13.0	13.0	11.0	14.0		21.0	25.00	11.00	16.06	
	1007	A7	採水深	m	24.0	14.0	21.0	16.8	10.0	12.9	12.0	12.0	10.0	13.0		20.0	24.00	10.00	15.06	
	1008	A8	気温	℃	16.5	11.2	17.8	24.0	27.9	20.5	18.0	8.4	3.8	6.1		2.8	27.9	2.8	14.3	
	1009	A9	水温	℃	7.2	11.8	11.9	16.4	21.9	15.6	14.3	10.6	5.4	3.7		4.4	21.9	3.7	11.2	
	1010	A10	外観（１）		淡黄白透	無色透明	無色透明	無色透明	無色透明	淡灰黄濁	無色透明	淡黄白透	無色透明	無色透明		無色透明	無色透明			
	1011	A11	外観（２）		—	—	—	—	—	—	—	—	—	—		—				
	1012	A12	外観（３）		特に無し	特に無し	特に無し	特に無し	特に無し	特に無し	特に無し	特に無し	特に無し	特に無し		特に無し				
	1013	A13	外観（４）		—	—	—	—	—	—	—	—	—	—		—				
生活環境項目			水色	色名帖	18	6	6	6	18	20	19	19	6	6	10					
	1014	A14	臭気（冷時）		無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭					
	1015	A15	透視度	cm	44.5	80.5	76.0	52.5	100<	47.0	100<	52.5	100<	100<	96.0	100<	44.5	77.2		
	1016	A16	透明度	m	2.0	3.2	3.6	3.8	2.4	1.4	1.8	2.1	2.9	4.9	2.1	4.9	1.4	2.7		
	1021	B1	pH		7.4	7.3	7.2	7.1	7.1	7.2	7.3	7.3	7.2	7.3	7.3	7.4	7.1	7.2		
	1022	B2	BOD	mg/L	0.5	0.5	0.2	0.8	1.2	0.4	1.0	0.5	0.6	0.3	0.5	1.2	0.2	0.6		
	1023	B3	COD	mg/L	1.3	1.4	1.5	1.3	2.4	1.6	1.4	1.5	1.0	1.0	1.0	2.4	1.0	1.4		
	1024	B4	SS	mg/L	13	3	3	5	12	9	6	6	1	1	1	13	1	5		
	1025	B5	DO	mg/L	10.8	9.3	7.8	5.2	6.4	9.1	9.0	9.4	12.0	12.0	12.1	12.1	5.2	9.4		
	1027	B7	大腸菌群数（１）	MPN/100mL	1.7E+02	7.9E+01	1.1E+02	1.7E+03	4.9E+02	1.3E+03	7.9E+02	7.9E+01	7.9E+01	4.5E+00	2.3E+01	1.7E+03	4.5E+00	4.4E+02		
	1029	B9	総窒素	mg/L	0.61	0.26	0.48	0.40	0.44	0.40	0.44	0.36	0.46	0.30	0					

H20鬼怒川上流域定期水質調査

水温・DO・濁度観測結果表

ダ ム 名		五十里ダム												
調 査 地 点 名		貯水池												
調 査 項 目	調査月日	H20 4/16	H20 5/14	H20 6/4	H20 7/2	H20 8/13	H20 9/10	H20 10/8	H20 11/5	H20 12/17	H21 1/7	H21 2/4	H21 3/11	
	単位													
調査開始時刻	(時：分)	12:40	13:10	11:30	10:05	9:25	10:10	10:20	10:20	10:35	11:20	10:00	11:10	
天候		曇	曇	曇	晴	晴	晴	曇	晴	雨	晴	晴	曇	
気温	(℃)	13.2	14.2	18.4	26.0	29.0	22.5	18.3	18.2	4.5	9.8	3.5	3.0	
貯水位	(ELm)	584.79	580.74	581.57	576.44	573.65	572.84	573.07	572.41	573.41	574.99	579.93	580.63	
流量(河川)	(m ³ /sec)													
流入量(貯水池)	(m ³ /sec)	16.04	1.00	11.66	6.68	2.95	16.93	15.82	2.66	5.16	2.35	12.05	5.72	
放流量(貯水池)	(m ³ /sec)	36.34	1.00	18.05	6.68	6.84	16.93	11.93	12.10	8.77	6.79	12.05	24.05	
透明度(貯水池)	(m)	2.2	2.8	3.8	6.3	4.3	2.2	2.0	2.3	3.2	4.3	4.5	3.5	
水色(貯水池)		19	6	6	6	6	19	19	19	6	6	9	6	
全水深	(m)	69.0	65.0	60.0	54.3	58.0	54.5	55.0	54.0	56.3	59.8	64.0	65.0	
水	採水深度(m) (貯水池内)	0	9.4	13.5	15.6	21.2	26.6	21.2	16.0	12.9	6.2	4.4	2.8	4.0
		0.1	9.3	13.5	15.6	21.1	26.5	21.2	16.0	12.9	6.2	4.4	2.8	4.0
		0.5	9.2	13.5	15.6	21.0	26.3	21.2	15.9	12.8	6.2	4.3	2.8	3.9
		1	9.1	13.5	15.5	21.0	26.2	21.2	15.9	12.7	6.2	4.3	2.8	3.9
		2	8.8	13.4	15.5	20.9	26.1	20.6	15.8	12.6	6.2	4.3	2.8	3.9
		3	8.7	13.2	14.8	20.8	26.0	17.8	15.7	12.6	6.2	4.3	2.8	3.9
		4	8.6	13.2	14.2	20.2	24.1	17.3	15.5	12.6	6.2	4.3	2.8	3.9
		5	8.6	13.2	13.9	18.3	22.1	17.1	15.0	12.6	6.2	4.3	2.8	3.9
		6	8.5	13.2	13.7	17.6	21.8	17.1	14.8	12.6	6.2	4.3	2.8	3.9
		7	8.4	12.7	13.5	17.3	21.7	17.0	14.7	12.6	6.2	4.3	2.8	3.9
		8	8.2	12.5	13.4	17.2	21.6	16.9	14.6	12.6	6.2	4.3	2.8	3.9
		9	8.0	12.4	13.4	17.1	21.5	16.9	14.6	12.6	6.2	4.3	2.8	3.9
		10	7.7	12.3	13.2	17.0	21.4	16.8	14.5	12.6	6.2	4.3	2.8	3.9
		12	7.4	11.9	13.1	16.8	21.0	16.7	14.5	12.6	6.2	4.3	2.8	3.9
		14	7.4	11.7	12.9	16.6	20.3	16.7	14.4	12.6	6.2	4.2	2.8	3.9
		16	7.3	11.5	12.7	16.3	19.7	16.6	14.4	12.4	6.2	4.2	2.9	3.9
		18	7.1	11.0	12.5	15.0	18.6	16.5	14.3	12.3	6.2	4.2	2.9	3.9
		20	7.0	10.2	12.2	14.1	17.4	16.5	14.3	12.3	6.2	4.3	2.9	3.9
		25	6.7	8.1	10.4	13.6	15.5	16.4	14.3	12.2	6.2	4.2	2.9	3.9
		30	6.3	7.0	8.2	13.2	13.7	16.2	14.3	12.1	6.2	4.2	3.0	3.9
		35	5.6	6.3	7.2	12.6	11.8	15.9	14.2	12.0	6.1	4.2	3.1	3.9
温		40	4.3	5.0	5.0	11.4	8.8	15.2	14.1	12.0	6.1	4.2	3.3	3.9
		45	4.0	4.2	4.3	6.1	5.0	14.2	13.8	11.9	6.2	4.2	3.3	3.9
		50	3.9	4.0	4.0	4.4	4.6	5.3	5.9	6.2	6.1	4.2	3.3	3.9
		55	4.0	4.0	4.1		4.5				6.1	4.2	3.3	3.9
		60	4.0	4.1									3.3	3.9
		65	4.0											
		70												
		75												
		80												
		85												
		90												
	底上1m	4.1	4.1	4.1	4.3	4.5	5.3	5.3	5.4	6.1	4.2	3.3	3.9	
濁度(度)	採水深度(m) (貯水池内)	0.5	3.1	3.1	1.6	1.1	2.3	3.9	3.4	4.2	1.3	1.3	1.3	1.6
		10	2.9	2.2	2.1	1.2	1.7	8.8	3.2	4.4	1.3	1.3	1.4	1.4
		20	8.2	2.0	2.8	1.5	1.5	11.6	4.8	5.6	1.6	1.5	1.6	1.4
		30	2.6	2.0	1.8	1.9	2.5	13.8	5.5	4.7	1.9	1.0	1.5	1.4
		40	1.4	1.5	1.1	1.9	1.1	13.3	7.3	7.9	3.5	1.1	1.2	1.6
		50	1.6	1.5	0.5	1.7	1.5	9.9	9.3	5.0	4.6	1.6	1.3	1.3
		60	1.7	1.7									1.4	1.7
		70												
		80												
	底上1m	2.4	2.0	0.5	1.7	3.3	9.7	9.4	4.9	4.7	15.3	2.3	1.8	
DO(mg/L)	採水深度(m) (貯水池内)	0.5	11.3	10.4	10.0	9.0	8.1	9.6	9.6	8.8	11.2	12.1	12.7	12.1
		10	11.0	10.3	9.7	7.0	6.0	8.6	8.0	8.7	11.1	12.0	12.6	12.2
		20	10.8	9.2	8.2	7.6	4.5	8.5	8.2	8.4	11.1	12.0	12.6	12.0
		30	11.0	10.2	9.1	6.8	0.6	8.2	7.7	10.0	11.0	12.0	12.6	12.1
		40	11.1	10.1	9.2	6.7	3.6	8.0	7.4	8.3	10.9	12.0	12.3	12.1
		50	11.5	10.8	10.5	8.2	3.3	1.2	0.5	0.2	10.6	11.8	12.2	12.2
		60	11.0	9.1									12.2	12.2
		70												
		80												
	底上1m	10.5	7.6	8.9	7.0	0.5	0.4	0.5	0.3	9.0	11.6	12.1	12.2	

