

平成19年度 鬼怒川上流域定期水質調査

水温・DO・濁度観測結果表

ダ ム 名		川 治 ダ ム												
調 査 地 点 名		貯水池												
調 査 項 目	調査月日 単位	H19 4/11	H19 5/9	H19 6/6	H19 7/11	H19 8/8	H19 9/5	H19 10/3	H19 11/7	H19 12/5	H20 1/9	H20 2/6	H20 3/5	
調査開始時刻	(時：分)	9:05	9:05	10:20	12:05	10:40	10:30	9:35	10:35	9:35	10:10	10:15	9:55	
天候		曇	晴	晴	雨	曇	雨	曇	快晴	雪	晴	晴	晴	
気温	(℃)	9.2	23.0	23.3	21.8	25.5	27.4	20.6	11.3	1.5	8.5	2.0	0.5	
貯水位	(ELm)	613.27	610.56	600.29	593.66	593.07	593.14	592.97	594.00	595.07	596.02	599.45	599.64	
流量 (河川)	(m ³ /sec)													
流入量 (貯水池)	(m ³ /sec)	0.90	1.13	1.10	2.58	2.25	3.71	1.71	1.34	0.66	1.59	0.50	0.50	
放流量 (貯水池)	(m ³ /sec)	0.50	6.87	5.69	2.14	2.40	1.31	2.00	0.47	0.00	0.50	0.50	0.49	
透明度 (貯水池)	(m)	3.4	7.5	3.8	6.5	5.8	4.5	2.2	0.1	0.3	0.3	0.3	0.7	
水色 (貯水池)		7	6	6	6	6	6	9	21	20	13	13	14	
全水深	(m)	76.0	69.5	67.2	63.5	60.3	61.8	62.1	64.8	63.0	72.0	65.6	65.0	
水	採水深度 (m) (貯水池内)	0	7.6	14.3	23.5	22.3	26.3	25.6	18.8	14.3	11.4	8.6	5.7	4.6
	0.1	7.6	14.3	19.0	22.3	26.3	25.6	18.8	14.3	11.4	8.6	5.7	4.6	
	0.5	7.6	14.3	19.0	22.3	26.3	25.6	18.8	14.5	11.5	8.6	5.7	4.6	
	1	7.6	13.6	19.0	20.5	24.5	25.6	18.7	14.7	11.5	8.4	5.7	4.6	
	2	7.6	13.5	18.3	20.3	24.2	24.0	18.7	14.5	11.5	8.4	5.7	4.6	
	3	7.6	13.2	17.9	20.2	23.8	23.8	18.7	14.5	11.5	8.3	5.7	4.6	
	4	7.6	11.7	14.3	19.4	21.9	23.6	18.7	14.5	11.5	8.3	5.7	4.6	
	5	7.6	9.9	10.3	18.0	20.6	23.5	18.2	14.5	11.5	8.3	5.7	4.6	
	6	7.5	8.7	8.5	16.4	19.3	22.9	17.1	14.5	11.5	8.3	5.7	4.5	
	7	7.5	8.1	7.6	15.1	18.3	21.5	17.0	14.5	11.5	8.3	5.7	4.5	
	8	7.3	7.6	7.1	13.1	17.6	20.7	16.9	14.5	11.5	8.3	5.7	4.5	
	9	7.2	7.6	6.7	10.1	17.1	20.1	16.8	14.5	11.5	8.3	5.7	4.5	
	10	7.2	7.0	6.6	7.5	16.7	19.6	16.8	14.5	11.5	8.3	5.7	4.5	
	12	7.0	6.7	6.4	6.4	15.1	18.3	16.7	14.5	11.5	8.3	5.7	4.5	
	14	6.8	6.5	6.2	6.1	13.8	14.9	16.6	14.5	11.5	8.3	5.7	4.5	
	16	6.5	6.4	6.0	5.9	13.1	13.2	16.5	14.5	11.5	8.3	5.7	4.5	
	18	6.4	6.2	5.9	5.9	12.6	12.7	16.4	14.5	11.5	8.3	5.8	4.5	
	20	6.3	6.1	5.8	5.8	12.2	12.2	16.4	14.5	11.5	8.3	5.8	4.5	
	25	5.9	5.8	5.7	5.7	11.0	11.0	16.2	14.5	11.5	8.3	5.8	4.5	
	30	5.7	5.7	5.7	5.6	6.9	7.4	16.1	14.5	11.5	8.3	5.8	4.5	
温	35	5.6	5.6	5.6	5.6	6.1	6.2	16.0	14.5	11.5	8.3	5.8	4.5	
	40	5.6	5.6	5.6	5.6	5.9	5.9	15.6	14.4	11.5	8.3	5.7	4.5	
	45	5.5	5.6	5.6	5.6	5.8	5.8	14.8	14.5	11.5	8.3	5.7	4.5	
	50	5.5	5.6	5.6	5.6	5.7	5.7	14.0	14.0	11.5	8.2	5.7	4.5	
	55	5.5	5.5	5.6	5.6	5.7	5.7	13.8	13.7	11.4	8.2	5.7	4.5	
	60	5.5	5.5	5.6	5.6		5.7	13.8	13.7	11.4	8.2	5.7	4.5	
	65	5.5	5.5	5.5							8.2			
	70	5.5									8.2			
	75													
	80													
	85													
	90													
	95													
	底上1m	5.5	5.5	5.5	5.6	5.7	5.7	13.8	13.7	11.4	8.2	5.7	4.5	
濁度 (度)	採水深度 (m) (貯水池内)	0.5	2.8	1.6	1.4	0.7	0.4	1.2	2.8	56.4	52.0	29.2	21.5	6.1
	10	2.7	2.4	1.5	1.8	1.6	1.3	64.6	59.5	52.5	33.0	21.0	6.4	
	20	2.3	1.4	1.8	0.9	24.2	4.7	156	59.0	49.0	32.4	21.6	6.4	
	30	2.5	1.5	1.0	1.2	8.9	2.7	226	59.0	51.0	32.4	20.7	6.3	
	40	2.4	1.3	0.6	1.7	4.2	1.6	317	55.0	52.0	32.7	21.2	6.4	
	50	2.7	1.3	0.7	1.5	3.0	1.5	307	215	55.0	33.7	21.0	6.4	
	60	3.2	1.5	1.4	1.3		1.2	426	245	55.0	35.0	20.9	7.0	
	70	4.7									36.4			
	80													
	90													
DO (mg/L)	底上1m	5.6	2.4	1.5	0.7	2.6	1.5	401	289	53.0	33.2	19.5	6.9	
	採水深度 (m) (貯水池内)	0.5	11.5	10.5	8.9	8.4	8.6	8.8	8.6	8.4	8.5	9.7	10.8	11.4
	10	11.6	11.9	11.4	7.5	8.0	8.7	7.6	8.4	8.6	9.7	10.7	11.4	
	20	11.1	10.5	9.9	9.5	7.9	7.8	8.2	8.1	8.6	9.6	10.7	11.4	
	30	10.7	10.4	9.9	8.9	8.0	7.4	8.1	8.2	8.6	9.7	10.7	11.4	
	40	10.6	10.4	10.0	10.4	8.2	7.8	7.8	7.1	8.5	9.7	10.8	11.3	
	50	10.6	10.3	10.0	8.5	8.2	7.4	7.9	5.5	8.5	9.7	10.6	11.5	
	60	10.5	10.3	9.5	7.8		6.0	6.0	4.9	8.6	9.7	10.6	11.5	
	70	10.4									9.7			
	80													
	90													
	底上1m	10.4	10.3	9.3	8.1	7.9	6.0	6.0	4.2	8.4	9.7	10.8	11.5	

平成19年度鬼怒川上流域水質調査結果（鬼怒川川治：午後）

ダ ム 名				五 十 里 ダ ム																
測 定 地 点 名				鬼怒川川治 (午後)																
採 水 日				4/11	5/9	6/6	7/11	8/8	9/5	10/3	11/7	12/5	1/9	2/6	3/5	最大値	最小値	平均値		
現 地 観 測 項 目	1001	A1	採水時刻	時分	14:45	17:05	15:25	15:10	16:00	15:15	13:25	14:35	14:10	13:55	13:30	13:35				
			終了時刻	時分	14:55	17:15	15:40	15:25	16:30	15:30	13:35	14:50	14:30	14:10	13:45	13:50				
	1002	A2	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心				
	1003	A3	天候		雨	晴	曇	曇	曇	曇	曇	晴	曇	晴	曇	晴				
	1004	A4	水位	m	—	—	—	—	—	—	—	—	—	—	—	—				
	1005	A5	流量	m3/sec	0.67	6.93	7.30	3.68	2.38	1.75	3.86	1.76	4.06	1.78	1.89	2.40	7.30	0.67	3.21	
			流入量	m3/sec	—	—	—	—	—	—	—	—	—	—	—	—				
			放流量	m3/sec	—	—	—	—	—	—	—	—	—	—	—	—				
	1006	A6	全水深	m	0.50	0.70	0.50	0.35	0.70	0.93	0.35	0.50	0.50	0.60	0.51	0.48	0.93	0.35	0.55	
	1007	A7	採水深	m	0.10	0.14	0.10	0.07	0.14	0.18	0.07	0.10	0.10	0.12	0.10	0.10	0.18	0.07	0.11	
	1008	A8	気温	℃	8.2	22.2	21.5	18.5	25.8	23.5	21.0	12.9	4.1	8.0	0.8	3.6	25.8	0.8	14.2	
	1009	A9	水温	℃	8.1	11.4	13.0	9.2	17.0	16.9	18.0	13.5	9.2	7.6	5.0	5.8	18.0	5.0	11.2	
	1010	A10	外観（１）		無色透明	無色透明	無色透明	無色透明	無色透明	無色透明	淡灰黄濁	淡灰色濁	淡白色濁	淡灰色濁	淡白色濁	淡黄白濁				
	1011	A11	外観（２）		順流	順流	順流	順流	順流	順流	順流	順流	順流	順流	順流	順流				
	1012	A12	外観（３）		特に無し	特に無し	特に無し	特に無し	特に無し	特に無し	濁り多し	特に無し	濁り多し	濁り多し	特に無し	特に無し				
	1013	A13	外観（４）		—	—	—	—	—	—	—	—	—	—	—	—				
			水色	色名帖																
	1014	A14	臭気（冷時）		無臭	無臭	無臭	無臭	無臭	無臭	弱土臭	無臭	無臭	無臭	無臭	無臭				
	1015	A15	透視度	cm	100<	100<	100<	100<	100<	100<	36.0	10.0	11.5	15.5	22.0	43.0	100<	10.0	61.5	
	1016	A16	透明度	m	—	—	—	—	—	—	—	—	—	—	—	—				
生 活 環 境 項 目	1021	B1	p H		7.9	7.4	7.1	7.6	8.0	7.5	7.7	7.8	7.8	7.8	8.0	8.0	8.0	7.1	7.7	
	1022	B2	BOD	mg/L	0.2	0.8	0.4	0.8	0.9	0.6	0.2	0.4	0.8	0.3	0.6	0.9	0.9	0.2	0.6	
	1023	B3	COD	mg/L	1.2	1.4	1.3	1.6	1.3	1.4	1.4	2.1	2.4	1.5	1.2	1.3	2.4	1.2	1.5	
	1024	B4	SS	mg/L	<1	<1	<1	<1	1	1	7	6	6	4	2	1	7	<1	3	
	1025	B5	DO	mg/L	11.2	10.7	10.1	10.9	9.8	9.4	9.3	9.7	10.8	11.4	12.4	12.3	12.4	9.3	10.7	
	1027	B7	大腸菌群数（１）	MPN/100mL	7.9E+01	2.3E+01	1.1E+03	1.1E+03	4.9E+03	7.9E+03	1.4E+03	1.7E+02	1.3E+02	1.3E+02	1.4E+02	1.7E+02	7.9E+03	2.3E+01	1.4E+03	
	1029	B9	総窒素	mg/L																
	1030	B10	総リン	mg/L																
	健 康 項 目	1041	C1	カドミウム	mg/L															
		1042	C2	(全)シアン	mg/L															
1043		C3	鉛	mg/L																
1044		C4	6価クロム	mg/L																
1045		C5	ヒ素	mg/L																
1046		C6	総水銀	mg/L																
1047		C7	アルキル水銀 ^{※1}	mg/L																
1048		C8	P C B	mg/L																
1049		C9	ジクロロメタン	mg/L																
1050		C10	四塩化炭素	mg/L																
1051		C11	1,2-ジクロロエタン	mg/L																
1052		C12	1,1-ジクロロエチレン	mg/L																
1053		C13	シス-1,2-ジクロロエチレン	mg/L																
1054		C14	1,1,1-トリクロロエタン	mg/L																
1055		C15	1,1,2-トリクロロエタン	mg/L																
1056		C16	トリクロロエチレン	mg/L																
1057		C17	テトラクロロエチレン	mg/L																
1058	C18	1,3-ジクロロプロベン（D-D）	mg/L																	
1059	C19	チウラム	mg/L																	
1060	C20	シマジン（CAT）	mg/L																	
1061	C21	チオベンカルブ(ベンチオカーブ)	mg/L																	
1062	C22	ベンゼン	mg/L																	
1063	C23	セレン	mg/L																	
1064	C24	硝酸態窒素及び亜硝酸態窒素	mg/L																	
1065	C25	ふっ素	mg/L																	
1066	C26	ほう素	mg/L																	
排 水 環 境 項 目	1132	D2	フェノール類	mg/L																
	1133	D3	銅	mg/L																
	1134	D4	亜鉛	mg/L																
	1135	D5	溶解性鉄	mg/L																
	1136	D6	溶解性マンガ	mg/L																
	1137	D7	(全)クロム	mg/L																
	富 栄養 化 関 連 項 目	1161	E1	アンモニウム態窒素	mg/L															
1162		E2	亜硝酸態窒素	mg/L																
1163		E3	硝酸態窒素	mg/L																
1168		E8	ケルダール窒素	mg/L																
1171		E11	オルトリン酸態リン	mg/L																
1185		E25	クロロフィルa	μg/L																
1189		E29	フェオフィチン（フェオ色素）	μg/L																
1192		E32	植物プランクトン総数	細胞/mL																
そ の 質 ・ 他	1242	G2	濁度	度	2.8	1.9	1.0	1.5	1.4	1.6	9.0	36.8	42.7	21.6	15.3	4.1	42.7	1.0	11.6	
	1248	G8	マンガ	mg/L																
	1251	G11	陰イオン界面活性剤	mg/L																
	2302	X2	導電率	ms/m	6.6	6.9	7.2	7.1	7.1	6.8	7.3	8.2	8.8	8.5	8.5	8.5	8.8	6.6	7.6	
	2362	X62	糞便性大腸菌群数	個/100mL	8	4	52	14	30	442	68	112	58	10	59	37	442	4	75	