

平成17年度 鬼怒川上流域定期水質調査

水溫・D0・濁度觀測結果表

ダム名		川 治 ダム											
調査地点名		貯 水 池											
調査項目	調査月日	H17 4. 19	H17 5. 11	H17 6. 8	H17 7. 13	H17 8. 3	H17 9. 14	H17 10. 12	H17 11. 2	H17 12. 7	H18 1. 11	H18 2. 8	H18 3. 8
	単位												
調査開始時刻	(時：分)	9:45	9:00	9:10	8:50	10:15	9:20	9:30	9:20	9:45	9:55	9:30	9:50
天候		晴	晴	曇	曇	曇	晴	晴	晴	晴	晴	晴	晴
気温	(℃)	18.7	13.6	18.5	18.5	26.8	26.5	19.8	13.2	6.6	0.0	5.0	10.0
貯水位	(ELm)	615.39	612.54	605.47	593.33	593.21	593.10	592.87	593.76	596.45	597.55	598.08	600.37
流量(河川)	(m3/sec)												
流入量(貯水池)	(m3/sec)	0.48	6.30	0.42	1.99	3.07	4.04	1.05	0.00	0.00	0.47	0.47	0.00
放流量(貯水池)	(m3/sec)	0.00	5.83	5.63	1.51	3.90	3.57	0.57	0.49	0.00	0.00	0.00	0.00
透明度(貯水池)	(m)	5.1	3.7	6.5	3.8	5.9	6.5	4.7	3.7	6.1	3.6	3.8	4.7
水色(貯水池)		8	8	8	7	8	8	8	8	8	8	8	8
全水深	(m)	73.4	78.3	76.5	58.3	65.4	59.5	58.0	68.5	68.2	59.4	63.8	62.3
採水深度 (m) (貯水池内)	0	18.7	12.8	19.1	19.7	25.5	22.3	18.0	15.0	10.7	6.2	5.8	4.7
	0.1	8.2	12.6	19.0	19.7	25.4	22.3	18.1	15.0	10.7	6.2	4.8	4.7
	0.5	8.2	12.6	18.5	20.5	24.8	22.2	18.1	15.0	10.7	6.2	4.8	4.7
	1	7.9	12.6	18.3	21.7	24.7	22.2	18.1	15.0	10.7	6.2	4.7	4.6
	2	7.6	12.6	18.2	21.7	24.6	22.0	18.0	15.0	10.7	6.2	4.7	4.6
	3	7.4	12.6	18.1	21.7	23.8	21.6	18.0	15.0	10.7	6.2	4.7	4.7
	4	7.4	12.6	18.0	21.2	22.5	20.5	17.9	15.0	10.7	6.2	4.7	4.6
	5	7.3	12.5	17.6	20.4	21.7	20.2	17.9	15.0	10.7	6.2	4.7	4.6
	6	7.4	12.4	16.6	19.0	20.7	19.6	17.9	15.0	10.7	6.2	4.7	4.6
	7	7.3	10.4	14.3	17.7	19.8	18.5	17.5	15.0	10.7	6.2	4.6	4.6
水	8	7.3	9.5	12.9	16.7	19.0	17.5	16.8	15.0	10.7	6.2	4.7	4.6
	9	7.3	9.2	11.6	16.4	18.4	17.1	16.5	15.0	10.7	6.2	4.7	4.6
	10	7.3	8.4	9.0	16.0	17.8	16.9	16.4	15.0	10.7	6.2	4.7	4.6
	12	7.2	7.2	6.0	11.7	17.2	16.6	16.3	15.0	10.7	6.2	4.7	4.6
	14	6.8	6.3	5.4	5.9	16.6	16.5	16.2	15.0	10.7	6.2	4.7	4.6
	16	6.1	5.6	5.2	5.1	16.1	16.4	16.1	15.0	10.7	6.2	4.7	4.6
	18	5.8	5.3	5.0	5.0	15.3	16.3	16.1	15.0	10.7	6.2	4.7	4.6
	20	5.5	5.1	4.9	4.8	14.6	16.3	16.0	15.0	10.7	6.2	4.7	4.6
	25	4.9	4.8	4.7	4.6	12.2	16.1	15.9	15.0	10.7	6.2	4.7	4.6
	30	4.7	4.7	4.6	4.6	5.4	15.8	15.6	14.9	10.7	6.2	4.7	4.6
温	35	4.6	4.6	4.6	4.5	5.0	15.3	14.9	14.8	10.7	6.2	4.6	4.5
	40	4.6	4.5	4.5	4.5	4.8	13.0	11.9	11.9	10.6	6.2	4.7	4.5
	45	4.5	4.5	4.5	4.4	4.6	5.6	5.7	5.7	10.2	6.2	4.7	4.4
	50</												

平成17年度鬼怒川上流域水質調査結果（鬼怒川川治・午後）

ダ ム 名		五 十 里 ダ ム																
測 定 地 点 名		鬼 怒 川 川 治 (午後)																
採 水 日		4/19	5/11	6/1	7/13	8/3	9/14	10/12	11/2	12/7	1/11	2/8	3/8	最大値	最小値	平均値		
一 般 項 目	採水時刻	15:35	13:35	14:00	13:55	14:25	15:20	13:35	16:15	14:10	16:00	13:00	15:15					
	終了時刻	15:50	13:45	14:15	14:20	15:00	15:30	13:45	16:25	14:40	16:15	13:15	15:25					
	採水位置	流心	左岸	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心					
	天候	晴	曇	曇	曇	曇	曇	晴	晴	晴	曇	曇	晴					
	水位 (EL. m)	—	—	—	—	—	—	—	—	—	—	—	—					
	流量 (m ³ /sec)	0.63	8.69	欠測	3.87	4.40	4.35	2.37	0.51	0.51	0.38	1.10	0.58	8.69	0.38	2.28		
	流入量	—	—	—	—	—	—	—	—	—	—	—	—					
	放流量	—	—	—	—	—	—	—	—	—	—	—	—					
	全水深 (m)	0.81	0.50	0.30	0.50	0.50	0.50	0.80	0.75	0.30	0.60	0.40	0.50	0.81	0.30	0.54		
	採水水深 (m)	0.16	0.10	0.06	0.10	0.10	0.10	0.16	0.15	0.06	0.12	0.08	0.10	0.16	0.06	0.11		
	気温 (℃)	21.2	17.1	22.2	20.5	31.2	24.2	17.0	9.8	5.2	1.2	5.0	9.6	31.2	1.2	15.4		
	水温 (℃)	11.0	7.8	10.1	12.0	17.0	19.2	17.1	13.1	9.8	5.4	5.3	7.0	19.2	5.3	11.2		
	外観（１）	無色透明	無色透明	無色透明	無色透明	淡灰色濁	無色透明	無色透明	無色透明	無色透明	無色透明	無色透明	無色透明					
	外観（２）	順流	順流	順流	順流	順流	順流	順流	順流	順流	順流	順流	順流					
	外観（３）	特になし	特になし	特になし	特になし	濁り多し	特になし	特になし	特になし	特になし	特になし	特になし	特になし					
	外観（４）	—	—	—	—	—	—	—	—	特になし	特になし	—	—					
	水色	—	—	—	—	—	—	—	—	—	—	—	—					
	臭気（冷時）	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭	無臭					
	透視度 (cm)	100<	100<	100<	100<	22.0	100<	100<	100<	100<	100<	100<	100<					
	透明度 (m)	—	—	—	—	—	—	—	—	—	—	—	—					
生 活 環 境 項 目	pH	7.4	7.5	7.4	7.5	7.5	7.4	7.8	7.5	7.7	7.9	7.6	7.8	7.9	7.4	7.6		
	BOD (mg/1)	0.2	0.4	0.7	1.4	0.7	0.6	0.8	0.1	0.3	0.6	0.3	1.0	1.4	0.1	0.6		
	COD (mg/1)	1.0	1.2	1.6	2.4	2.6	1.8	1.8	1.3	1.0	0.8	1.1	1.3	2.6	0.8	1.5		
	SS (mg/1)	<1	<1	2	2	6	1	<1	<1	<1	<1	<1	<1	6	1	2		
	DO (mg/1)	10.3	11.2	10.4	10.5	9.3	8.6	9.0	9.7	11.1	12.2	12.5	12.2	12.5	8.6	10.6		
	大腸菌群数（１） (MPN/100ml)	2.0E+01	4.5E+01	2.3E+01	7.9E+02	2.4E+02	7.9E+01	1.6E+03	3.5E+02	9.4E+01	3.3E+01	3.3E+01	9.4E+01	1.6E+04	2.0E+01	1.6E+03		
	総窒素 (mg/1)																	
	総リン (mg/1)																	
健 康 項 目	カドミウム (全) シアン (mg/1)																	
	鉛 (mg/1)																	
	6価クロム (mg/1)																	
	ヒ素 (mg/1)																	
	総水銀 (mg/1)																	
	アルキル水銀 (mg/1)																	
	PCB (mg/1)																	
	ジクロロメタン (mg/1)																	
	四塩化炭素 (mg/1)																	
	1,2-ジクロロエタン (mg/1)																	
	1,1-ジクロロエチレン (mg/1)																	
	シス-1,2-ジクロロエチレン (mg/1)																	
	1,1,1-トリクロロエタン (mg/1)																	
	1,1,2-トリクロロエタン (mg/1)																	
	トリクロロエチレン (mg/1)																	
	テトラクロロエチレン (mg/1)																	
	1,3-ジクロロプロパン (D-D) (mg/1)																	
	チウラム (mg/1)																	
	シマジン (CAT) (mg/1)																	
	チオベンカルブ (ベンチカ-ブ) (mg/1)																	
	ベンゼン (mg/1)																	
	セレン (mg/1)																	
	硝酸態窒素及び亜硝酸態窒素 (mg/1)																	
	フッ素 (mg/1)																	
	ホウ素 (mg/1)																	
排 水 基 準 項 目	フェノール類 (mg/1)																	
	銅 (mg/1)																	
	亜鉛 (mg/1)																	
	溶解性鉄 (mg/1)																	
	溶解性マンガン (mg/1)																	
富 栄 養 化 項 目	(全) クロム (mg/1)																	
	アンモニウム態窒素 (mg/1)																	
	亜硝酸態窒素 (mg/1)																	
	硝酸態窒素 (mg/1)																	
	ケルダール窒素 (mg/1)																	
	オルトリン酸態リン (mg/1)																	
	クロロフィルa (mg/1)																	
	フェオフィチン (フェオ色素) (mg/1)																	
	植物プランクトン総数 (細胞/ml)																	
そ の 他	濁度 (度)	1.0	1.1	1.6	3.1	23.8	2.2	0.7	1.3	0.8	0.8	0.9	0.8	23.8	0.7	3.2		
	マンガン (mg/1)																	
	陰イオン界面活性剤 (mg/1)																	
	導電率 (nS/m)	8.9	7	8	9	7	6	7	7	8	8	9	8	9.0	6.0	7.7		
	糞便性大腸菌群数 (個/100ml)	0	8	12	7	7	9	24	18	6	8	19	27	27	0	12		